

ARA-DAC Weekly Analysis Result: 2392 (GFA)

Technical Report

GPS Week: 2392 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus

Report generated on 2025/12/03 at 10:42:26



ARANZADI zientzia elkartea
sociedad de ciencias . society of sciences . société de sciences

Contents

1	Introduction	3
2	Map of Computed Sites	3
3	Main Computation Parameters	4
4	Estimated Parameters	4
5	Computed Coordinates	6
5.1	IGS20	6
5.2	ETRF2000 (ETRS89) Coordinates	6
5.3	ETRF2014 (ETRS89) Coordinates	7
5.4	ETRF2020 (ETRS89) Coordinates	7
6	Quality Control	8
6.1	Mean and Daily Repeatabilities	8
6.2	Datum verification	10
6.3	Adjustment Statistics	11
7	Equipment	11
7.1	Receiver List	11
7.2	Antennas	11
7.3	Eccentricities	12
8	Inconsistencies (logsheet-RINEX metadata)	12
9	References	14
10	Cumulative Time Series	15

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I20 file and individual calibrations from EPNC_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observation of this/these GNSS/GNSSs are excluded from the analysis of that station.
- Reference sites: the latest IGS cumulative solution is used to align our solution to the latest IGS20 release, regularly updated and available at: IGS0OPSSNX_1994002_00U_00U_CRD.SNX.gz. Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20); also applies to repro3 solutions, which are based on IGS20 standards.
- Troposphere:
 - minimum elevation is 3 deg.; elevation dependent weighting.
 - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
 - Mean pole model : IERS2010_v1.2.0
 - Subdaily pole model: DESAI2016
 - Nutation model : IAU2000R06

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3σ rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to IGS sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.

- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W (IGS cumulative solution) are the ones used in the Minimal Constraints condition.

5.1 IGS20

The Reference Frame considered in this section is the IGS20 (IGS cumulative solution), mapped from 2015.0 to the observation epoch.

```

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS                                03-DEC-25 09:05
-----
LOCAL GEODETIC DATUM: IGS20                EPOCH: 2025-11-12 11:59:45
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG  SYSTEM
-----
111 ACRD 13434M001    4594489.46994  -678367.24146  4357066.33117  A      G
39 ALDA 19383M001    4687280.09224  -190876.44315  4308107.02684  A      GR
50 ALSA 19419M001    4677250.76426  -176770.27259  4319079.95255  A      GRE
53 AMUR 19388M001    4661499.38349  -244591.13627  4332269.95628  A      GR
384 BIAZ 10074M002    4634455.97937  -124344.85094  4365785.53648  W      GR
101 BIDA 00000M000    4644177.75171  -145778.19810  4354832.55480  A      GR
113 BRZR 19387M001    4662220.92083  -220769.77852  4333309.51086  A      GR
573 CACE 13447M001    4899866.44698  -544566.91097  4033770.28436  W      GRE
592 CANT 13438M001    4625924.25258  -307096.11356  4365771.63926  W      GRE
908 CREU 13432M001    4715420.05519  273178.18350  4271946.91636  A      GRE
135 EBRE 13410M001    4833519.91955  41537.51846  4147461.79467  W      GRE
180 ELGE 19353S001    4657557.32867  -202241.34842  4338991.96589  A      GRE
182 EMAZ 17001M001    4645924.13877  -276949.74578  4347759.64216  A      GR
209 GERN 19389M001    4642811.25396  -217222.80161  4353278.95549  A      GR
257 HOND 15012M002    4640529.24973  -145675.86434  4358781.83272  A      GRE
235 IGEL 19352S001    4645951.35465  -165574.37948  4352550.50035  A      GRE
240 ISPS 19484M001    4640596.40973  -206963.65514  4356391.99471  A      GRE
245 KAST 19499M001    4646949.00318  -240747.14299  4348015.06369  A      GR
252 LARE 19440M001    4632831.89080  -279026.02229  4360314.50448  A      GRE
256 LAZK 19354S001    4666098.27773  -178186.06931  4330463.74988  A      GRE
261 LEIT 19428M001    4663520.86809  -155858.59390  4334519.96880  A      GRE
345 PASZ 19351S001    4644908.99125  -156644.94588  4353623.15511  A      GRE
493 PASA 19351S001    4644908.99122  -156644.94561  4353623.15495  A      GRE
553 RID1 13448M002    4708446.76423  -199490.16006  4284089.81541  A      GRE
558 SALA 13469M001    4803054.42571  -462130.94629  4158379.15559  A      GR
526 SCDA 10088M002    4639940.43737  -136224.82004  4359552.50026  W      GRE
715 SOPU 19386M001    4643997.83877  -255913.78357  4350063.21769  W      GR
443 TERU 13487M001    4867391.25501  -95523.21888  4108341.76222  A      GRE
493 VITO 19385M001    4679397.63446  -218436.38214  4314898.44474  A      GR
616 YEBE 13420M001    4848724.50580  -261631.80306  4123094.40806  W      GRE
655 ZARA 13462M001    4773803.10170  -73505.86251  4215454.17332  W      GRE
    
```

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2000                                                    03-DEC-25 09:05
-----
LOCAL GEODETIC DATUM: ETRF2000                EPOCH: 2025-11-12 11:59:45
-----
NUM STATION NAME      X (M)      Y (M)      Z (M)      FLAG  SYSTEM
-----
111 ACRD 13434M001    4594489.82622  -678367.90546  4357065.83330  A
39 ALDA 19383M001    4687280.51356  -190877.11790  4308106.52773  A
50 ALSA 19419M001    4677251.18850  -176770.94603  4319079.45456  A
53 AMUR 19388M001    4661499.79923  -244591.80790  4332269.45874  A
384 BIAZ 10074M002    4634456.41498  -124345.51872  4365785.40316  W
101 BIDA 00000M000    4644178.18336  -145778.86727  4354832.06028  A
113 BRZR 19387M001    4662221.34004  -220770.45019  4333309.01360  A
573 CACE 13447M001    4899866.79494  -544567.61306  4033769.76057  W
592 CANT 13438M001    4625924.66229  -307096.78086  4365771.14404  W
908 CREU 13432M001    4715420.53913  273177.50689  4271946.42138  A
135 EBRE 13410M001    4833520.36020  41536.82614  4147461.28557  W
180 ELGE 19353S001    4657557.75098  -202242.01945  4338991.46933  A
182 EMAZ 17001M001    4645924.55124  -276950.41554  4347759.14557  A
209 GERN 19389M001    4642811.67535  -217223.47081  4353278.46005  A
257 HOND 15012M002    4640529.68172  -145676.53305  4358781.33854  A
235 IGEL 19352S001    4645951.78330  -165575.04893  4352550.00538  A
240 ISPS 19484M001    4640596.83284  -206964.32403  4356391.49963  A
245 KAST 19499M001    4646949.42080  -240747.81278  4348014.56753  A
252 LARE 19440M001    4632832.30403  -279026.69039  4360314.00905  A
256 LAZK 19354S001    4666098.70273  -178186.74134  4330463.25289  A
261 LEIT 19428M001    4663521.29660  -155859.26555  4334519.47237  A
345 PASZ 19351S001    4644909.42126  -156645.61517  4353622.66037  A
493 PASA 19351S001    4644909.42123  -156645.61490  4353622.66021  A
553 RID1 13448M002    4708447.18230  -199490.83749  4284089.31424  A
558 SALA 13469M001    4803054.79592  -462131.63619  4158378.64190  A
526 SCDA 10088M002    4639940.87077  -136225.48864  4359552.00627  W
715 SOPU 19386M001    4643998.25441  -255914.45302  4350062.72158  W
443 TERU 13487M001    4867391.67295  -95523.91590  4108341.24803  A
493 VITO 19385M001    4679398.05245  -218437.05596  4314897.94595  A
616 YEBE 13420M001    4848724.90146  -261632.49823  4123093.89315  W
655 ZARA 13462M001    4773803.53182  -73506.54776  4215453.66802  W
    
```

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2014                                03-DEC-25 09:05
-----
LOCAL GEODETIC DATUM: ETRF2014                    EPOCH: 2025-11-12 11:59:45
NUM STATION NAME      X (M)      Y (M)      Z (M)  FLAG  SYSTEM
111 ACRD 13434M001    4594489.78677 -678367.94167 4357065.88655  A
 39 ALDA 19383M001    4687280.47147 -190877.15559 4308106.58085  A
 50 ALSA 19419M001    4677251.14648 -176770.98383 4319079.50772  A
 53 AMUR 19388M001    4661499.75764 -244591.84551 4332269.51191  A
384 BIAZ 10074M002    4634456.37326 -124345.55692 4365785.09649  W
101 BIDA 00000M000    4644178.14160 -145778.90534 4354832.11356  A
113 BRZR 19387M001    4662221.29835 -220770.48789 4333309.06678  A
573 CACE 13447M001    4899866.75141 -544567.64836 4033769.81293  W
592 CANT 13438M001    4625924.62132 -307096.81839 4365771.19730  W
908 CREU 13432M001    4715420.49485 273177.46754 4271946.47476  A
135 EBRE 13410M001    4833520.31546 41536.78823 4147461.33839  W
180 ELGE 19353S001    4657557.70928 -202242.05724 4338991.52253  A
182 EMAZ 17001M001    4645924.50994 -276950.45310 4347759.19877  A
209 GERN 19389M001    4642811.63387 -217223.50861 4353278.51330  A
257 HOND 15012M002    4640529.64001 -145676.57114 4358781.39183  A
235 IGEL 19352S001    4645951.74160 -165575.08692 4352550.05864  A
240 ISPS 19484M001    4640596.79135 -206964.36189 4356391.55288  A
245 KAST 19499M001    4646949.37936 -240747.85047 4348014.62075  A
252 LARE 19440M001    4632832.26288 -279026.72800 4360314.06229  A
256 LAZK 19354S001    4666098.66084 -178186.77918 4330463.30608  A
261 LEIT 19428M001    4663521.25466 -155859.30349 4334519.52558  A
345 PAS2 19351S001    4644909.37953 -156645.65320 4353622.71364  A
493 PASA 19351S001    4644909.37950 -156645.65293 4353622.71348  A
553 RIO1 13448M002    4708447.13999 -199490.87505 4284089.36729  A
558 SALA 13469M001    4803054.75335 -462131.67228 4158378.69455  A
526 SCOA 10088M002    4639940.82903 -136225.52677 4359552.05957  W
715 SOPU 19386M001    4643998.21305 -255914.49067 4350062.77480  W
443 TERU 13487M001    4867391.62833 -95523.95312 4108341.30066  A
493 VITO 19385M001    4679398.01055 -218437.09359 4314897.99907  A
616 YEBE 13420M001    4848724.85767 -261632.53488 4123093.94575  W
655 ZARA 13462M001    4773803.48826 -73506.58550 4215453.72094  W
    
```

5.4 ETRF2020 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2020 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2020                                03-DEC-25 09:05
-----
LOCAL GEODETIC DATUM: ETRF2020                    EPOCH: 2025-11-12 11:59:45
NUM STATION NAME      X (M)      Y (M)      Z (M)  FLAG  SYSTEM
111 ACRD 13434M001    4594489.78282 -678367.92679 4357065.89454  A
 39 ALDA 19383M001    4687280.46618 -190877.14022 4308106.58910  A
 50 ALSA 19419M001    4677251.14112 -176770.96847 4319079.51596  A
 53 AMUR 19388M001    4661499.75245 -244591.83024 4332269.52011  A
384 BIAZ 10074M002    4634456.36762 -124345.54168 4365785.10466  W
101 BIDA 00000M000    4644178.13606 -145778.89008 4354832.12175  A
113 BRZR 19387M001    4662221.29309 -220770.47260 4333309.07499  A
573 CACE 13447M001    4899866.74787 -544567.63243 4033769.82146  W
592 CANT 13438M001    4625924.61623 -307096.80325 4365771.20543  W
908 CREU 13432M001    4715420.48823 273177.48320 4271946.48314  A
135 EBRE 13410M001    4833520.30987 41536.80418 4147461.34694  W
180 ELGE 19353S001    4657557.70395 -202242.04196 4338991.53073  A
182 EMAZ 17001M001    4645924.50481 -276950.43789 4347759.20693  A
209 GERN 19389M001    4642811.62855 -217223.49339 4353278.52147  A
257 HOND 15012M002    4640529.63446 -145676.55589 4358781.40001  A
235 IGEL 19352S001    4645951.73612 -165575.07167 4352550.06683  A
240 ISPS 19484M001    4640596.78599 -206964.34667 4356391.56105  A
245 KAST 19499M001    4646949.37411 -240747.83524 4348014.62892  A
252 LARE 19440M001    4632832.25772 -279026.71283 4360314.07044  A
256 LAZK 19354S001    4666098.65546 -178186.76387 4330463.31430  A
261 LEIT 19428M001    4663521.24920 -155859.28817 4334519.53380  A
345 PAS2 19351S001    4644909.37402 -156645.63794 4353622.72183  A
493 PASA 19351S001    4644909.37399 -156645.63767 4353622.72167  A
553 RIO1 13448M002    4708447.13479 -199490.85961 4284089.37557  A
558 SALA 13469M001    4803054.74926 -462131.65664 4158378.70294  A
526 SCOA 10088M002    4639940.82344 -136225.51153 4359552.06775  W
715 SOPU 19386M001    4643998.20785 -255914.47546 4350062.78297  W
443 TERU 13487M001    4867391.62326 -95523.93712 4108341.30924  A
493 VITO 19385M001    4679398.00532 -218437.07825 4314898.00731  A
616 YEBE 13420M001    4848724.85306 -261632.51901 4123093.95426  W
655 ZARA 13462M001    4773803.48284 -73506.56980 4215453.72936  W
    
```


LEIT 19428M001	N	4.72	-3.73	-3.51	-6.25	2.96	-0.25	5.09	5.79
LEIT 19428M001	E	2.42	-1.63	-2.59	-1.89	3.44	-0.02	-0.62	3.15
LEIT 19428M001	U	7.06	-1.08	-2.51	-2.61	-12.23	4.04	8.17	7.22
PAS2 19351S001	N	2.48	-1.07	-0.67	-3.39	3.42	0.84	-2.57	2.19
PAS2 19351S001	E	1.12	-0.11	-0.43	-1.42	1.32	-0.23	-1.36	1.26
PAS2 19351S001	U	5.38	1.05	-1.56	3.16	-4.13	8.43	-8.50	0.08
PASA 19351S001	N	2.27	-1.04	-0.94	-3.22	3.19	-1.08	-0.93	2.52
PASA 19351S001	E	1.14	-0.44	-0.66	-1.42	1.61	0.35	-1.28	0.93
PASA 19351S001	U	4.84	0.20	-1.79	2.78	-2.57	8.08	-7.50	-1.27
RID1 13448M002	N	1.14	0.03	0.72	0.43	2.36	-0.14	0.89	0.79
RID1 13448M002	E	0.94	1.02	0.88	0.44	1.46	0.14	0.18	1.06
RID1 13448M002	U	6.29	-0.73	-3.57	-6.05	-2.93	9.58	8.24	4.37
SALA 13469M001	N	0.96	0.79	1.12	-0.01	0.46	-1.26	-0.52	1.28
SALA 13469M001	E	0.67	0.01	0.48	-0.36	0.46	-1.18	-0.72	-0.49
SALA 13469M001	U	2.50	-2.42	0.71	-1.09	4.53	1.51	-0.11	-2.67
SCDA 10088M002	N	0.78	-0.73	0.73	0.41	0.48	-1.16	-0.50	-0.74
SCDA 10088M002	E	2.76	1.08	0.58	-2.17	2.14	3.98	-2.51	-3.55
SCDA 10088M002	U	3.29	-2.98	-5.24	4.55	-1.40	2.42	-0.48	0.22
SOPU 19386M001	N	2.44	-2.26	-2.21	-0.58	-2.91	3.58	1.83	0.96
SOPU 19386M001	E	1.95	-0.02	-1.90	-3.47	0.68	2.23	0.27	1.31
SOPU 19386M001	U	4.01	1.33	-2.39	-1.03	-7.14	0.00	6.09	0.08
TERU 13487M001	N	1.27	0.08	0.21	0.69	1.18	0.41	-1.26	-2.46
TERU 13487M001	E	0.74	0.01	-0.14	-0.09	1.31	0.70	0.09	-1.02
TERU 13487M001	U	2.88	-3.30	-0.89	-5.56	0.01	2.26	-1.45	0.08
VITO 19385M001	N	2.54	2.00	3.14	4.07	-2.37	0.89	-0.84	-1.08
VITO 19385M001	E	1.25	1.68	0.59	0.89	0.16	0.62	-0.47	2.18
VITO 19385M001	U	3.21	3.06	1.45	-3.54	-1.95	5.30	2.43	-0.05
YEBE 13420M001	N	0.62	0.35	0.47	1.23	0.45	0.11	-0.50	0.03
YEBE 13420M001	E	0.51	-0.26	-0.23	0.36	-0.28	-0.67	-0.85	0.14
YEBE 13420M001	U	1.99	-2.94	-0.88	-0.09	1.74	3.04	0.92	-1.09
ZARA 13462M001	N	0.76	0.47	0.97	-0.04	0.92	-0.49	0.60	0.93
ZARA 13462M001	E	0.93	0.06	0.57	0.38	0.65	1.08	0.78	1.60
ZARA 13462M001	U	6.49	0.09	-5.84	-4.02	-2.48	5.61	8.76	9.40

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

LIST OF REMOVED STATIONS:

OUTLIER CRITERIA: 15.00 15.00 20.00

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
2	ALAC 13433M001	I W	2.10	-1.61	2.72
3	ALME 13437M001	I W	-0.21	0.39	3.69
4	BCL1 19482M001	I W	0.35	-0.79	1.92
5	BELL 13431M001	I W	-0.06	-0.06	2.65
6	BIAZ 10074M002	I W	-1.61	-0.17	-10.16
7	BORR 13480M001	I W	-5.74	-1.52	0.74
8	BRST 10004M004	I W	-0.64	-0.53	2.04
9	CACE 13447M001	I W	1.93	0.63	2.83
10	CANT 13438M001	I W	0.17	1.04	-6.77
11	CASC 13909S001	I W	2.39	-0.79	1.29
12	CEU1 13449M002	I W	1.22	0.56	-3.11
14	EBRE 13410M001	I W	-1.35	0.66	-0.06
16	FLRS 31907M001	I W	0.99	-0.32	-9.25
17	FUER 31330M001	I W	2.51	-0.65	5.68
19	HUEL 13451M001	I W	2.59	2.70	-8.65
20	IBIZ 13454S001	I W	0.32	1.35	1.96
21	IZAN 31309M002	I W	0.08	-2.36	3.20
22	LAGO 13903M001	I W	2.08	-0.16	3.00
23	LLIV 13436M001	I W	-2.43	1.12	0.48
24	LPAL 81701M001	I W	2.01	2.71	2.18
25	LROC 10023M001	I W	-0.48	1.22	0.79
26	MADR 13407S012	I W	-1.94	-0.36	-4.20
27	MAL1 13444M002	I W	3.92	-1.03	-6.66
28	MALA 13443M001	I W	3.22	-0.51	5.46
29	MALL 13444M001	I W	-0.78	0.49	3.71
30	MAS1 31303M002	I W	-1.06	-2.98	7.97
31	MELI 19379M001	I W	0.21	0.03	3.76
32	PDEL 31906M004	I W	-2.09	-0.35	0.86
33	SCOA 10088M002	I W	-1.54	-0.13	-15.26
34	SFER 13402M004	I W	0.33	-5.20	-0.15
35	SOPU 19386M001	I W	-2.14	0.52	-0.58
36	VALE 13439M001	I W	0.74	2.47	-2.45
37	VIGO 13450M001	I W	1.29	1.51	2.85
38	VILL 13406M001	I W	-0.95	-0.64	5.37
39	YEBE 13420M001	I W	0.05	-0.19	1.76
40	ZARA 13462M001	I W	-0.06	1.96	-4.28
41	ZIMM 14001M004	I W	-0.62	0.40	3.77
RMS / COMPONENT			1.89	1.54	5.06
IQR			2.23	1.30	5.45
MEAN			0.13	-0.02	-0.02
MEDIAN			0.08	-0.13	1.76
MIN			-5.74	-5.20	-15.26
MAX			3.92	2.71	7.97
OVERALL RMS/IQR/MAX(3D)			3.24	2.74	15.34
					SCOA 10088M002 #SUM
ALL	RMS / COMPONENT		1.89	1.54	5.06
ALL	IQR		2.23	1.30	5.45
ALL	MEAN		0.13	-0.02	-0.02
ALL	MEDIAN		0.08	-0.13	1.76
ALL	MIN		-5.74	-5.20	-15.26
ALL	MAX		3.92	2.71	7.97
ALL	OVERALL RMS/IQR/MAX(3D)		3.24	2.74	15.34
					SCOA 10088M002 #SUM_ALL

NUMBER OF PARAMETERS : 3
NUMBER OF STATIONS : 37
NUMBER OF COORDINATES : 111
RMS OF TRANSFORMATION : 3.24 MM

PARAMETERS:

TRANSLATION IN X : -0.00 +- 0.53 MM
TRANSLATION IN Y : 0.00 +- 0.53 MM
TRANSLATION IN Z : 0.00 +- 0.53 MM

NUMBER OF ITERATIONS : 1

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER----- VALUE(S)-----
NUMBER OF OBSERVATIONS          18540108
NUMBER OF UNKNOWNNS             200462
NUMBER OF DEGREES OF FREEDOM    18339656
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                  2.083432659706432
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION----- S/N_ FIRMWARE____
ACOR A 1 P 25:313:00000 25:316:86370 LEICA GR50 -----
ALDA A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
ALSA A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
AMUR A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
BIAZ A 1 P 25:313:00000 25:319:86370 SPECTRA SP90M -----
BIDA A 1 P 25:313:00000 25:319:86370 LEICA GR10 -----
BRZR A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
CACE A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
CANT A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
CREU A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
EBRE A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
ELGE A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
EMAZ A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
GERN A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
HOND A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
IGEL A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
ISPS A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
KAST A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
LARE A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
LAZK A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
LEIT A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
PAS2 A 1 P 25:313:00000 25:319:86370 STONEX SC2200 -----
PASA A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
RIO1 A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
SALA A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
SCDA A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
SOPU A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
TERU A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
VITO A 1 P 25:313:00000 25:319:86370 LEICA GR30 -----
YEBE A 1 P 25:313:00000 25:319:86370 LEICA GR50 -----
ZARA A 1 P 25:313:00000 25:319:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION----- S/N_ DAZI
ACOR A 1 P 25:313:00000 25:316:86370 LEIAT504 LEIS -----
ALDA A 1 P 25:313:00000 25:319:86370 LEIAS10 NONE -----
ALSA A 1 P 25:313:00000 25:319:86370 LEIAR10 NONE -----
AMUR A 1 P 25:313:00000 25:319:86370 LEIAS10 NONE -----
BIAZ A 1 P 25:313:00000 25:319:86370 LEIAR25 LEIT -----
BIDA A 1 P 25:313:00000 25:319:86370 LEIAS10 NONE -----
BRZR A 1 P 25:313:00000 25:319:86370 LEIAS10 NONE -----
CACE A 1 P 25:313:00000 25:319:86370 LEIAR20 LEIM -----
CANT A 1 P 25:313:00000 25:319:86370 LEIAR25_R4 LEIT -----
CREU A 1 P 25:313:00000 25:319:86370 LEIAR25_R4 NONE -----
EBRE A 1 P 25:313:00000 25:319:86370 LEIAR25_R4 NONE -----
ELGE A 1 P 25:313:00000 25:319:86370 LEIAR25_R4 LEIT -----
EMAZ A 1 P 25:313:00000 25:319:86370 LEIAS10 NONE -----
GERN A 1 P 25:313:00000 25:319:86370 LEIAS10 NONE -----
HOND A 1 P 25:313:00000 25:319:86370 LEIAR20 LEIM -----
IGEL A 1 P 25:313:00000 25:319:86370 LEIAR20 LEIM -----
ISPS A 1 P 25:313:00000 25:319:86370 LEIAR20 LEIM -----
KAST A 1 P 25:313:00000 25:319:86370 LEIAS10 NONE -----
LARE A 1 P 25:313:00000 25:319:86370 LEIAR20 LEIM -----
LAZK A 1 P 25:313:00000 25:319:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 25:313:00000 25:319:86370 LEIAR10 NONE -----
PAS2 A 1 P 25:313:00000 25:319:86370 LEIAR20 LEIM -----
PASA A 1 P 25:313:00000 25:319:86370 LEIAR20 LEIM -----
RIO1 A 1 P 25:313:00000 25:319:86370 LEIAR25_R4 LEIT -----
SALA A 1 P 25:313:00000 25:319:86370 LEIAR25 NONE -----
SCDA A 1 P 25:313:00000 25:319:86370 TRM55971.00 NONE -----
SOPU A 1 P 25:313:00000 25:319:86370 LEIAS10 NONE -----
TERU A 1 P 25:313:00000 25:319:86370 LEIAR20 LEIM -----
VITO A 1 P 25:313:00000 25:319:86370 LEIAS10 NONE -----
YEBE A 1 P 25:313:00000 25:319:86370 LEIAR20 LEIM -----
ZARA A 1 P 25:313:00000 25:319:86370 TRM29659.00 NONE -----
```

7.3 Eccentricities

*S	PT	SOLN	T	DATA_START	DATA_END	AXE	UP	NORTH	EAST
AR	P						ARP	BENCHMARK	(M)
ACOR	A	1	P	25:313:00000	25:316:86370	UNE	3.0460	0.0000	0.0000
ALDA	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
ALSA	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
AMUR	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
BLAZ	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
BIDA	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
BRZR	A	1	P	25:313:00000	25:319:86370	UNE	0.0771	0.0000	0.0000
CACE	A	1	P	25:313:00000	25:319:86370	UNE	0.0600	0.0000	0.0000
CANT	A	1	P	25:313:00000	25:319:86370	UNE	3.0490	0.0000	0.0000
CREU	A	1	P	25:313:00000	25:319:86370	UNE	0.0770	0.0000	0.0000
EBRE	A	1	P	25:313:00000	25:319:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
EMAZ	A	1	P	25:313:00000	25:319:86370	UNE	0.0350	0.0000	0.0000
GERN	A	1	P	25:313:00000	25:319:86370	UNE	0.0771	0.0000	0.0000
HOND	A	1	P	25:313:00000	25:319:86370	UNE	0.0771	0.0000	0.0000
IGEL	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	25:313:00000	25:319:86370	UNE	0.0350	0.0000	0.0000
KAST	A	1	P	25:313:00000	25:319:86370	UNE	0.0350	0.0000	0.0000
LARE	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
LAZK	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
PAS2	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
RID1	A	1	P	25:313:00000	25:319:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	25:313:00000	25:319:86370	UNE	0.0600	0.0000	0.0000
SCDA	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
SOPU	A	1	P	25:313:00000	25:319:86370	UNE	0.0771	0.0000	0.0000
TERU	A	1	P	25:313:00000	25:319:86370	UNE	0.0600	0.0000	0.0000
VITO	A	1	P	25:313:00000	25:319:86370	UNE	0.0000	0.0000	0.0000
YEBE	A	1	P	25:313:00000	25:319:86370	UNE	0.0600	0.0000	0.0000
ZARA	A	1	P	25:313:00000	25:319:86370	UNE	3.2590	0.0000	0.0000

8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

2025-11-30 03:15 UTC	ALDA3130.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2025-11-30 08:38 UTC	ALDA3140.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2025-11-30 14:03 UTC	ALDA3150.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2025-12-01 17:56 UTC	ALDA3160.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2025-11-30 19:26 UTC	ALDA3170.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2025-12-01 05:45 UTC	ALDA3180.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2025-12-01 11:21 UTC	ALDA3190.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2025-11-30 03:15 UTC	AMUR3130.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2025-11-30 08:38 UTC	AMUR3140.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2025-11-30 14:03 UTC	AMUR3150.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2025-12-01 17:56 UTC	AMUR3160.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2025-11-30 19:26 UTC	AMUR3170.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2025-12-01 05:45 UTC	AMUR3180.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2025-12-01 11:21 UTC	AMUR3190.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2025-11-30 03:15 UTC	BIDA3130.250	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2025-11-30 08:38 UTC	BIDA3140.250	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2025-11-30 14:03 UTC	BIDA3150.250	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2025-11-30 19:26 UTC	BIDA3160.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2025-11-30 03:15 UTC	BIDA3170.250	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2025-11-30 08:38 UTC	BIDA3180.250	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2025-11-30 14:03 UTC	BIDA3190.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2025-12-01 17:56 UTC	BIDA3160.250	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2025-12-01 17:56 UTC	BIDA3160.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2025-11-30 19:26 UTC	BIDA3170.250	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2025-11-30 19:26 UTC	BIDA3170.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2025-12-01 05:45 UTC	BIDA3180.250	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2025-12-01 05:45 UTC	BIDA3180.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2025-12-01 11:21 UTC	BIDA3190.250	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2025-12-01 11:21 UTC	BIDA3190.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2025-11-30 03:15 UTC	BRZR3130.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2025-11-30 08:38 UTC	BRZR3140.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2025-11-30 14:03 UTC	BRZR3150.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2025-12-01 17:56 UTC	BRZR3160.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2025-11-30 19:26 UTC	BRZR3170.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2025-12-01 05:45 UTC	BRZR3180.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2025-12-01 11:21 UTC	BRZR3190.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2025-11-30 03:15 UTC	CANT3130.250	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250509.log
2025-11-30 03:15 UTC	CANT3130.250	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250509.log
2025-11-30 08:38 UTC	CANT3140.250	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250509.log
2025-11-30 08:38 UTC	CANT3140.250	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250509.log
2025-11-30 14:03 UTC	CANT3150.250	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250509.log
2025-11-30 14:03 UTC	CANT3150.250	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250509.log
2025-12-01 17:56 UTC	CANT3160.250	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250509.log
2025-12-01 17:56 UTC	CANT3160.250	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250509.log
2025-11-30 19:26 UTC	CANT3170.250	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250509.log
2025-11-30 19:26 UTC	CANT3170.250	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250509.log
2025-12-01 05:45 UTC	CANT3180.250	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250509.log
2025-12-01 05:45 UTC	CANT3180.250	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250509.log
2025-12-01 11:21 UTC	CANT3190.250	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250509.log
2025-12-01 11:21 UTC	CANT3190.250	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250509.log
2025-11-30 03:15 UTC	EMAZ3130.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2025-11-30 08:39 UTC	EMAZ3140.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2025-11-30 14:03 UTC	EMAZ3150.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2025-12-01 17:56 UTC	EMAZ3160.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2025-11-30 19:26 UTC	EMAZ3170.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2025-12-01 05:45 UTC	EMAZ3180.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2025-12-01 11:21 UTC	EMAZ3190.250	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2025-11-30 03:15 UTC	ISPS3130.250	ANTENNA SER. NO.		->	24238009	(source: isps00esp_20250114.log
2025-11-30 08:39 UTC	ISPS3140.250	ANTENNA SER. NO.		->	24238009	(source: isps00esp_20250114.log
2025-11-30 14:03 UTC	ISPS3150.250	ANTENNA SER. NO.		->	24238009	(source: isps00esp_20250114.log
2025-12-01 17:56 UTC	ISPS3160.250	ANTENNA SER. NO.		->	24238009	(source: isps00esp_20250114.log
2025-11-30 19:26 UTC	ISPS3170.250	ANTENNA SER. NO.		->	24238009	(source: isps00esp_20250114.log
2025-12-01 05:45 UTC	ISPS3180.250	ANTENNA SER. NO.		->	24238009	(source: isps00esp_20250114.log

```

2025-12-01 11:21 UTC | ISPS3190.250 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2025-11-30 03:15 UTC | KAST3130.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-11-30 08:39 UTC | KAST3140.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-11-30 14:03 UTC | KAST3150.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-01 17:56 UTC | KAST3160.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-11-30 19:26 UTC | KAST3170.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-01 05:45 UTC | KAST3180.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-01 11:21 UTC | KAST3190.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-11-30 03:15 UTC | LEIT3130.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-11-30 08:39 UTC | LEIT3140.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-11-30 14:03 UTC | LEIT3150.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-01 17:56 UTC | LEIT3160.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-11-30 19:26 UTC | LEIT3170.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-01 05:45 UTC | LEIT3180.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-01 11:21 UTC | LEIT3190.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-11-30 03:15 UTC | PASA3130.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-11-30 08:39 UTC | PASA3140.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-11-30 14:03 UTC | PASA3150.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-01 17:56 UTC | PASA3160.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-11-30 19:26 UTC | PASA3170.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-01 05:45 UTC | PASA3180.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-01 11:21 UTC | PASA3190.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-11-30 03:15 UTC | VITO3130.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-11-30 08:39 UTC | VITO3140.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-11-30 14:03 UTC | VITO3150.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-01 17:56 UTC | VITO3160.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-11-30 19:26 UTC | VITO3170.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-01 05:45 UTC | VITO3180.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-01 11:21 UTC | VITO3190.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log

```

9 References

C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf



EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf


Johnston, G., Riddell, A., Hausler, G. (2017). The International GNSS Service. Teunissen, Peter J.G., Montenbruck, O. (Eds.), Springer Handbook of Global Navigation Satellite Systems (1st ed., pp. 967-982). Cham, Switzerland: Springer International Publishing. DOI: 10.1007/978-3-319-42928-1

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf


10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3) ALSA




4) AMUR




5) BIAZ






6) BIDA




7) BRZR




8) CACE







12) EBRE




13) ELGE




14) EMAZ




15) GERN




16) HOND




17) IGEL






18) ISPS









19) KAST




20) LARE











30) TERU



31) VITO



32) YEBE

