

ARA-DAC Weekly Analysis Result: 2361 (GFA)

Technical Report

GPS Week: 2361 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus

Report generated on 2025/04/29 at 18:05:57



1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites




Fig.1: Computed Sites for GPS Week2361 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I20 file and individual calibrations from EPNC_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observation of this/these GNSS/GNSSs are excluded from the analysis of that station.
- Reference sites: the latest IGS cumulative solution is used to align our solution to the latest IGS20 release, regularly updated and available at: IGS0OPSSNX_1994002_00U_00U_CRD.SNX.gz. Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20); also applies to repro3 solutions, which are based on IGS20 standards.
- Troposphere:
 - minimum elevation is 3 deg.; elevation dependent weighting.
 - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
 - Mean pole model : IERS2010_v1.2.0
 - Subdaily pole model: DESAI2016
 - Nutation model : IAU2000R06

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3σ of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to IGS sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.

- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W (IGS cumulative solution) are the ones used in the Minimal Constraints condition.

5.1 IGS20

The Reference Frame considered in this section is the IGS20 (IGS cumulative solution), mapped from 2015.0 to the observation epoch.

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS						29-APR-25 16:21
LOCAL GEODETIC DATUM: IGS20			EPOCH: 2025-04-09 11:59:45			
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
39	ALDA 19383M001	4687280.10015	-190876.45489	4308107.03333	A	GR
50	ALSA 19419M001	4677250.77154	-176770.28248	4319079.94432	A	GRE
53	AMUR 19388M001	4661499.38698	-244591.14525	4332269.94833	A	GR
384	BLAZ 10074M002	4634455.98629	-124344.86387	4365785.52324	W	GR
101	BIDA 00000M000	4644177.75710	-145778.20968	4354832.54623	A	GR
113	BRZR 19387M001	4662220.92775	-220769.78725	4333309.50401	A	GR
573	CACE 13447M001	4899866.45164	-544566.92272	4033770.27782	W	GRE
592	CANT 13438M001	4625924.25466	-307096.12461	4365771.62683	W	GRE
908	CREU 13432M001	4715420.06091	273178.17218	4271946.90993	A	GRE
135	EBRE 13410M001	4833519.92531	41537.50728	4147461.79091	W	GRE
180	ELGE 19353S001	4657557.33269	-202241.35866	4338991.95506	A	GRE
182	EMAZ 17001M001	4645924.14831	-276949.75818	4347759.63602	A	GR
209	GERN 19389M001	4642811.25613	-217222.81284	4353278.94276	A	GR
257	HOND 15012M002	4640529.25551	-145675.87402	4358781.82476	A	GRE
235	IGEL 19352S001	4645951.36550	-165574.39190	4352550.49030	A	GRE
240	ISPS 19484M001	4640596.41931	-206963.66682	4356391.98731	A	GRE
245	KAST 19499M001	4646949.01242	-240747.15600	4348015.05852	A	GR
252	LARE 19440M001	4632831.89276	-279026.03252	4360314.49486	A	GRE
256	LAZK 19354S001	4666098.27786	-178186.07978	4330463.73782	A	GRE
261	LEIT 19428M001	4663520.87384	-155858.60766	4334519.95440	A	GRE
334	ORON 19427M001	4659695.71634	-130864.62309	4338948.95253	A	GRE
493	PASA 19351S001	4644908.99696	-156644.95787	4353623.14500	A	GRE
553	RID1 13448M002	4708446.76594	-199490.16982	4284089.80334	A	GRE
558	SALA 13469M001	4803054.42942	-462130.95760	4158379.14729	A	GR
526	SCDA 10088M002	4639940.44204	-136224.83115	4359552.48941	W	GRE
443	TERU 13487M001	4867391.25652	-95523.23150	4108341.75157	A	GRE
493	VITO 19385M001	4679397.63813	-218436.39283	4314898.43646	A	GR
616	YEBE 13420M001	4848724.50814	-261631.81475	4123094.39823	W	GRE
655	ZARA 13462M001	4773803.10558	-73505.87300	4215454.16370	W	GRE

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (**ETRS89**) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2000						29-APR-25 16:21
LOCAL GEODETIC DATUM: ETRF2000			EPOCH: 2025-04-09 11:59:45			
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
39	ALDA 19383M001	4687280.51546	-190877.11793	4308106.54161	A	
50	ALSA 19419M001	4677251.18972	-176770.94423	4319079.45370	A	
53	AMUR 19388M001	4661499.79680	-244591.80522	4332269.45815	A	
384	BLAZ 10074M002	4634456.41566	-124345.52015	4365785.03722	W	
101	BIDA 00000M000	4644178.18257	-145778.86723	4354832.05903	A	
113	BRZR 19387M001	4662221.34098	-220770.44726	4333309.01411	A	
573	CACE 13447M001	4899866.79477	-544567.61265	4033769.76182	W	
592	CANT 13438M001	4625924.65854	-307096.78032	4365771.13894	W	
908	CREU 13432M001	4715420.53783	273177.50731	4271946.42228	A	
135	EBRE 13410M001	4833520.35964	41536.82695	4147461.28936	W	
180	ELGE 19353S001	4657557.74898	-202242.01804	4338991.46585	A	
182	EMAZ 17001M001	4645924.55491	-276950.41631	4347759.14677	A	
209	GERN 19389M001	4642811.67151	-217223.47042	4353278.45465	A	
257	HOND 15012M002	4640529.68132	-145676.53111	4358781.33789	A	
235	IGEL 19352S001	4645951.78802	-165575.04973	4352550.00265	A	
240	ISPS 19484M001	4640596.83638	-206964.32410	4356391.49955	A	
245	KAST 19499M001	4646949.42409	-240747.81416	4348014.56970	A	
252	LARE 19440M001	4632832.30011	-279026.68901	4360314.00676	A	
256	LAZK 19354S001	4666098.69679	-178186.74014	4330463.24818	A	
261	LEIT 19428M001	4663521.29622	-155859.26765	4334519.46532	A	
334	ORON 19427M001	4659696.14257	-130865.28252	4338948.46415	A	
493	PASA 19351S001	4644909.42082	-156645.61554	4353622.65758	A	
553	RID1 13448M002	4708447.17805	-199490.83549	4284089.30959	A	
558	SALA 13469M001	4803054.79444	-462131.63555	4158378.64123	A	
526	SCDA 10088M002	4639940.86923	-136225.48814	4359552.00272	W	
443	TERU 13487M001	4867391.66850	-95523.91645	4108341.24502	A	
493	VITO 19385M001	4679398.05016	-218437.05496	4314897.94505	A	
616	YEBE 13420M001	4848724.89820	-261632.49788	4123093.89097	W	
655	ZARA 13462M001	4773803.52954	-73506.54637	4215453.66589	W	

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2014						29-APR-25 16:21
LOCAL GEODETIC DATUM: ETRF2014						EPOCH: 2025-04-09 11:59:45
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
39	ALDA 19383M001	4687280.47322	-190877.15582	4308106.59443	A	
50	ALSA 19419M001	4677251.14755	-176770.98223	4319079.50656	A	
53	AMUR 19388M001	4661499.75504	-244591.84303	4332269.51103	A	
384	BIAZ 10074M002	4634456.37378	-124345.55854	4365785.09024	W	
101	BIDA 00000M000	4644178.14066	-145778.90550	4354832.11201	A	
113	BRZR 19387M001	4662221.29914	-220770.48516	4333309.06699	A	
573	CACE 13447M001	4899866.75111	-544567.64819	4033769.81390	W	
592	CANT 13438M001	4625924.61740	-307096.81805	4365771.19190	W	
908	CREU 13432M001	4715420.49343	273177.46778	4271946.47536	A	
135	EBRE 13410M001	4833520.31479	41536.78885	4147461.34190	W	
180	ELGE 19353S001	4657557.70712	-202242.05603	4338991.51875	A	
182	EMAZ 17001M001	4645924.51344	-276950.45407	4347759.19968	A	
209	GERN 19389M001	4642811.62987	-217223.50842	4353278.50760	A	
257	HOND 15012M002	4640529.63945	-145676.56940	4358781.39088	A	
235	IGEL 19352S001	4645951.74616	-165575.08791	4352550.05662	A	
240	ISPS 19484M001	4640596.79473	-206964.36215	4356391.55251	A	
245	KAST 19499M001	4646949.38248	-240747.85205	4348014.62263	A	
252	LARE 19440M001	4632832.25879	-279026.72683	4360314.05971	A	
256	LAZK 19354S001	4666098.65474	-178186.77819	4330463.30108	A	
261	LEIT 19428M001	4663521.25413	-155859.30579	4334519.51823	A	
334	ORON 19427M001	4659696.10043	-130865.32078	4338948.51709	A	
493	PASA 19351S001	4644909.37893	-156645.65376	4353622.71055	A	
553	RI01 13448M002	4708447.13559	-199490.87326	4284089.36235	A	
558	SALA 13469M001	4803054.75173	-462131.67186	4158378.69359	A	
526	SC0A 10088M002	4639940.82733	-136225.52647	4359552.05573	W	
443	TERU 13487M001	4867391.62377	-95523.95388	4108341.29736	A	
493	VITO 19385M001	4679398.00810	-218437.09279	4314897.99788	A	
616	YEBE 13420M001	4848724.85428	-261632.53475	4123093.94328	W	
655	ZARA 13462M001	4773803.48585	-73506.58432	4215453.71852	W	

5.4 ETRF2020 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2020 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2020						29-APR-25 16:21
LOCAL GEODETIC DATUM: ETRF2020						EPOCH: 2025-04-09 11:59:45
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
39	ALDA 19383M001	4687280.46807	-190877.14072	4308106.60264	A	
50	ALSA 19419M001	4677251.14233	-176770.96715	4319079.51476	A	
53	AMUR 19388M001	4661499.74999	-244591.82803	4332269.51919	A	
384	BIAZ 10074M002	4634456.36828	-124345.54358	4365785.09838	W	
101	BIDA 00000M000	4644178.13525	-145778.89051	4354832.12016	A	
113	BRZR 19387M001	4662221.29401	-220770.47015	4333309.07516	A	
573	CACE 13447M001	4899866.74768	-544567.63255	4033769.82238	W	
592	CANT 13438M001	4625924.61245	-307096.80319	4365771.19999	W	
908	CREU 13432M001	4715420.48698	273177.48317	4271946.48369	A	
135	EBRE 13410M001	4833520.30934	41536.80451	4147461.35039	W	
180	ELGE 19353S001	4657557.70192	-202242.04102	4338991.52692	A	
182	EMAZ 17001M001	4645924.50845	-276950.43914	4347759.20781	A	
209	GERN 19389M001	4642811.62468	-217223.49347	4353278.51573	A	
257	HOND 15012M002	4640529.63404	-145676.55443	4358781.39902	A	
235	IGEL 19352S001	4645951.74082	-165575.07293	4352550.06377	A	
240	ISPS 19484M001	4640596.78950	-206964.34720	4356391.56064	A	
245	KAST 19499M001	4646949.37738	-240747.83710	4348014.63076	A	
252	LARE 19440M001	4632832.25377	-279026.71193	4360314.06781	A	
256	LAZK 19354S001	4666098.64950	-178186.76315	4330463.30926	A	
261	LEIT 19428M001	4663521.24880	-155859.29075	4334519.52641	A	
334	ORON 19427M001	4659696.09502	-130865.30574	4338948.52527	A	
493	PASA 19351S001	4644909.37356	-156645.63878	4353622.71870	A	
553	RI01 13448M002	4708447.13052	-199490.85809	4284089.37059	A	
558	SALA 13469M001	4803054.74775	-462131.65650	4158378.70194	A	
526	SC0A 10088M002	4639940.82189	-136225.51149	4359552.06387	W	
443	TERU 13487M001	4867391.61883	-95523.93816	4108341.30589	A	
493	VITO 19385M001	4679398.00302	-218437.07772	4314898.00608	A	
616	YEBE 13420M001	4848724.84980	-261632.51916	4123093.95174	W	
655	ZARA 13462M001	4773803.48058	-73506.56889	4215453.72689	W	

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS20 solution and are given with respect to the Local frame (North-East-Up).

GFA FINAL WEEKLY COMBINATION: FINAL ORBITS 29-APR-25 16:21

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ALDA 19383M001	6	XXXXXX	2.91	2.03	4.92
ALSA 19419M001	6	XXXXXX	1.61	1.13	1.78
AMUR 19388M001	6	XXXXXX	1.07	0.58	3.11
BIAZ 10074M002	6	XXXXXX	1.31	0.56	4.45
BIDA 00000M000	6	XXXXXX	0.97	0.38	2.87
BRZR 19387M001	6	XXXXXX	1.37	1.23	3.36
CACE 13447M001	7	XXXXXXX	1.03	1.32	2.69
CANT 13438M001	6	XXXXXX	0.92	0.55	1.92
CREU 13432M001	6	XXXXXX	1.09	0.87	3.43
EBRE 13410M001	6	XXXXXX	0.69	0.83	3.18
ELGE 19353S001	6	XXXXXX	0.71	0.60	4.04
EMAZ 17001M001	6	XXXXXX	0.84	0.71	3.59
GERN 19389M001	6	XXXXXX	0.59	0.66	3.38
HOND 15012M002	6	XXXXXX	0.31	0.60	2.82
IGEL 19352S001	6	XXXXXX	1.03	0.86	2.60
ISPS 19484M001	6	XXXXXX	0.67	0.52	1.94
KAST 19499M001	6	XXXXXX	1.57	1.27	2.09
LARE 19440M001	6	XXXXXX	1.25	1.00	2.12
LAZK 19354S001	6	XXXXXX	1.31	0.54	2.20
LEIT 19428M001	6	XXXXXX	1.27	0.82	2.74
ORON 19427M001	1	X	0.51	0.55	1.86
PASA 19351S001	6	XXXXXX	0.51	0.31	2.34
RI01 13448M002	6	XXXXXX	0.85	0.75	2.91
SALA 13469M001	6	XXXXXX	0.31	0.61	1.88
SCOA 10088M002	6	XXXXXX	1.20	0.96	2.35
TERU 13487M001	7	XXXXXXX	1.02	0.39	4.18
VITO 19385M001	6	XXXXXX	0.52	1.47	3.48
YEBE 13420M001	6	XXXXXX	0.79	0.31	1.17
ZARA 13462M001	6	XXXXXX	0.87	0.91	3.65

Comparison of individual solutions:

ALDA 19383M001	N	2.91	1.50	1.35	2.21	1.19	-3.66	-4.29
ALDA 19383M001	E	2.03	-1.15	-1.48	-0.38	-1.48	-0.23	3.83
ALDA 19383M001	U	4.92	3.62	-4.74	-0.64	5.62	7.14	-1.55
ALSA 19419M001	N	1.61	0.55	1.16	0.72	1.47	-2.53	-1.50
ALSA 19419M001	E	1.13	-0.55	0.51	-0.17	0.23	-1.29	2.01
ALSA 19419M001	U	1.78	-0.02	-1.89	2.00	0.94	2.36	1.36
AMUR 19388M001	N	1.07	1.66	1.09	-1.22	-0.12	-0.24	0.46
AMUR 19388M001	E	0.58	0.28	-0.57	0.82	0.71	0.26	-0.04
AMUR 19388M001	U	3.11	-0.90	-1.45	-1.18	-0.56	6.22	2.26
BIAZ 10074M002	N	1.31	1.88	1.05	-0.10	0.16	-1.93	-0.39
BIAZ 10074M002	E	0.56	0.05	0.24	-0.10	-0.25	-0.38	1.15
BIAZ 10074M002	U	4.45	0.86	-1.02	-2.87	1.41	-1.04	9.27
BIDA 00000M000	N	0.97	1.31	1.38	-0.73	-0.29	-0.35	-0.61
BIDA 00000M000	E	0.38	0.11	0.02	-0.09	-0.14	0.00	0.84
BIDA 00000M000	U	2.87	3.35	-2.45	2.40	1.48	-1.90	3.54
BRZR 19387M001	N	1.37	-0.18	0.29	0.88	1.42	1.07	-2.32
BRZR 19387M001	E	1.23	0.55	0.13	1.29	1.48	-0.48	-1.78
BRZR 19387M001	U	3.36	3.73	0.81	0.88	-1.85	4.23	-4.46
CACE 13447M001	N	1.03	-1.79	0.93	-1.02	0.62	-0.49	0.13
CACE 13447M001	E	1.32	0.40	1.42	1.85	0.52	0.52	-0.80
CACE 13447M001	U	2.69	-1.09	2.90	0.57	-4.69	2.04	-0.13
CANT 13438M001	N	0.92	0.22	-0.12	-0.45	-0.94	0.53	1.66
CANT 13438M001	E	0.55	0.54	-0.62	0.06	0.52	0.77	-0.06
CANT 13438M001	U	1.92	0.72	-1.08	-1.10	-0.51	1.51	3.60
CREU 13432M001	N	1.09	-0.78	0.47	2.00	0.93	0.42	-0.20
CREU 13432M001	E	0.87	-0.08	0.42	-0.59	0.27	-1.78	-0.07
CREU 13432M001	U	3.43	1.30	-2.32	0.88	-1.05	0.14	7.07
EBRE 13410M001	N	0.69	0.43	1.16	0.78	0.38	-0.17	0.27
EBRE 13410M001	E	0.83	0.20	0.31	-0.75	-0.04	-1.64	0.23
EBRE 13410M001	U	3.18	4.55	-3.43	0.68	-1.22	2.97	2.72
ELGE 19353S001	N	0.71	0.12	1.20	0.43	0.04	0.14	-0.94
ELGE 19353S001	E	0.60	0.10	0.18	0.02	1.31	-0.13	-0.21
ELGE 19353S001	U	4.04	0.61	-4.10	-1.39	0.42	7.85	0.90
EMAZ 17001M001	N	0.84	0.34	0.25	-1.06	-0.28	-0.05	1.46
EMAZ 17001M001	E	0.71	0.59	0.05	0.53	0.26	0.76	-1.10
EMAZ 17001M001	U	3.59	-2.78	0.72	-2.68	-1.96	5.33	4.10
GERN 19389M001	N	0.59	-0.70	0.42	-0.12	0.64	0.81	0.13
GERN 19389M001	E	0.66	-0.01	0.53	-0.48	1.08	-0.43	0.55
GERN 19389M001	U	3.38	-0.04	-2.21	1.11	-2.79	1.06	6.49
HOND 15012M002	N	0.31	0.31	0.43	0.31	0.13	-0.09	-0.27
HOND 15012M002	E	0.60	0.40	0.41	0.38	0.31	-1.06	0.34
HOND 15012M002	U	2.82	-0.51	-1.90	-0.70	1.55	3.60	4.48
IGEL 19352S001	N	1.03	-0.57	-0.02	-0.41	-0.58	0.22	2.10
IGEL 19352S001	E	0.86	-0.37	0.32	0.77	0.49	-1.32	0.92
IGEL 19352S001	U	2.60	1.47	-0.89	-0.30	5.33	0.87	1.27
ISPS 19484M001	N	0.67	-0.01	0.43	0.12	-0.48	1.31	-0.30
ISPS 19484M001	E	0.52	-0.30	0.34	0.08	0.80	0.60	-0.35
ISPS 19484M001	U	1.94	1.94	-0.79	3.21	-0.84	1.43	-1.20
KAST 19499M001	N	1.57	1.04	1.16	0.81	1.01	-0.10	-2.86
KAST 19499M001	E	1.27	0.02	-0.23	-0.81	0.55	-0.75	2.55
KAST 19499M001	U	2.09	0.36	-3.02	0.45	1.60	2.48	1.91
LARE 19440M001	N	1.25	-0.33	0.51	0.04	0.14	2.11	-1.74
LARE 19440M001	E	1.00	0.52	0.10	-1.67	0.48	1.18	0.56
LARE 19440M001	U	2.12	-0.98	-1.50	0.05	2.25	-0.89	3.67
LAZK 19354S001	N	1.31	0.30	0.95	0.93	0.40	-0.23	-2.56
LAZK 19354S001	E	0.54	0.73	0.49	0.13	0.09	-0.80	0.01
LAZK 19354S001	U	2.20	-0.39	0.14	-1.07	-0.48	4.19	2.25
LEIT 19428M001	N	1.27	1.10	1.23	0.54	-1.04	-1.55	1.28
LEIT 19428M001	E	0.82	0.44	-0.08	0.08	0.10	-1.25	1.27
LEIT 19428M001	U	2.74	-0.79	2.66	2.18	-3.05	2.10	3.37
ORON 19427M001	N	0.51		0.51				
ORON 19427M001	E	0.55		0.55				

ORON	19427M001	U	1.86		-1.86							
PASA	19351S001	N	0.51	0.86	0.40	-0.14	-0.51	0.38	-0.04			
PASA	19351S001	E	0.31	0.04	0.62	-0.01	0.31	0.02	-0.08			
PASA	19351S001	U	2.34	-0.21	-0.77	-0.13	3.55	0.08	3.75			
RIO1	13448M002	N	0.85	0.28	0.21	0.46	1.07	-1.40	-0.44			
RIO1	13448M002	E	0.75	-0.17	0.56	-0.44	0.50	-0.70	1.23			
RIO1	13448M002	U	2.91	1.29	-2.19	-0.24	-2.08	3.65	4.27			
SALA	13469M001	N	0.31	-0.03	0.04	-0.61	-0.30	-0.04	0.11			
SALA	13469M001	E	0.61	-0.19	0.46	0.33	0.03	0.77	-0.94			
SALA	13469M001	U	1.88	0.78	-2.48	-2.17	0.68	1.87	-1.49			
SCDA	10088M002	N	1.20	0.40	-0.55	0.61	-0.36	-1.37	2.09			
SCDA	10088M002	E	0.96	-0.76	0.99	0.52	0.51	-1.34	0.83			
SCDA	10088M002	U	2.35	1.94	-0.43	-1.09	2.78	-0.65	3.79			
TERU	13487M001	N	1.02	-1.40	-0.18	1.01	1.64	-0.23	-0.32	0.62		
TERU	13487M001	E	0.39	-0.43	-0.20	0.14	0.71	0.39	-0.16	0.11		
TERU	13487M001	U	4.18	5.57	-2.39	-7.01	-4.23	0.13	-0.35	-0.75		
VITO	19385M001	N	0.52	0.49	-0.09	-0.55	0.73	0.05	-0.52			
VITO	19385M001	E	1.47	0.73	1.75	1.49	0.94	-1.24	-1.61			
VITO	19385M001	U	3.48	-2.11	-4.62	2.19	2.50	3.95	2.86			
YEBE	13420M001	N	0.79	0.47	0.57	-0.58	-1.40	0.52	-0.18			
YEBE	13420M001	E	0.31	0.36	0.32	-0.10	-0.32	0.32	-0.19			
YEBE	13420M001	U	1.17	-0.21	0.90	-0.27	-1.59	-0.16	-1.83			
ZARA	13462M001	N	0.87	0.83	0.70	0.94	0.18	-0.87	-0.97			
ZARA	13462M001	E	0.91	0.04	1.09	0.15	0.49	-1.47	-0.71			
ZARA	13462M001	U	3.65	-5.58	-2.98	0.86	2.82	0.82	4.17			

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

LIST OF REMOVED STATIONS:

OUTLIER CRITERIA: 15.00 15.00 20.00

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS				
1	ALAC 13433M001	I W	0.19	-0.21	1.48		
2	ALME 13437M001	I W	-0.73	0.10	3.33		
3	BELL 13431M001	I W	-0.36	1.12	-0.00		
4	BIAZ 10074M002	I W	2.88	1.22	-5.17		
5	BORR 13480M001	I W	-1.73	-1.03	0.03		
6	BRST 10004M004	I W	-1.13	-2.69	5.48		
7	CACE 13447M001	I W	0.62	0.80	2.55		
8	CANT 13438M001	I W	1.22	0.96	0.07		
9	CASC 13909S001	I W	2.11	-0.83	2.21		
10	CEU1 13449M002	I W	0.40	0.69	-4.62		
12	EBRE 13410M001	I W	-4.32	0.06	-1.60		
14	FLRS 131907M001	I W	-0.88	-0.43	-8.28		
15	FUER 131330M001	I W	0.64	-0.13	-2.79		
17	HUEL 13451M001	I W	1.82	2.91	-6.27		
18	IBIZ 13454S001	I W	-0.56	0.77	0.12		
19	IZAN 131309M002	I W	-0.92	-1.13	-5.91		
20	LAGO 13903M001	I W	-0.79	-1.01	1.74		
21	LLIV 13436M001	I W	-3.55	1.03	6.90		
22	LPAL 81701M001	I W	1.96	1.68	-7.94		
23	LROC 10023M001	I W	1.11	-0.50	2.83		
24	MADR 13407S012	I W	-0.66	1.92	1.67		
25	MAL1 13444M002	I W	3.03	0.16	-12.89		
26	MALA 13443M001	I W	1.10	0.77	8.45		
27	MALL 13444M001	I W	-0.79	0.44	0.63		
28	MAS1 131303M002	I W	-1.02	-2.43	0.40		
29	MELI 19379M001	I W	-0.59	0.34	1.01		
30	PDEL 31906M004	I W	-5.53	-3.94	15.87		
31	RABT 35001M002	I W	0.63	-2.36	-8.93		
32	SCOA 10088M002	I W	-0.01	-0.30	-10.34		
33	SFER 13402M004	I W	-2.94	-3.41	7.72		
34	VALE 13439M001	I W	0.32	2.31	-3.00		
35	VIGO 13450M001	I W	2.46	1.55	0.45		
36	VILL 13406M001	I W	-0.06	-0.60	4.66		
37	YEBE 13420M001	I W	-0.22	0.15	5.95		
38	ZARA 13462M001	I W	0.24	1.01	-0.51		
39	ZIMM 14001M004	I W	-0.02	0.12	6.82		
	RMS / COMPONENT		1.86	1.53	5.93		
	IQR		1.71	1.70	6.89		
	MEAN		-0.17	-0.02	0.06		
	MEDIAN		-0.04	0.14	0.43		
	MIN		-5.53	-3.94	-12.89		
	MAX		3.03	2.91	15.87		
OVERALL RMS/IQR/MAX(3D)			3.70	2.19	17.26	PDEL 31906M004	#SUM
ALL	RMS / COMPONENT		1.86	1.53	5.93		
ALL	IQR		1.71	1.70	6.89		
ALL	MEAN		-0.17	-0.02	0.06		
ALL	MEDIAN		-0.04	0.14	0.43		
ALL	MIN		-5.53	-3.94	-12.89		
ALL	MAX		3.03	2.91	15.87		
ALL	OVERALL RMS/IQR/MAX(3D)		3.70	2.19	17.26	PDEL 31906M004	#SUM_ALL

NUMBER OF PARAMETERS : 3
 NUMBER OF STATIONS : 36
 NUMBER OF COORDINATES : 108
 RMS OF TRANSFORMATION : 3.70 MM

PARAMETERS:

TRANSLATION IN X : -0.01 +- 0.62 MM
 TRANSLATION IN Y : 0.01 +- 0.62 MM
 TRANSLATION IN Z : 0.01 +- 0.62 MM

NUMBER OF ITERATIONS : 1

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
*.STATISTICAL PARAMETER-----__VALUE(S)-----
NUMBER OF OBSERVATIONS                20381422
NUMBER OF UNKNOWNNS                   201827
NUMBER OF DEGREES OF FREEDOM           20179595
PHASE MEASUREMENTS SIGMA                0.00100
SAMPLING INTERVAL (SECONDS)             180
VARIANCE FACTOR                        2.734939315472174
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ FIRMWARE___
ALDA A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
ALSA A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
AMUR A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
BIAZ A 1 P 25:096:00000 25:101:86370 SPECTRA SP90M -----
BIDA A 1 P 25:096:00000 25:101:86370 LEICA GR10 -----
BRZR A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
CACE A 1 P 25:096:00000 25:102:86370 LEICA GR50 -----
CANT A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
CREU A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
EBRE A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
ELGE A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
EMAZ A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
GERN A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
HOND A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
IGEL A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
ISPS A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
KAST A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
LARE A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
LAZK A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
LEIT A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
ORON A 1 P 25:097:00000 25:097:86370 LEICA GR50 -----
PASA A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
RIO1 A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
SALA A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
SCOA A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
TERU A 1 P 25:096:00000 25:102:86370 LEICA GR50 -----
VITO A 1 P 25:096:00000 25:101:86370 LEICA GR30 -----
YEBE A 1 P 25:096:00000 25:101:86370 LEICA GR50 -----
ZARA A 1 P 25:096:00000 25:101:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_____ S/N__ DAZI
ALDA A 1 P 25:096:00000 25:101:86370 LEIAS10 NONE ----
ALSA A 1 P 25:096:00000 25:101:86370 LEIAR10 NONE ----
AMUR A 1 P 25:096:00000 25:101:86370 LEIAS10 NONE ----
BIAZ A 1 P 25:096:00000 25:101:86370 LEIAR25 LEIT ----
BIDA A 1 P 25:096:00000 25:101:86370 LEIAS10 NONE ----
BRZR A 1 P 25:096:00000 25:101:86370 LEIAS10 NONE ----
CACE A 1 P 25:096:00000 25:102:86370 LEIAR20 LEIM ----
CANT A 1 P 25:096:00000 25:101:86370 LEIAR25.R4 LEIT ----
CREU A 1 P 25:096:00000 25:101:86370 LEIAR25.R4 NONE ----
EBRE A 1 P 25:096:00000 25:101:86370 LEIAR25.R4 NONE ----
ELGE A 1 P 25:096:00000 25:101:86370 LEIAR25.R4 LEIT ----
EMAZ A 1 P 25:096:00000 25:101:86370 LEIAS10 NONE ----
GERN A 1 P 25:096:00000 25:101:86370 LEIAS10 NONE ----
HOND A 1 P 25:096:00000 25:101:86370 LEIAR20 LEIM ----
IGEL A 1 P 25:096:00000 25:101:86370 LEIAR20 LEIM ----
ISPS A 1 P 25:096:00000 25:101:86370 LEIAR20 LEIM ----
KAST A 1 P 25:096:00000 25:101:86370 LEIAS10 NONE ----
LARE A 1 P 25:096:00000 25:101:86370 LEIAR20 LEIM ----
LAZK A 1 P 25:096:00000 25:101:86370 LEIAR25.R4 LEIT ----
LEIT A 1 P 25:096:00000 25:101:86370 LEIAR10 NONE ----
ORON A 1 P 25:097:00000 25:097:86370 LEIAR10 NONE ----
PASA A 1 P 25:096:00000 25:101:86370 LEIAR20 LEIM ----
RIO1 A 1 P 25:096:00000 25:101:86370 LEIAR25.R4 LEIT ----
SALA A 1 P 25:096:00000 25:101:86370 LEIAR25 NONE ----
SCOA A 1 P 25:096:00000 25:101:86370 TRM55971.00 NONE ----
TERU A 1 P 25:096:00000 25:102:86370 LEIAR20 LEIM ----
VITO A 1 P 25:096:00000 25:101:86370 LEIAS10 NONE ----
YEBE A 1 P 25:096:00000 25:101:86370 LEIAR20 LEIM ----
ZARA A 1 P 25:096:00000 25:101:86370 TRM29659.00 NONE ----
```

7.3 Eccentricities

```
* UP_____ NORTH___ EAST_____
```

```

*SITE PT SOLN T DATA_START__ DATA_END____ AXE ARP-->BENCHMARK(M)-----
ALDA  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
ALSA  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
AMUR  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
BIAZ  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
BIDA  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
BRZR  A  1 P 25:096:00000 25:101:86370 UNE  0.0771 0.0000 0.0000
CACE  A  1 P 25:096:00000 25:102:86370 UNE  0.0600 0.0000 0.0000
CANT  A  1 P 25:096:00000 25:101:86370 UNE  3.0490 0.0000 0.0000
CREU  A  1 P 25:096:00000 25:101:86370 UNE  0.0770 0.0000 0.0000
EBRE  A  1 P 25:096:00000 25:101:86370 UNE  0.0770 0.0000 0.0000
ELGE  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
EMAZ  A  1 P 25:096:00000 25:101:86370 UNE  0.0350 0.0000 0.0000
GERN  A  1 P 25:096:00000 25:101:86370 UNE  0.0771 0.0000 0.0000
HOND  A  1 P 25:096:00000 25:101:86370 UNE  0.0771 0.0000 0.0000
IGEL  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
ISPS  A  1 P 25:096:00000 25:101:86370 UNE  0.0350 0.0000 0.0000
KAST  A  1 P 25:096:00000 25:101:86370 UNE  0.0350 0.0000 0.0000
LARE  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
LAZK  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
LEIT  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
ORON  A  1 P 25:097:00000 25:097:86370 UNE  0.0000 0.0000 0.0000
PASA  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
RIO1  A  1 P 25:096:00000 25:101:86370 UNE  0.0606 0.0000 0.0000
SALA  A  1 P 25:096:00000 25:101:86370 UNE  0.0600 0.0000 0.0000
SCOA  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
TERU  A  1 P 25:096:00000 25:102:86370 UNE  0.0600 0.0000 0.0000
VITO  A  1 P 25:096:00000 25:101:86370 UNE  0.0000 0.0000 0.0000
YEBE  A  1 P 25:096:00000 25:101:86370 UNE  0.0600 0.0000 0.0000
ZARA  A  1 P 25:096:00000 25:101:86370 UNE  3.2590 0.0000 0.0000

```

8 Inconsistencies (logsheets-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

```

2025-04-27 03:19 UTC | ISPS0960.250 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2025-04-27 06:40 UTC | ISPS0970.250 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2025-04-27 10:02 UTC | ISPS0980.250 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2025-04-27 13:21 UTC | ISPS0990.250 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2025-04-27 16:39 UTC | ISPS1000.250 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2025-04-29 12:15 UTC | ISPS1010.250 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2025-04-27 21:01 UTC | ISPS1020.250 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log

```

9 References

C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf


EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf

Johnston, G., Riddell, A., Hausler, G. (2017). The International GNSS Service. Teunissen, Peter J.G., Montenbruck, O. (Eds.), Springer Handbook of Global Navigation Satellite Systems (1st ed., pp. 967-982). Cham, Switzerland: Springer International Publishing. DOI: 10.1007/978-3-319-42928-1


Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf

10 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.




1) ACOR




2) ALDA




3) ALSA




4) AMUR




5) BIAZ




6) BIDA




7) BRZR




8) CACE




9) CANT




10) CHER




11) CREU




12) EBRE




13) ELGE




14) EMAZ




15) GERN




16) HOND




17) IGEL




18) ISPS




19) KAST




20) LARE




21) LAZK




22) LEIT




23) ORON




24) PAS2




25) PASA




26) RIO1




27) SALA




28) SCOA




29) SOPU



30) TERU



31) VITO



32) YEBE

