

ARA-DAC Weekly Analysis Result: 2394 (GFA)

Technical Report

GPS Week: 2394 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus

Report generated on 2025/12/16 at 02:41:26



ARANZADI zientzia elkartea
sociedad de ciencias . society of sciences . société de sciences


Contents

1	Introduction	3
2	Map of Computed Sites	3
3	Main Computation Parameters	4
4	Estimated Parameters	4
5	Computed Coordinates	6
5.1	IGS20	6
5.2	ETRF2000 (ETRS89) Coordinates	6
5.3	ETRF2014 (ETRS89) Coordinates	7
5.4	ETRF2020 (ETRS89) Coordinates	7
6	Quality Control	8
6.1	Mean and Daily Repeatabilities	8
6.2	Datum verification	10
6.3	Adjustment Statistics	11
7	Equipment	11
7.1	Receiver List	11
7.2	Antennas	11
7.3	Eccentricities	12
8	Inconsistencies (logsheet-RINEX metadata)	12
9	References	14
10	Cumulative Time Series	15

1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



GM 2025 Dec 16 02:41:21

Fig.1: Computed Sites for GPS Week2394 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I20 file and individual calibrations from EPNC_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observation of this/these GNSS/GNSSs are excluded from the analysis of that station.
- Reference sites: the latest IGS cumulative solution is used to align our solution to the latest IGS20 release, regularly updated and available at: IGS0OPSSNX_1994002_00U_00U_CRD.SNX.gz. Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20); also applies to repro3 solutions, which are based on IGS20 standards.
- Troposphere:
 - minimum elevation is 3 deg.; elevation dependent weighting.
 - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
 - Mean pole model : IERS2010_v1.2.0
 - Subdaily pole model: DESAI2016
 - Nutation model : IAU2000R06

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: $3 \times \text{rms}$ of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to IGS sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.

- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W (IGS cumulative solution) are the ones used in the Minimal Constraints condition.

5.1 IGS20

The Reference Frame considered in this section is the IGS20 (IGS cumulative solution), mapped from 2015.0 to the observation epoch.

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS 16-DEC-25 00:59

LOCAL GEODETIC DATUM: IGS20 EPOCH: 2025-11-26 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.47019	-678367.24061	4357066.33014	A	G
39	ALDA 19383M001	4687280.09177	-190876.44126	4308107.02618	A	GR
50	ALSA 19419M001	4677250.76343	-176770.27123	4319079.95122	A	GRE
53	AMUR 19388M001	4661499.38496	-244591.13275	4332269.96172	A	GR
384	BLAZ 10074M002	4634455.98229	-124344.84907	4365785.53392	W	GR
101	BIDA 00000M000	4644177.75270	-145778.19744	4354832.55669	A	GR
113	BRZR 19387M001	4662220.92419	-220769.77550	4333309.51318	A	GR
573	CACE 13447M001	4899866.44828	-544566.91058	4033770.28619	W	GRE
592	CANT 13438M001	4625924.24850	-307096.11221	4365771.63437	W	GRE
908	CREU 13432M001	4715420.05672	273178.18612	4271946.91940	A	GRE
135	EBRE 13410M001	4833519.91675	41537.51690	4147461.79477	W	GRE
180	ELGE 19353S001	4657557.32856	-202241.34484	4338991.96650	A	GRE
182	EMAZ 17001M001	4645924.14284	-276949.74612	4347759.64378	A	GR
209	GERM 19389M001	4642811.25424	-217222.79994	4353278.95334	A	GR
257	HOND 15012M002	4640529.24871	-145675.86160	4358781.83232	A	GR
235	IGEL 19352S001	4645951.35411	-165574.37910	4352550.49935	A	GRE
240	ISPS 19484M001	4640596.41225	-206963.65475	4356391.99356	A	GRE
245	KAST 19499M001	4646949.00745	-240747.14230	4348015.06861	A	GR
252	LARE 19440M001	4632831.88754	-279026.02159	4360314.50223	A	GRE
256	LAZK 19354S001	4666098.27114	-178186.06798	4330463.74796	A	GRE
261	LEIT 19428M001	4663520.86685	-155858.59585	4334519.96339	A	GRE
334	ORON 19427M001	4659695.70925	-130864.61270	4338948.95927	A	GRE
345	PAS2 19351S001	4644908.99152	-156644.94589	4353623.15307	A	GRE
493	PASA 19351S001	4644908.99134	-156644.94570	4353623.15289	A	GRE
553	R101 13448M002	4708446.76105	-199490.15837	4284089.81168	A	GRE
558	SALA 13469M001	4803054.42421	-462130.94581	4158379.15543	A	GR
526	SCDA 10088M002	4639940.43765	-136224.82252	4359552.49482	W	GRE
715	SOPU 19386M001	4643997.84232	-255913.78409	4350063.21710	W	GR
443	TERU 13487M001	4867391.25416	-95523.21815	4108341.76193	A	GR
493	VITO 19385M001	4679397.63384	-218436.37823	4314898.44627	A	GR
616	YEBE 13420M001	4848724.50316	-261631.80278	4123094.40701	W	GRE
655	ZARA 13462M001	4773803.09919	-73505.86164	4215454.17173	W	GRE

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2000 16-DEC-25 00:59

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2025-11-26 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.82679	-678367.90535	4357065.83180	A	
39	ALDA 19383M001	4687280.51348	-190877.11676	4308106.52660	A	
50	ALSA 19419M001	4677251.18806	-176770.94542	4319079.45276	A	
53	AMUR 19388M001	4661499.80108	-244591.80513	4332269.46370	A	
384	BLAZ 10074M002	4634456.41830	-124345.51769	4365785.04013	W	
101	BIDA 00000M000	4644178.18475	-145778.86736	4354832.06170	A	
113	BRZR 19387M001	4662221.34378	-220770.44792	4333309.01545	A	
573	CACE 13447M001	4899866.79655	-544567.61345	4033769.76190	W	
592	CANT 13438M001	4625924.65858	-307096.78025	4365771.13868	W	
908	CREU 13432M001	4715420.54111	273177.50875	4271946.42395	A	
135	EBRE 13410M001	4833520.35781	41536.82380	4147461.28518	W	
180	ELGE 19353S001	4657557.75126	-202242.01662	4338991.46947	A	
182	EMAZ 17001M001	4645924.55668	-276950.41663	4347759.14671	A	
209	GERM 19389M001	4642811.67602	-217223.46989	4353278.45743	A	
257	HOND 15012M002	4640529.68110	-145676.53106	4358781.33767	A	
235	IGEL 19352S001	4645951.78316	-165575.04930	4352550.00391	A	
240	ISPS 19484M001	4640596.83575	-206964.32439	4356391.49800	A	
245	KAST 19499M001	4646949.42545	-240747.81284	4348014.57198	A	
252	LARE 19440M001	4632832.30115	-279026.69044	4360314.00632	A	
256	LAZK 19354S001	4666098.69653	-178186.74076	4330463.25050	A	
261	LEIT 19428M001	4663521.29575	-155859.26825	4334519.46649	A	
334	ORON 19427M001	4659696.14207	-130865.28453	4338948.46308	A	
345	PAS2 19351S001	4644909.42192	-156645.61593	4353622.65786	A	
493	PASA 19351S001	4644909.42174	-156645.61574	4353622.65768	A	
553	R101 13448M002	4708447.17950	-199490.83655	4284089.31003	A	
558	SALA 13469M001	4803054.79475	-462131.63648	4158378.64125	A	
526	SCDA 10088M002	4639940.87145	-136225.49187	4359552.00036	W	
715	SOPU 19386M001	4643998.25834	-255914.45429	4350062.72051	W	
443	TERU 13487M001	4867391.67249	-95523.91595	4108341.24725	A	
493	VITO 19385M001	4679398.05221	-218437.05281	4314897.94700	A	
616	YEBE 13420M001	4848724.89918	-261632.49872	4123093.89161	W	
655	ZARA 13462M001	4773803.82970	-73506.54766	4215453.66594	W	

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2014                                     16-DEC-25 00:59
-----
LOCAL GEODETIC DATUM: ETRF2014                       EPOCH: 2025-11-26 11:59:45
NUM STATION NAME      X (M)      Y (M)      Z (M)  FLAG  SYSTEM
111 ACRD 13434M001    4594489.78735  -678367.94155  4357065.88507  A
39 ALDA 19383M001    4687280.47140  -190877.15445  4308106.57973  A
50 ALSA 19419M001    4677251.14605  -176770.98321  4319079.50593  A
53 AMUR 19388M001    4661499.75950  -244591.84273  4332269.51689  A
384 BIAZ 10074M002    4634456.37659  -124345.55588  4365785.09347  W
101 BIDA 00000M000    4644178.14300  -145778.90542  4354832.11500  A
113 BRZR 19387M001    4662221.30211  -220770.48561  4333309.06864  A
573 CACE 13447M001    4899866.75303  -544567.64873  4033769.81428  W
592 CANT 13438M001    4625924.61763  -307096.81777  4365771.19195  W
908 CREU 13432M001    4715420.49684  273177.46941  4271946.47735  A
135 EBRE 13410M001    4833520.31308  41536.78591  4147461.33803  W
180 ELGE 19353S001    4657557.70957  -202242.05440  4338991.52269  A
182 EMAZ 17001M001    4645924.51440  -276950.45418  4347759.19993  A
209 GERN 19389M001    4642811.63455  -217223.50768  4353278.51069  A
257 HOND 15012M002    4640529.63940  -145676.56914  4358781.39098  A
235 IGEL 19352S001    4645951.74147  -165575.08728  4352550.05719  A
240 ISPS 19484M001    4640596.79427  -206964.36223  4356391.55128  A
245 KAST 19499M001    4646949.38402  -240747.85052  4348014.62521  A
252 LARE 19440M001    4632832.26001  -279026.72803  4360314.05959  A
256 LAZK 19354S001    4666098.65465  -178186.77859  4330463.30370  A
261 LEIT 19428M001    4663521.25383  -155859.30618  4334519.51972  A
334 ORDN 19427M001    4659696.10009  -130865.32258  4338948.51634  A
345 PAS2 19351S001    4644909.38021  -156645.65395  4353622.71114  A
493 PASA 19351S001    4644909.38003  -156645.65376  4353622.71096  A
553 RIO1 13448M002    4708447.13721  -199490.87410  4284089.36310  A
558 SALA 13469M001    4803054.75220  -462131.67256  4158378.69392  A
526 SCDA 10088M002    4639940.82972  -136225.52999  4359552.05367  W
715 SOPU 19386M001    4643998.21700  -255914.49193  4350062.77375  W
443 TERU 13487M001    4867391.62787  -95523.95315  4108341.29990  A
493 VITO 19385M001    4679398.01032  -218437.09042  4314898.00014  A
616 YEBE 13420M001    4848724.85540  -261632.53537  4123093.94422  W
655 ZARA 13462M001    4773803.48615  -73506.58539  4215453.71888  W
    
```

5.4 ETRF2020 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2020 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2020                                     16-DEC-25 00:59
-----
LOCAL GEODETIC DATUM: ETRF2020                       EPOCH: 2025-11-26 11:59:45
NUM STATION NAME      X (M)      Y (M)      Z (M)  FLAG  SYSTEM
111 ACRD 13434M001    4594489.78339  -678367.92665  4357065.89306  A
39 ALDA 19383M001    4687280.46610  -190877.13905  4308106.58799  A
50 ALSA 19419M001    4677251.14068  -176770.96784  4319079.51417  A
53 AMUR 19388M001    4661499.75430  -244591.82744  4332269.52509  A
384 BIAZ 10074M002    4634456.37094  -124345.54063  4365785.10165  W
101 BIDA 00000M000    4644178.13745  -145778.89014  4354832.12319  A
113 BRZR 19387M001    4662221.29683  -220770.47030  4333309.07685  A
573 CACE 13447M001    4899866.74949  -544567.63279  4033769.82281  W
592 CANT 13438M001    4625924.61253  -307096.80262  4365771.20008  W
908 CREU 13432M001    4715420.49021  273177.48509  4271946.48573  A
135 EBRE 13410M001    4833520.30748  41536.80188  4147461.34657  W
180 ELGE 19353S001    4657557.70423  -202242.03910  4338991.53089  A
182 EMAZ 17001M001    4645924.50926  -276950.43895  4347759.20810  A
209 GERN 19389M001    4642811.62922  -217223.49243  4353278.51887  A
257 HOND 15012M002    4640529.63384  -145676.55387  4358781.39916  A
235 IGEL 19352S001    4645951.73598  -165575.07201  4352550.06538  A
240 ISPS 19484M001    4640596.78890  -206964.34699  4356391.55945  A
245 KAST 19499M001    4646949.37877  -240747.83527  4348014.63339  A
252 LARE 19440M001    4632832.25484  -279026.71285  4360314.06773  A
256 LAZK 19354S001    4666098.64926  -178186.76326  4330463.31193  A
261 LEIT 19428M001    4663521.24835  -155859.29085  4334519.52794  A
334 ORDN 19427M001    4659696.09453  -130865.30725  4338948.52456  A
345 PAS2 19351S001    4644909.37469  -156645.63867  4353622.71934  A
493 PASA 19351S001    4644909.37451  -156645.63848  4353622.71916  A
553 RIO1 13448M002    4708447.13199  -199490.85864  4284089.37139  A
558 SALA 13469M001    4803054.74809  -462131.65689  4158378.70231  A
526 SCDA 10088M002    4639940.82412  -136225.51472  4359552.06186  W
715 SOPU 19386M001    4643998.21179  -255914.47669  4350062.78192  W
443 TERU 13487M001    4867391.62279  -95523.93713  4108341.30848  A
493 VITO 19385M001    4679398.00509  -218437.07506  4314898.00838  A
616 YEBE 13420M001    4848724.85078  -261632.51947  4123093.95273  W
655 ZARA 13462M001    4773803.48073  -73506.56966  4215453.72731  W
    
```

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS20 solution and are given with respect to the Local frame (North-East-Up).

GFA FINAL WEEKLY COMBINATION: FINAL ORBITS 16-DEC-25 00:59

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	7	XXXXXX	0.64	0.34	4.07
ALDA 19383M001	7	XXXXXX	2.26	1.64	5.41
ALSA 19419M001	7	XXXXXX	1.71	1.48	4.67
AMUR 19388M001	7	XXXXXX	1.28	0.96	9.58
BIAZ 10074M002	6	XXXXXX	0.89	2.30	7.41
BIDA 00000M000	7	XXXXXX	1.24	0.96	6.96
BRZR 19387M001	7	XXXXXX	2.06	1.65	6.52
CACE 13447M001	7	XXXXXX	0.68	0.61	3.18
CANT 13438M001	7	XXXXXX	0.77	0.44	4.88
CREU 13432M001	7	XXXXXX	1.61	1.29	6.74
EBRE 13410M001	7	XXXXXX	2.32	4.70	8.91
ELGE 19353S001	7	XXXXXX	0.91	2.18	8.48
EMAZ 17001M001	7	XXXXXX	0.78	1.48	6.71
GERN 19389M001	6	XXXXX	0.56	1.50	6.98
HOND 15012M002	7	XXXXXX	0.69	0.96	5.60
IGEL 19352S001	7	XXXXXX	0.92	0.63	5.71
ISPS 19484M001	7	XXXXXX	1.40	1.55	5.77
KAST 19499M001	7	XXXXXX	1.18	0.92	8.62
LARE 19440M001	7	XXXXXX	1.12	0.87	5.37
LAZK 19354S001	7	XXXXXX	1.58	0.96	7.96
LEIT 19428M001	7	XXXXXX	0.84	0.88	5.42
ORON 19427M001	7	XXXXXX	0.96	1.26	5.58
PAS2 19351S001	7	XXXXXX	1.66	0.83	6.27
PASA 19351S001	7	XXXXXX	1.53	0.81	6.23
RI01 13448M002	7	XXXXXX	1.36	0.69	5.92
SALA 13469M001	7	XXXXXX	0.75	0.95	2.00
SCDA 10088M002	7	XXXXXX	0.65	0.80	5.87
SOPU 19386M001	7	XXXXXX	1.89	1.22	7.87
TERU 13487M001	7	XXXXXX	1.21	0.60	3.59
VITD 19385M001	7	XXXXXX	0.94	1.12	7.53
YEBE 13420M001	6	XXXXX	0.67	0.88	1.78
ZARA 13462M001	7	XXXXXX	0.81	0.94	6.28

Comparison of individual solutions:

ACOR 13434M001	N	0.64	-0.26	-0.58	-0.44	0.78	-0.38	0.80	0.69
ACOR 13434M001	E	0.34	-0.31	0.10	-0.31	-0.44	-0.41	0.10	-0.36
ACOR 13434M001	U	4.07	-4.37	0.13	-1.09	-4.08	0.76	3.32	7.14
ALDA 19383M001	N	2.26	1.40	-0.50	-4.73	-1.60	1.29	0.48	1.28
ALDA 19383M001	E	1.64	-2.39	1.45	1.82	-1.52	-1.11	-1.06	0.48
ALDA 19383M001	U	5.41	3.56	2.96	9.99	4.76	1.42	-3.07	-4.52
ALSA 19419M001	N	1.71	-1.40	-1.15	0.80	3.61	-0.13	-0.74	0.02
ALSA 19419M001	E	1.48	0.31	-2.75	0.13	0.58	-0.20	0.42	2.22
ALSA 19419M001	U	4.67	-0.08	2.81	4.24	8.43	1.23	1.90	-5.36
AMUR 19388M001	N	1.28	1.12	1.23	-0.20	1.86	-0.29	-1.85	-0.03
AMUR 19388M001	E	0.96	1.78	-0.55	-0.68	0.17	-0.01	0.08	1.25
AMUR 19388M001	U	9.58	8.82	10.93	10.18	2.55	-4.61	-5.95	-13.66
BIAZ 10074M002	N	0.89	-0.27	-0.97	-1.01	0.80	1.11	0.27	
BIAZ 10074M002	E	2.30	-0.54	0.63	4.50	-0.00	-1.66	-1.64	
BIAZ 10074M002	U	7.41	2.59	6.94	13.40	2.06	-2.94	-5.21	
BIDA 00000M000	N	1.24	0.10	-0.14	-1.98	-0.36	1.41	0.51	1.72
BIDA 00000M000	E	0.96	-1.14	0.91	-0.23	1.20	0.77	-0.37	1.11
BIDA 00000M000	U	6.96	3.69	6.02	8.12	1.96	2.50	-2.63	-12.56
BRZR 19387M001	N	2.06	0.29	-1.98	-2.74	0.40	0.90	0.93	3.49
BRZR 19387M001	E	1.65	-0.67	-2.28	2.83	0.61	0.69	-0.24	1.33
BRZR 19387M001	U	6.52	-1.25	4.63	8.86	7.10	-0.11	-1.87	-9.98
CACE 13447M001	N	0.68	-0.19	-1.16	0.71	0.55	-0.60	0.49	-0.07
CACE 13447M001	E	0.61	0.90	0.37	0.67	-0.36	-0.26	-0.77	-0.21
CACE 13447M001	U	3.18	-2.29	-4.01	-0.03	-2.66	1.08	-1.21	5.44
CANT 13438M001	N	0.77	0.39	0.65	-1.19	-0.38	-0.53	0.55	0.92
CANT 13438M001	E	0.44	0.09	0.59	-0.01	-0.03	-0.13	0.35	0.82
CANT 13438M001	U	4.88	2.59	4.36	4.17	3.55	2.15	-2.17	-8.80
CREU 13432M001	N	1.61	1.20	0.35	-3.09	0.47	1.16	-0.72	1.53
CREU 13432M001	E	1.29	-1.09	-0.97	-0.41	-0.62	0.20	-0.30	2.67
CREU 13432M001	U	6.74	1.16	6.05	13.66	1.10	-1.90	1.34	-6.42
EBRE 13410M001	N	2.32	0.57	1.49	4.75	-0.92	-1.88	-1.65	-0.23
EBRE 13410M001	E	4.70	2.97	-0.75	-9.50	-1.73	1.44	2.30	4.76
EBRE 13410M001	U	8.91	6.90	0.75	-12.05	11.32	7.43	5.55	-8.29
ELGE 19353S001	N	0.91	0.16	1.54	0.44	-0.85	-0.12	-0.64	1.12
ELGE 19353S001	E	2.18	1.00	0.09	4.84	-0.44	-1.24	-1.55	-0.27
ELGE 19353S001	U	8.48	7.77	9.29	6.98	4.48	-1.42	-6.43	-13.14
EMAZ 17001M001	N	0.78	-0.10	-0.33	-0.44	-1.33	0.23	0.34	1.19
EMAZ 17001M001	E	1.48	1.67	-2.59	1.82	-0.28	0.31	0.32	-0.14
EMAZ 17001M001	U	6.71	-0.69	3.92	1.09	5.62	8.03	-0.91	-12.50
GERN 19389M001	N	0.56	0.38	-0.94	0.21	0.63	-0.28	0.06	
GERN 19389M001	E	1.50	-2.12	-0.87	1.14	0.10	2.02	0.82	
GERN 19389M001	U	6.98	1.11	12.70	7.68	1.63	-1.57	-4.06	
HOND 15012M002	N	0.69	0.04	-0.49	-0.44	0.60	0.64	-0.08	1.29
HOND 15012M002	E	0.96	-1.08	-0.13	1.34	-0.08	0.34	0.26	1.54
HOND 15012M002	U	5.60	1.05	6.99	9.23	-1.75	-0.26	-1.18	-6.99
IGEL 19352S001	N	0.92	0.36	1.84	-0.64	0.02	-0.22	-0.68	0.83
IGEL 19352S001	E	0.63	-0.43	0.41	0.90	0.06	0.01	0.03	1.11
IGEL 19352S001	U	5.71	4.28	8.45	5.54	0.10	-0.98	-1.29	-8.52
ISPS 19484M001	N	1.40	-0.90	-0.09	-1.64	-0.46	1.22	0.93	2.39
ISPS 19484M001	E	1.55	-2.38	1.81	1.50	-1.11	0.52	0.65	1.15
ISPS 19484M001	U	5.77	0.43	5.45	7.86	1.23	0.50	1.72	-10.17
KAST 19499M001	N	1.18	-1.86	0.01	-0.43	1.07	0.44	0.49	1.79
KAST 19499M001	E	0.92	-0.04	-1.16	0.75	0.93	0.05	0.26	1.47
KAST 19499M001	U	8.62	-2.38	5.26	10.19	11.93	-1.70	-2.85	-12.47
LARE 19440M001	N	1.12	-0.34	-0.07	-0.27	-0.66	-1.67	1.87	0.79
LARE 19440M001	E	0.87	0.24	-0.66	0.82	-1.32	0.70	1.03	0.31
LARE 19440M001	U	5.37	4.04	6.76	2.22	-3.55	2.07	2.34	-9.16
LAZK 19354S001	N	1.58	-1.25	2.24	2.03	0.67	-1.35	-1.39	0.13
LAZK 19354S001	E	0.96	1.74	-0.78	-0.28	-0.09	-0.80	-0.15	1.07

LAZK	19354S001	U	7.96	9.98	6.49	7.95	4.30	-1.41	-1.12	-12.38
LEIT	19428M001	N	0.84	-0.14	0.02	0.15	1.50	0.92	-0.42	0.94
LEIT	19428M001	E	0.88	-1.44	0.53	0.85	-0.00	0.66	-0.25	1.03
LEIT	19428M001	U	5.42	3.48	8.61	-2.06	-0.05	3.46	-1.92	-8.36
ORDN	19427M001	N	0.96	-1.39	0.36	-0.74	1.19	0.11	-0.14	1.21
ORDN	19427M001	E	1.26	2.16	0.02	1.74	-0.98	-0.51	-0.54	0.59
ORDN	19427M001	U	5.58	7.79	3.78	6.64	2.15	-0.71	-0.56	-7.91
PAS2	19351S001	N	1.66	0.43	1.10	-3.23	0.23	1.36	-0.02	1.66
PAS2	19351S001	E	0.83	-0.12	1.08	-0.38	-0.71	0.57	0.48	1.31
PAS2	19351S001	U	6.27	4.40	8.19	7.70	-2.20	-0.57	-0.97	-9.15
PASA	19351S001	N	1.53	0.51	0.93	-3.02	0.15	1.25	-0.05	1.50
PASA	19351S001	E	0.81	-0.04	0.93	-0.46	-0.63	0.34	0.42	1.46
PASA	19351S001	U	6.23	5.72	7.88	7.19	-2.58	-0.34	-1.15	-8.87
RID1	13448M002	N	1.36	0.98	1.64	-2.00	-0.40	-0.81	-0.25	1.58
RID1	13448M002	E	0.69	0.01	0.17	-0.85	-0.54	0.42	0.01	1.27
RID1	13448M002	U	5.92	2.84	7.30	3.55	8.31	1.54	-1.23	-7.96
SALA	13469M001	N	0.75	0.34	-0.35	-1.16	0.95	0.68	0.65	-0.13
SALA	13469M001	E	0.95	0.13	-0.27	1.49	-0.10	-0.29	-0.03	-1.74
SALA	13469M001	U	2.00	-0.45	-0.61	2.03	-2.34	-1.25	-3.01	1.76
SCDA	10088M002	N	0.65	0.20	-0.27	-0.04	0.50	0.07	-0.46	1.41
SCDA	10088M002	E	0.80	-0.66	-0.44	1.33	0.20	0.38	0.77	0.80
SCDA	10088M002	U	5.87	5.99	6.45	5.70	-3.13	-0.42	1.03	-9.26
SOPU	19386M001	N	1.89	-0.72	0.89	-3.50	0.05	1.56	0.87	2.15
SOPU	19386M001	E	1.22	-1.26	-0.35	-0.79	0.90	0.47	1.17	2.03
SOPU	19386M001	U	7.87	5.50	10.49	6.34	4.19	-2.52	-4.29	-12.20
TERU	13487M001	N	1.21	-0.93	1.78	0.88	1.33	-1.04	1.06	-0.18
TERU	13487M001	E	0.60	0.07	-0.05	-0.43	-1.04	-0.39	-0.66	-0.51
TERU	13487M001	U	3.59	-5.56	4.92	-2.12	-3.66	1.87	0.84	-0.04
VITO	19385M001	N	0.94	-0.71	-0.62	-0.17	-0.36	0.22	-0.73	1.91
VITO	19385M001	E	1.12	-1.39	-0.85	1.48	-0.25	-0.55	-0.27	1.50
VITO	19385M001	U	7.53	1.01	5.28	11.56	6.61	3.16	-2.67	-10.80
YEBE	13420M001	N	0.67	0.31	0.84	-0.16	0.27	0.64		-0.95
YEBE	13420M001	E	0.88	0.18	0.57	0.58	0.29	-0.64		-1.63
YEBE	13420M001	U	1.78	0.32	-2.94	-0.96	-1.20	-0.57		2.11
ZARA	13462M001	N	0.81	1.05	1.33	-0.53	0.04	0.29	-0.86	-0.01
ZARA	13462M001	E	0.94	-0.02	0.06	-1.37	0.82	0.48	0.16	1.59
ZARA	13462M001	U	6.28	2.64	5.34	11.99	0.11	-0.43	-0.64	-7.56

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

LIST OF REMOVED STATIONS:

OUTLIER CRITERIA: 15.00 15.00 20.00

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
2	ALAC 13433M001	I W	1.54	-2.68	1.02
3	ALME 13437M001	I W	-0.15	-0.57	2.12
4	BCL1 19482M001	I W	-0.91	-0.51	2.41
5	BELL 13431M001	I W	-1.23	-0.99	1.77
6	BIAZ 10074M002	I W	2.87	-1.28	-10.56
7	BORR 13480M001	I W	-5.42	-1.57	-2.07
8	BRST 10004M004	I W	0.48	-1.26	4.69
9	CACE 13447M001	I W	1.96	0.81	0.69
10	CANT 13438M001	I W	1.49	0.67	-0.41
11	CASC 13909S001	I W	0.90	-0.55	3.14
12	CEU1 13449M002	I W	0.49	0.52	-2.59
14	EBRE 13410M001	I W	-2.66	2.96	1.99
16	FLRS 31907M001	I W	-0.54	-2.07	-10.53
17	FUER 31330M001	I W	-0.30	-1.14	3.04
19	HUEL 13451M001	I W	1.97	2.00	-6.86
20	IBIZ 13454S001	I W	0.23	1.43	0.91
21	IZAN 31309M002	I W	-2.06	-2.37	0.55
22	LAGO 13903M001	I W	0.88	0.02	3.24
23	LLIV 13436M001	I W	-4.80	0.72	7.91
24	LPAL 81701M001	I W	0.51	1.83	-1.05
25	LROC 10023M001	I W	0.69	1.04	-0.78
26	MADR 13407S012	I W	-0.99	-0.42	-2.83
27	MAL1 13444M002	I W	2.99	0.02	-5.79
28	MALA 13443M001	I W	2.33	0.67	6.53
29	MALL 13444M001	I W	-1.93	1.98	2.79
30	MAS1 31303M002	I W	-2.58	-2.88	1.85
31	MELI 19379M001	I W	-0.33	1.48	0.91
32	PDEL 31906M004	I W	-1.86	-1.25	1.27
33	SCOA 10088M002	I W	3.29	3.05	-11.85
34	SFER 13402M004	I W	-0.63	-5.92	4.39
35	SOPU 19386M001	I W	1.37	1.56	-2.80
36	VALE 13439M001	I W	1.03	2.69	-3.94
37	VIGO 13450M001	I W	2.14	2.38	1.31
38	VILL 13406M001	I W	0.70	-0.11	3.51
39	YEBE 13420M001	I W	-0.26	0.40	4.46
40	ZARA 13462M001	I W	0.07	1.86	-1.36
41	ZIMM 14001M004	I W	-0.99	-5.77	5.07
RMS / COMPONENT			1.97	2.11	4.59
IQR			2.36	2.73	5.11
MEAN			0.01	-0.09	0.06
MEDIAN			0.23	0.02	1.02
MIN			-5.42	-5.92	-11.85
MAX			3.29	3.05	7.91
OVERALL RMS/IQR/MAX(3D)			3.13	3.11	12.68
					SCOA 10088M002 #SUM
ALL RMS / COMPONENT			1.97	2.11	4.59
ALL IQR			2.36	2.73	5.11
ALL MEAN			0.01	-0.09	0.06
ALL MEDIAN			0.23	0.02	1.02
ALL MIN			-5.42	-5.92	-11.85
ALL MAX			3.29	3.05	7.91
ALL OVERALL RMS/IQR/MAX(3D)			3.13	3.11	12.68
					SCOA 10088M002 #SUM_ALL

NUMBER OF PARAMETERS : 3
NUMBER OF STATIONS : 37
NUMBER OF COORDINATES : 111
RMS OF TRANSFORMATION : 3.13 MM

PARAMETERS:

TRANSLATION IN X : -0.00 +- 0.51 MM
TRANSLATION IN Y : 0.00 +- 0.51 MM
TRANSLATION IN Z : 0.00 +- 0.51 MM

NUMBER OF ITERATIONS : 1

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          19912057
NUMBER OF UNKNOWN(S)            196891
NUMBER OF DEGREES OF FREEDOM    19715166
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                  3.233285780371390
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION----- S/N_ FIRMWARE____
ACOR A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
ALDA A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
ALSA A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
AMUR A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
BIAZ A 1 P 25:327:00000 25:332:86370 SPECTRA SP90M -----
BIDA A 1 P 25:327:00000 25:333:86370 LEICA GR10 -----
BRZR A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
CACE A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
CANT A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
CREU A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
EBRE A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
ELGE A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
EMAZ A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
GERN A 1 P 25:327:00000 25:332:86370 LEICA GR30 -----
HOND A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
IGEL A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
ISPS A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
KAST A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
LARE A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
LAZK A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
LEIT A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
ORON A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
PAS2 A 1 P 25:327:00000 25:333:86370 STONEX SC2200 -----
PASA A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
RIO1 A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
SALA A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
SCOA A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
SOPU A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
TERU A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
VITO A 1 P 25:327:00000 25:333:86370 LEICA GR30 -----
YEBE A 1 P 25:327:00000 25:333:86370 LEICA GR50 -----
ZARA A 1 P 25:327:00000 25:333:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION----- S/N_ DAZI
ACOR A 1 P 25:327:00000 25:333:86370 LEIAT504 LEIS -----
ALDA A 1 P 25:327:00000 25:333:86370 LEIAS10 NONE -----
ALSA A 1 P 25:327:00000 25:333:86370 LEIAR10 NONE -----
AMUR A 1 P 25:327:00000 25:333:86370 LEIAS10 NONE -----
BIAZ A 1 P 25:327:00000 25:332:86370 LEIAR25 LEIT -----
BIDA A 1 P 25:327:00000 25:333:86370 LEIAS10 NONE -----
BRZR A 1 P 25:327:00000 25:333:86370 LEIAS10 NONE -----
CACE A 1 P 25:327:00000 25:333:86370 LEIAR20 LEIM -----
CANT A 1 P 25:327:00000 25:333:86370 LEIAR25_R4 LEIT -----
CREU A 1 P 25:327:00000 25:333:86370 LEIAR25_R4 NONE -----
EBRE A 1 P 25:327:00000 25:333:86370 LEIAR25_R4 NONE -----
ELGE A 1 P 25:327:00000 25:333:86370 LEIAR25_R4 LEIT -----
EMAZ A 1 P 25:327:00000 25:333:86370 LEIAS10 NONE -----
GERN A 1 P 25:327:00000 25:332:86370 LEIAS10 NONE -----
HOND A 1 P 25:327:00000 25:333:86370 LEIAR20 LEIM -----
IGEL A 1 P 25:327:00000 25:333:86370 LEIAR20 LEIM -----
ISPS A 1 P 25:327:00000 25:333:86370 LEIAR20 LEIM -----
KAST A 1 P 25:327:00000 25:333:86370 LEIAS10 NONE -----
LARE A 1 P 25:327:00000 25:333:86370 LEIAR20 LEIM -----
LAZK A 1 P 25:327:00000 25:333:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 25:327:00000 25:333:86370 LEIAR10 NONE -----
ORON A 1 P 25:327:00000 25:333:86370 LEIAR10 NONE -----
PAS2 A 1 P 25:327:00000 25:333:86370 LEIAR20 LEIM -----
PASA A 1 P 25:327:00000 25:333:86370 LEIAR20 LEIM -----
RIO1 A 1 P 25:327:00000 25:333:86370 LEIAR25_R4 LEIT -----
SALA A 1 P 25:327:00000 25:333:86370 LEIAR25 NONE -----
SCOA A 1 P 25:327:00000 25:333:86370 TRM55971.00 NONE -----
SOPU A 1 P 25:327:00000 25:333:86370 LEIAS10 NONE -----
TERU A 1 P 25:327:00000 25:333:86370 LEIAR20 LEIM -----
VITO A 1 P 25:327:00000 25:333:86370 LEIAS10 NONE -----
YEBE A 1 P 25:327:00000 25:333:86370 LEIAR20 LEIM -----
ZARA A 1 P 25:327:00000 25:333:86370 TRM29659.00 NONE -----
```

7.3 Eccentricities

*S	PT	SOLN	T	DATA_START	DATA_END	AXE	UP	NORTH	EAST
AR	P						ARP	BENCHMARK	(M)
ACOR	A	1	P	25:327:00000	25:333:86370	UNE	3.0460	0.0000	0.0000
ALDA	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
ALSA	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
AMUR	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
BLAZ	A	1	P	25:327:00000	25:332:86370	UNE	0.0000	0.0000	0.0000
BIDA	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
BRZR	A	1	P	25:327:00000	25:333:86370	UNE	0.0771	0.0000	0.0000
CACE	A	1	P	25:327:00000	25:333:86370	UNE	0.0600	0.0000	0.0000
CANT	A	1	P	25:327:00000	25:333:86370	UNE	3.0490	0.0000	0.0000
CREU	A	1	P	25:327:00000	25:333:86370	UNE	0.0770	0.0000	0.0000
EBRE	A	1	P	25:327:00000	25:333:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
EMAZ	A	1	P	25:327:00000	25:333:86370	UNE	0.0350	0.0000	0.0000
GERN	A	1	P	25:327:00000	25:332:86370	UNE	0.0771	0.0000	0.0000
HOND	A	1	P	25:327:00000	25:333:86370	UNE	0.0771	0.0000	0.0000
IGEL	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	25:327:00000	25:333:86370	UNE	0.0350	0.0000	0.0000
KAST	A	1	P	25:327:00000	25:333:86370	UNE	0.0350	0.0000	0.0000
LARE	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
LAZK	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
ORDN	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
PAS2	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
RID1	A	1	P	25:327:00000	25:333:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	25:327:00000	25:333:86370	UNE	0.0600	0.0000	0.0000
SCDA	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
SOPU	A	1	P	25:327:00000	25:333:86370	UNE	0.0771	0.0000	0.0000
TERU	A	1	P	25:327:00000	25:333:86370	UNE	0.0600	0.0000	0.0000
VITO	A	1	P	25:327:00000	25:333:86370	UNE	0.0000	0.0000	0.0000
YEBE	A	1	P	25:327:00000	25:333:86370	UNE	0.0600	0.0000	0.0000
ZARA	A	1	P	25:327:00000	25:333:86370	UNE	3.2590	0.0000	0.0000

8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

2025-12-14 03:18 UTC ALDA3270.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-14 09:08 UTC ALDA3280.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-14 15:03 UTC ALDA3290.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-14 20:53 UTC ALDA3300.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-15 06:36 UTC ALDA3310.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-15 12:40 UTC ALDA3320.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-15 18:48 UTC ALDA3330.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-14 03:18 UTC AMUR3280.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-14 09:08 UTC AMUR3290.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-14 15:03 UTC AMUR3300.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-14 20:53 UTC AMUR3310.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-15 06:36 UTC AMUR3320.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-15 12:40 UTC AMUR3330.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-15 18:48 UTC AMUR3340.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-14 03:18 UTC BIDA3270.250 RECEIVER TYPE LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-14 09:08 UTC BIDA3280.250 RECEIVER TYPE LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-14 15:03 UTC BIDA3290.250 RECEIVER TYPE LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-14 20:53 UTC BIDA3300.250 RECEIVER TYPE LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-15 06:36 UTC BIDA3310.250 RECEIVER TYPE LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-15 12:40 UTC BIDA3320.250 RECEIVER TYPE LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-15 18:48 UTC BIDA3330.250 RECEIVER TYPE LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-15 06:36 UTC BRZR3270.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-14 09:08 UTC BRZR3280.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-14 15:03 UTC BRZR3290.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-14 20:53 UTC BRZR3300.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-15 06:36 UTC BRZR3310.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-15 12:40 UTC BRZR3320.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-15 18:48 UTC BRZR3330.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-14 03:18 UTC CANT3270.250 RECEIVER TYPE LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-14 09:08 UTC CANT3280.250 RECEIVER TYPE LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-14 15:03 UTC CANT3290.250 RECEIVER TYPE LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-14 20:53 UTC CANT3300.250 RECEIVER TYPE LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-15 06:36 UTC CANT3310.250 RECEIVER TYPE LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-15 12:40 UTC CANT3320.250 RECEIVER TYPE LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-15 18:48 UTC CANT3330.250 RECEIVER TYPE LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-14 03:18 UTC EMAZ3270.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2025-12-14 09:08 UTC EMAZ3280.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2025-12-14 15:03 UTC EMAZ3290.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2025-12-14 20:53 UTC EMAZ3300.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2025-12-15 06:36 UTC EMAZ3310.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2025-12-15 12:40 UTC EMAZ3320.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2025-12-15 18:48 UTC EMAZ3330.250 RECEIVER FIRM. VERS. 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2025-12-14 03:18 UTC ISPS3270.250 ANTENNA SER. NO. -> 24238009 (source: isps00esp_20250114.log
2025-12-14 09:08 UTC ISPS3280.250 ANTENNA SER. NO. -> 24238009 (source: isps00esp_20250114.log
2025-12-14 15:03 UTC ISPS3290.250 ANTENNA SER. NO. -> 24238009 (source: isps00esp_20250114.log
2025-12-14 20:53 UTC ISPS3300.250 ANTENNA SER. NO. -> 24238009 (source: isps00esp_20250114.log
2025-12-15 06:36 UTC ISPS3310.250 ANTENNA SER. NO. -> 24238009 (source: isps00esp_20250114.log

```

2025-12-15 12:40 UTC | ISPS3320.250 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2025-12-15 18:48 UTC | ISPS3330.250 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2025-12-14 03:18 UTC | KAST3270.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-14 09:08 UTC | KAST3280.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-14 15:03 UTC | KAST3290.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-14 20:53 UTC | KAST3300.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-15 06:36 UTC | KAST3310.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-15 12:40 UTC | KAST3320.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-15 18:48 UTC | KAST3330.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-14 03:18 UTC | LEIT3270.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-14 09:08 UTC | LEIT3280.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-14 15:03 UTC | LEIT3290.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-14 20:53 UTC | LEIT3300.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-15 06:36 UTC | LEIT3310.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-15 12:40 UTC | LEIT3320.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-15 18:48 UTC | LEIT3330.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-14 03:18 UTC | PASA3270.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-14 09:08 UTC | PASA3280.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-14 15:03 UTC | PASA3290.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-14 20:53 UTC | PASA3300.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-15 06:36 UTC | PASA3310.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-15 12:40 UTC | PASA3320.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-15 18:48 UTC | PASA3330.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-14 03:19 UTC | VITO3270.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-14 09:08 UTC | VITO3280.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-14 15:03 UTC | VITO3290.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-14 20:53 UTC | VITO3300.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-15 06:36 UTC | VITO3310.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-15 12:40 UTC | VITO3320.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-15 18:48 UTC | VITO3330.250 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
    
```

9 References

C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf



EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf


Johnston, G., Riddell, A., Hausler, G. (2017). The International GNSS Service. Teunissen, Peter J.G., Montenbruck, O. (Eds.), Springer Handbook of Global Navigation Satellite Systems (1st ed., pp. 967-982). Cham, Switzerland: Springer International Publishing. DOI: 10.1007/978-3-319-42928-1

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf


10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3) ALSA




4) AMUR




5) BIAZ




6) BIDA




7) BRZR




8) CACE




9) CANT




10) CHER




11) CREU




12) EBRE




13) ELGE




14) EMAZ




15) GERN




16) HOND




17) IGEL






18) ISPS







19) KAST




20) LARE









27) SALA




28) SCOA




29) SOPU



30) TERU



31) VITO



32) YEBE

