ARA-DAC Weekly Analysis Result: 2395 (GFA)

Technical Report

GPS Week: 2395 (GFA)

http://geolabpasaia.org/gnss/ARA-euref/

ARA-DAC details:
Contact person: J. Zurutuza
Contact mail: geodesia@aranzadi.eus

Report generated on 2025/12/23 at 07:25:50

Contents

1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



Fig.1: Computed Sites for GPS Week2395 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2; a priori sigma of single differences:0.002 m.
  - sampling (for ambiguity resolution): 30 s
  - sampling (for final processing): 180 s
  - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I20 file and individual calibrations from EPNC_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observatione of this/these GNSS/GNSSs are excluded from the analysis of that station.
- Reference sites: the latest IGS cumulative solution is used to align our solution to the latest IGS20 release, regularly updated and available at: IGS0OPSSNX_1994002_00U_00U_CRD.SNX.gz. Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20); also applies to repro3 solutions, which are based on IGS20 standards.
- Troposphere:
  - minimum elevation is 3 deg.; elevation dependent weighting.
  - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
  - Mean pole model : IERS2010_v1.2.0
  - Subdaily pole model: DESAI2016
  - Nutation model : IAU2000R06

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3*rms of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to IGS sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.

- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W (IGS cumulative solution) are the ones used in the Minimal Constraints condition.

5.1 IGS20

The Reference Frame considered in this section is the IGS20 (IGS cumulative solution), mapped from 2015.0 to the observation epoch.

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS 23-DEC-25 05:43

LOCAL GEODETIC DATUM: IGS20 EPOCH: 2025-12-03 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.46957	-678367.24009	4357066.33085	A	G
39	ALDA 19383M001	4687280.09370	-190876.44020	4308107.02816	A	GR
50	ALSA 19419M001	4677250.76609	-176770.26978	4319079.95275	A	GRE
53	AMUR 19388M001	4661499.38477	-244591.13203	4332269.96268	A	GR
384	BIAZ 10074M002	4634455.98265	-124344.84758	4365785.53507	W	GR
101	BIDA 00000M000	4644177.75104	-145778.19740	4354832.55653	A	GR
113	BRZR 19387M001	4662220.92287	-220769.77408	4333309.51394	A	GR
573	CACE 13447M001	4899866.44763	-544566.91047	4033770.28524	W	GRE
592	CANT 13438M001	4625924.24955	-307096.11144	4365771.63549	W	GRE
908	CREU 13432M001	4715420.05721	273178.18672	4271946.91917	A	GRE
135	EBRE 13410M001	4833519.91945	41537.51962	4147461.79607	W	GRE
180	ELGE 19353S001	4657557.32884	-202241.34528	4338991.96739	A	GRE
182	EMAZ 17001M001	4645924.14374	-276949.74513	4347759.64541	A	GR
209	GERN 19389M001	4642811.25487	-217222.80094	4353278.95400	A	GR
257	HOND 15012M002	4640529.24813	-145675.86114	4358781.83236	A	GRE
235	IGEL 19352S001	4645951.35415	-165574.37848	4352550.49978	A	GRE
240	ISPS 19484M001	4640596.41184	-206963.65423	4356391.99332	A	GRE
245	KAST 19499M001	4646949.00573	-240747.14162	4348015.06744	A	GR
252	LARE 19440M001	4632831.88948	-279026.02043	4360314.50406	A	GRE
256	LAZK 19354S001	4666098.27286	-178186.06674	4330463.74810	A	GRE
261	LEIT 19428M001	4663520.86838	-155858.59526	4334519.96501	A	GRE
334	ORON 19427M001	4659695.71104	-130864.61106	4338948.96109	A	GRE
345	PAS2 19351S001	4644908.99208	-156644.94486	4353623.15449	A	GRE
493	PASA 19351S001	4644908.99174	-156644.94474	4353623.15424	A	GRE
553	RIO1 13448M002	4708446.76143	-199490.15770	4284089.81252	A	GRE
558	SALA 13469M001	4803054.42218	-462130.94515	4158379.15540	A	GR
526	SCOA 10088M002	4639940.43680	-136224.82165	4359552.49398	W	GRE
715	SOPU 19386M001	4643997.84241	-255913.78349	4350063.21805	W	GR
443	TERU 13487M001	4867391.25446	-95523.21856	4108341.76344	A	GRE
493	VITO 19385M001	4679397.63339	-218436.37773	4314898.44494	A	GR
616	YEBE 13420M001	4848724.50399	-261631.80209	4123094.40825	W	GRE
655	ZARA 13462M001	4773803.10021	-73505.86058	4215454.17214	W	GRE

5.2 ETRF2000 (ETRS89) Coordinates

European **T**errestrial **R**eference **S**ystem, **1989** (**ETRS89**) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2000 23-DEC-25 05:43

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2025-12-03 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.82633	-678367.90521	4357065.83227	A	
39	ALDA 19383M001	4687280.51560	-190877.11608	4308106.52834	A	
50	ALSA 19419M001	4677251.19092	-176770.94435	4319079.45405	A	
53	AMUR 19388M001	4661499.80109	-244591.80479	4332269.46443	A	
384	BIAZ 10074M002	4634456.41886	-124345.51658	4365785.04105	W	
101	BIDA 00000M000	4644178.18328	-145778.86769	4354832.06131	A	
113	BRZR 19387M001	4662221.34266	-220770.44688	4333309.01597	A	
573	CACE 13447M001	4899866.79606	-544567.61373	4033769.76070	W	
592	CANT 13438M001	4625924.65982	-307096.77986	4365771.13957	W	
908	CREU 13432M001	4715420.54183	273177.50898	4271946.42348	A	
135	EBRE 13410M001	4833520.36072	41536.82614	4147461.28624	W	
180	ELGE 19353S001	4657557.75174	-202242.01743	4338991.47012	A	
182	EMAZ 17001M001	4645924.55677	-276950.41602	4347759.14811	A	
209	GERN 19389M001	4642811.67684	-217223.47126	4353278.45785	A	
257	HOND 15012M002	4640529.68072	-145676.53097	4358781.33747	A	
235	IGEL 19352S001	4645951.78339	-165575.04906	4352550.00410	A	
240	ISPS 19484M001	4640596.83553	-206964.32425	4356391.49753	A	
245	KAST 19499M001	4646949.42392	-240747.81253	4348014.57057	A	
252	LARE 19440M001	4632832.30327	-279026.68965	4360314.00792	A	
256	LAZK 19354S001	4666098.69845	-178186.73990	4330463.25040	A	
261	LEIT 19428M001	4663521.29748	-155859.26803	4334519.46787	A	
334	ORON 19427M001	4659696.14406	-130865.28327	4338948.46467	A	
345	PAS2 19351S001	4644909.42268	-156645.61527	4353622.65904	A	
493	PASA 19351S001	4644909.42234	-156645.61515	4353622.65879	A	
553	RIO1 13448M002	4708447.18008	-199490.83626	4284089.31063	A	
558	SALA 13469M001	4803054.79289	-462131.63621	4158378.64097	A	
526	SCOA 10088M002	4639940.87080	-136225.49138	4359551.99928	W	
715	SOPU 19386M001	4643998.25862	-255914.45407	4350062.72123	W	
443	TERU 13487M001	4867391.67298	-95523.91675	4108341.24851	A	
493	VITO 19385M001	4679398.05195	-218437.05269	4314897.94543	A	
616	YEBE 13420M001	4848724.90019	-261632.49842	4123093.89260	W	
655	ZARA 13462M001	4773803.53092	-73506.54698	4215453.66611	W	

5.3 ETRF2014 (ETRS89) Coordinates

European **T**errestrial **R**eference **S**ystem, **1989** (**ETRS89**) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2014 23-DEC-25 05:43

LOCAL GEODETIC DATUM: ETRF2014 EPOCH: 2025-12-03 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.78690	-678367.94140	4357065.88555	A	
39	ALDA 19383M001	4687280.47353	-190877.15376	4308106.58148	A	
50	ALSA 19419M001	4677251.14891	-176770.98213	4319079.50723	A	
53	AMUR 19388M001	4661499.75950	-244591.84238	4332269.51762	A	
384	BIAZ 10074M002	4634456.37716	-124345.55476	4365785.09440	W	
101	BIDA 00000M000	4644178.14155	-145778.90575	4354832.11461	A	
113	BRZR 19387M001	4662221.30099	-220770.48456	4333309.06917	A	
573	CACE 13447M001	4899866.75254	-544567.64901	4033769.81308	W	
592	CANT 13438M001	4625924.61887	-307096.81737	4365771.19285	W	
908	CREU 13432M001	4715420.49756	273177.46964	4271946.47689	A	
135	EBRE 13410M001	4833520.31599	41536.78825	4147461.33909	W	
180	ELGE 19353S001	4657557.71005	-202242.05521	4338991.52335	A	
182	EMAZ 17001M001	4645924.51549	-276950.45356	4347759.20133	A	
209	GERN 19389M001	4642811.63538	-217223.50905	4353278.51113	A	
257	HOND 15012M002	4640529.63903	-145676.56904	4358781.39079	A	
235	IGEL 19352S001	4645951.74171	-165575.08703	4352550.05739	A	
240	ISPS 19484M001	4640596.79406	-206964.36208	4356391.55081	A	
245	KAST 19499M001	4646949.38250	-240747.85021	4348014.62382	A	
252	LARE 19440M001	4632832.26215	-279026.72724	4360314.06119	A	
256	LAZK 19354S001	4666098.65657	-178186.77772	4330463.30362	A	
261	LEIT 19428M001	4663521.25556	-155859.30596	4334519.52111	A	
334	ORON 19427M001	4659696.10209	-130865.32131	4338948.51793	A	
345	PAS2 19351S001	4644909.38097	-156645.65329	4353622.71234	A	
493	PASA 19351S001	4644909.38063	-156645.65317	4353622.71209	A	
553	RIO1 13448M002	4708447.13778	-199490.87381	4284089.36371	A	
558	SALA 13469M001	4803054.75034	-462131.67227	4158378.69365	A	
526	SCOA 10088M002	4639940.82907	-136225.52949	4359552.05261	W	
715	SOPU 19386M001	4643998.21728	-255914.49169	4350062.77448	W	
443	TERU 13487M001	4867391.62837	-95523.95395	4108341.30117	A	
493	VITO 19385M001	4679398.01007	-218437.09029	4314897.99859	A	
616	YEBE 13420M001	4848724.85641	-261632.53506	4123093.94522	W	
655	ZARA 13462M001	4773803.48738	-73506.58470	4215453.71906	W	

5.4 ETRF2020 (ETRS89) Coordinates

European **T**errestrial **R**eference **S**ystem, **1989** (**ETRS89**) is realized by ETRF2020 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2020 23-DEC-25 05:43

LOCAL GEODETIC DATUM: ETRF2020 EPOCH: 2025-12-03 11:59:45

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.78293	-678367.92649	4357065.89354	A	
39	ALDA 19383M001	4687280.46823	-190877.13835	4308106.58974	A	
50	ALSA 19419M001	4677251.14354	-176770.96675	4319079.51548	A	
53	AMUR 19388M001	4661499.75430	-244591.82708	4332269.52583	A	
384	BIAZ 10074M002	4634456.37150	-124345.53950	4365785.10258	W	
101	BIDA 00000M000	4644178.13599	-145778.89046	4354832.12281	A	
113	BRZR 19387M001	4662221.29571	-220770.46924	4333309.07739	A	
573	CACE 13447M001	4899866.74899	-544567.63306	4033769.82162	W	
592	CANT 13438M001	4625924.61377	-307096.80221	4365771.20098	W	
908	CREU 13432M001	4715420.49093	273177.48533	4271946.48528	A	
135	EBRE 13410M001	4833520.31038	41536.80423	4147461.34764	W	
180	ELGE 19353S001	4657557.70470	-202242.03990	4338991.53155	A	
182	EMAZ 17001M001	4645924.51035	-276950.43832	4347759.20950	A	
209	GERN 19389M001	4642811.63004	-217223.49379	4353278.51930	A	
257	HOND 15012M002	4640529.63346	-145676.55377	4358781.39898	A	
235	IGEL 19352S001	4645951.73622	-165575.07175	4352550.06559	A	
240	ISPS 19484M001	4640596.78868	-206964.34683	4356391.55899	A	
245	KAST 19499M001	4646949.37724	-240747.83495	4348014.63200	A	
252	LARE 19440M001	4632832.25697	-279026.71205	4360314.06934	A	
256	LAZK 19354S001	4666098.65117	-178186.76238	4330463.31184	A	
261	LEIT 19428M001	4663521.25008	-155859.29062	4334519.52933	A	
334	ORON 19427M001	4659696.09652	-130865.30597	4338948.52615	A	
345	PAS2 19351S001	4644909.37545	-156645.63800	4353622.72053	A	
493	PASA 19351S001	4644909.37511	-156645.63788	4353622.72028	A	
553	RIO1 13448M002	4708447.13256	-199490.85834	4284089.37200	A	
558	SALA 13469M001	4803054.74623	-462131.65660	4158378.70205	A	
526	SCOA 10088M002	4639940.82347	-136225.51421	4359552.06080	W	
715	SOPU 19386M001	4643998.21207	-255914.47645	4350062.78265	W	
443	TERU 13487M001	4867391.62328	-95523.93792	4108341.30975	A	
493	VITO 19385M001	4679398.00483	-218437.07493	4314898.00683	A	
616	YEBE 13420M001	4848724.85179	-261632.51916	4123093.95374	W	
655	ZARA 13462M001	4773803.48195	-73506.56897	4215453.72749	W	

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repatabilities refer to the IGS20 solution and are given with respect to the Local frame (North-East-Up).

GFA FINAL WEEKLY COMBINATION: FINAL ORBITS 23-DEC-25 05:43

Station	#Days	Weekday 0123456	Repeatability (mm) N	E	U
ACOR 13434M001	7	XXXXXXX	1.96	1.26	6.64
ALDA 19383M001	7	XXXXXXX	1.42	1.33	4.31
ALSA 19419M001	7	XXXXXXX	2.08	0.98	4.86
AMUR 19388M001	7	XXXXXXX	1.56	1.59	3.45
BIAZ 10074M002	7	XXXXXXX	1.24	2.24	7.23
BIDA 00000M000	7	XXXXXXX	1.36	1.05	3.41
BRZR 19387M001	7	XXXXXXX	1.15	2.16	6.66
CACE 13447M001	7	XXXXXXX	1.69	0.76	4.05
CANT 13438M001	7	XXXXXXX	0.94	0.65	3.64
CREU 13432M001	7	XXXXXXX	2.42	1.18	4.95
EBRE 13410M001	7	XXXXXXX	2.23	2.31	4.22
ELGE 19353S001	7	XXXXXXX	0.99	1.26	3.84
EMAZ 17001M001	7	XXXXXXX	0.85	2.17	5.47
GERN 19389M001	7	XXXXXXX	1.22	1.29	7.15
HOND 15012M002	7	XXXXXXX	1.31	0.65	2.90
IGEL 19352S001	7	XXXXXXX	1.21	0.89	2.76
ISPS 19484M001	7	XXXXXXX	0.95	1.01	3.03
KAST 19499M001	6	XXXXXX	0.85	1.32	5.15
LARE 19440M001	7	XXXXXXX	0.64	1.14	1.20
LAZK 19354S001	7	XXXXXXX	1.98	0.73	4.27
LEIT 19428M001	7	XXXXXXX	0.97	0.96	2.68
ORON 19427M001	5	XXX XX	1.35	1.25	5.11
PAS2 19351S001	7	XXXXXXX	1.01	1.03	2.95
PASA 19351S001	7	XXXXXXX	1.14	1.12	3.02
RIO1 13448M002	7	XXXXXXX	1.88	0.55	3.82
SALA 13469M001	7	XXXXXXX	0.90	0.48	2.24
SCOA 10088M002	7	XXXXXXX	1.22	0.55	1.82
SOPU 19386M001	7	XXXXXXX	1.66	1.12	5.98
TERU 13487M001	7	XXXXXXX	0.80	1.20	4.58
VITO 19385M001	7	XXXXXXX	1.31	0.95	6.90
YEBE 13420M001	7	XXXXXXX	1.41	0.62	4.25
ZARA 13462M001	7	XXXXXXX	1.56	1.20	6.62

Comparison of individual solutions:

ACOR 13434M001	N	1.96	-0.54	1.60	1.11	0.11	0.05	-0.38	-4.32
ACOR 13434M001	E	1.26	-0.50	-0.36	1.10	0.69	1.20	1.13	-2.20
ACOR 13434M001	U	6.64	-1.97	1.37	-1.89	-5.35	-4.12	-5.26	13.47
ALDA 19383M001	N	1.42	1.77	0.19	-0.53	0.99	0.01	1.22	2.50
ALDA 19383M001	E	1.33	-0.17	-1.57	-0.90	-2.24	0.06	0.02	1.49
ALDA 19383M001	U	4.31	0.93	-1.46	6.84	2.43	0.65	5.24	-5.30
ALSA 19419M001	N	2.08	2.24	-0.35	-0.50	0.93	0.04	0.64	4.38
ALSA 19419M001	E	0.98	-0.87	-0.98	-0.37	-1.39	0.16	0.11	1.38
ALSA 19419M001	U	4.86	-1.88	5.39	0.72	3.44	2.68	6.65	-6.73
AMUR 19388M001	N	1.56	0.72	-1.56	0.02	-0.31	1.09	2.29	2.24
AMUR 19388M001	E	1.59	0.59	-3.44	0.31	-0.58	-0.30	1.58	0.05
AMUR 19388M001	U	3.45	-0.07	-4.46	-1.06	-1.31	2.62	2.14	6.11
BIAZ 10074M002	N	1.24	0.41	0.91	-0.25	-0.08	-0.23	0.81	2.73
BIAZ 10074M002	E	2.24	0.05	-4.26	-1.05	2.34	1.98	0.36	-1.18
BIAZ 10074M002	U	7.23	0.25	-8.02	-3.34	8.65	8.89	5.42	-7.39
BIDA 00000M000	N	1.36	0.16	-1.09	0.91	0.76	0.01	0.72	2.82
BIDA 00000M000	E	1.05	-0.44	-1.34	0.83	-1.56	0.08	1.15	-0.43
BIDA 00000M000	U	3.41	1.77	-1.53	-0.88	3.21	4.98	2.21	-4.83
BRZR 19387M001	N	1.15	-0.26	1.75	-0.13	0.16	0.80	2.01	0.13
BRZR 19387M001	E	2.16	0.32	0.48	0.97	2.48	-2.06	-0.05	-4.03
BRZR 19387M001	U	6.66	4.64	0.64	4.00	4.60	3.01	1.86	-13.94
CACE 13447M001	N	1.69	1.19	-0.38	0.90	0.29	0.18	-0.84	-3.74
CACE 13447M001	E	0.76	0.14	0.38	0.44	1.18	0.41	0.35	-1.20
CACE 13447M001	U	4.05	-0.08	1.42	1.37	-2.39	-1.89	-6.42	6.63
CANT 13438M001	N	0.94	0.16	0.74	-0.20	-0.63	0.83	0.41	1.86
CANT 13438M001	E	0.65	-0.51	-0.85	0.01	-0.12	-1.11	0.03	0.56
CANT 13438M001	U	3.64	-7.01	0.82	0.64	4.58	1.56	0.51	-2.32
CREU 13432M001	N	2.42	0.27	0.99	0.89	1.80	1.86	-2.51	4.50
CREU 13432M001	E	1.18	-0.63	-1.77	-0.74	-0.41	-1.14	-0.29	1.64
CREU 13432M001	U	4.95	-1.35	-2.89	0.18	6.58	5.22	6.74	-4.55
EBRE 13410M001	N	2.23	-0.20	-0.03	-0.06	-0.29	2.20	2.43	4.36
EBRE 13410M001	E	2.31	0.25	-0.56	1.17	-2.52	-1.19	-3.55	3.17
EBRE 13410M001	U	4.22	1.74	-0.04	1.70	8.40	-1.90	-3.58	3.70
ELGE 19353S001	N	0.99	0.57	-0.01	-0.34	0.18	1.25	1.04	1.66
ELGE 19353S001	E	1.26	1.48	-2.50	0.16	-0.09	0.26	-0.22	-0.95
ELGE 19353S001	U	3.84	0.22	-4.04	0.88	3.91	3.76	4.55	-4.62
EMAZ 17001M001	N	0.85	-0.05	0.35	-0.45	-0.60	1.10	1.55	0.11
EMAZ 17001M001	E	2.17	0.58	-1.48	-0.53	1.77	-4.45	0.72	1.41
EMAZ 17001M001	U	5.47	6.52	-3.80	-3.24	-5.07	6.01	1.14	-7.01
GERN 19389M001	N	1.22	-0.48	2.00	0.47	-0.08	0.10	-0.13	2.10
GERN 19389M001	E	1.29	-0.53	1.71	1.09	-1.26	-1.52	-1.30	-0.18
GERN 19389M001	U	7.15	-0.27	-3.98	-2.41	6.94	10.64	4.12	-10.31
HOND 15012M002	N	1.31	-0.18	0.27	0.11	-0.19	0.49	0.78	3.05
HOND 15012M002	E	0.65	-0.57	-0.71	0.55	-0.78	0.06	0.50	-0.75
HOND 15012M002	U	2.90	1.56	-1.19	1.57	3.06	0.50	3.68	-4.58
IGEL 19352S001	N	1.21	-1.05	0.64	1.15	0.08	0.49	0.76	2.25
IGEL 19352S001	E	0.89	0.77	-1.82	-0.10	-0.15	-0.23	0.45	-0.73
IGEL 19352S001	U	2.76	0.33	-1.85	-0.44	5.06	1.46	2.73	-2.58
ISPS 19484M001	N	0.95	0.99	1.15	0.25	-0.79	0.78	0.83	1.09
ISPS 19484M001	E	1.01	0.38	-0.71	-0.91	-0.98	1.56	-1.10	-0.09
ISPS 19484M001	U	3.03	3.35	1.82	-2.51	-0.70	3.03	3.24	-3.76
KAST 19499M001	N	0.85		0.77	0.81	0.36	0.18	0.34	1.45
KAST 19499M001	E	1.32		0.44	-0.72	-0.15	-2.51	-0.16	1.27
KAST 19499M001	U	5.15		1.09	-2.24	3.52	2.82	6.75	-7.79
LARE 19440M001	N	0.64	-0.20	0.63	1.22	-0.30	0.16	0.63	-0.12
LARE 19440M001	E	1.14	0.19	-1.76	-0.24	-0.04	-1.70	1.29	0.27
LARE 19440M001	U	1.20	-0.38	0.86	-1.16	-1.88	-1.14	-1.07	-0.64
LAZK 19354S001	N	1.98	0.92	-0.93	-0.07	1.18	1.46	0.63	4.24
LAZK 19354S001	E	0.73	-0.95	-0.70	-0.48	-0.88	-0.02	0.31	0.81

LAZK	19354S001	U	4.27	-4.61	-1.29	1.67	5.64	-0.22	6.81	2.28
LEIT	19428M001	N	0.97	0.71	0.15	0.22	0.35	0.29	0.46	2.16
LEIT	19428M001	E	0.96	0.15	-0.90	0.61	0.05	-0.82	0.96	-1.67
LEIT	19428M001	U	2.68	-0.45	3.12	-0.98	1.80	3.14	1.30	-4.19
ORON	19427M001	N	1.35		-0.36	0.41	0.09		1.17	2.37
ORON	19427M001	E	1.25		-0.93	-1.30	-1.01		-0.13	1.63
ORON	19427M001	U	5.11		3.48	-0.91	2.27		8.42	-3.93
PAS2	19351S001	N	1.01	-0.44	-0.12	0.82	0.97	1.00	0.56	1.72
PAS2	19351S001	E	1.03	-1.25	-1.77	-0.14	0.33	-0.68	0.79	0.70
PAS2	19351S001	U	2.95	-0.58	-0.64	-0.46	2.73	3.89	3.38	-4.16
PASA	19351S001	N	1.14	-0.55	-0.34	0.46	1.11	1.48	0.24	1.92
PASA	19351S001	E	1.12	-1.10	-2.12	-0.35	0.34	-0.28	0.84	0.88
PASA	19351S001	U	3.02	0.11	-1.78	0.41	2.52	3.34	4.07	-4.15
RIO1	13448M002	N	1.88	0.46	-0.01	0.81	1.18	0.26	0.69	4.29
RIO1	13448M002	E	0.55	-0.24	-0.81	0.40	-0.84	-0.17	-0.44	0.19
RIO1	13448M002	U	3.82	-0.34	-1.39	1.10	1.80	3.80	7.57	-3.03
SALA	13469M001	N	0.90	-0.76	-0.03	0.92	-0.42	0.34	0.47	-1.70
SALA	13469M001	E	0.48	-0.30	-0.30	-0.56	0.02	0.01	0.94	0.06
SALA	13469M001	U	2.24	-1.23	3.11	-1.83	-2.77	0.34	-0.97	2.63
SCOA	10088M002	N	1.22	0.20	1.17	0.55	-0.46	0.01	0.05	2.64
SCOA	10088M002	E	0.55	-0.06	-0.82	0.53	-0.69	-0.19	-0.57	0.18
SCOA	10088M002	U	1.82	1.82	2.31	0.55	-0.78	0.61	2.98	-1.03
SOPU	19386M001	N	1.66	1.93	-2.20	0.42	0.22	1.30	0.24	2.45
SOPU	19386M001	E	1.12	0.12	0.23	0.66	-0.73	-2.46	0.64	-0.28
SOPU	19386M001	U	5.98	-2.15	0.37	-3.08	4.72	9.86	2.97	-8.47
TERU	13487M001	N	0.80	-0.75	-0.81	0.47	-0.21	0.00	0.97	-1.18
TERU	13487M001	E	1.20	0.46	1.01	1.82	0.34	-1.35	0.06	-1.48
TERU	13487M001	U	4.58	-3.73	-3.31	-1.75	-3.20	1.45	-6.52	6.55
VITO	19385M001	N	1.31	1.47	-0.35	1.28	1.92	0.45	0.91	1.27
VITO	19385M001	E	0.95	-0.09	-0.79	0.15	-0.49	0.18	0.90	-1.92
VITO	19385M001	U	6.90	1.43	2.06	3.93	2.40	3.81	9.49	-12.39
YEBE	13420M001	N	1.41	0.03	0.13	0.64	-0.34	-0.28	0.62	3.29
YEBE	13420M001	E	0.62	-0.16	-0.76	0.37	0.03	0.05	-0.13	1.24
YEBE	13420M001	U	4.25	1.87	-1.30	2.39	-4.31	-1.69	5.81	-6.51
ZARA	13462M001	N	1.56	0.25	0.83	0.15	0.74	0.71	0.35	3.56
ZARA	13462M001	E	1.20	-0.26	-1.30	-0.98	-1.25	-0.91	0.64	1.77
ZARA	13462M001	U	6.62	0.78	0.16	1.47	6.44	4.54	9.96	-9.92

6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

```
TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)


LIST OF REMOVED STATIONS:

OUTLIER CRITERIA:                   15.00     15.00     20.00


-------------------------------------------------------------------------
| NUM |      NAME        | FLG |     RESIDUALS IN MILLIMETERS   |   |
-------------------------------------------------------------------------
|     |                  |     |                                |   |
|   2 | ALAC 13433M001   | I W |       2.06     -1.42     -1.34 |   |
|   3 | ALME 13437M001   | I W |      -0.17     -0.38      1.77 |   |
|   4 | BCL1 19482M001   | I W |      -0.84     -1.53      3.66 |   |
|   5 | BELL 13431M001   | I W |      -0.70     -1.83      1.18 |   |
|   6 | BIAZ 10074M002   | I W |       2.57     -2.41    -11.62 |   |
|   7 | BORR 13480M001   | I W |      -5.93     -0.89     -3.64 |   |
|   8 | BRST 10004M004   | I W |       0.59     -1.40      3.45 |   |
|   9 | CACE 13447M001   | I W |       2.59      1.13      1.80 |   |
|  10 | CANT 13438M001   | I W |       1.67      0.19     -1.91 |   |
|  11 | CASC 13909S001   | I W |       2.10     -0.83      4.16 |   |
|  12 | CEU1 13449M002   | I W |       0.91      1.61     -3.86 |   |
|  14 | EBRE 13410M001   | I W |      -1.56      0.64     -0.93 |   |
|  16 | FLRS 31907M001   | I W |       0.97      4.61     -3.33 |   |
|  17 | FUER 31330M001   | I W |      -0.87     -0.50      5.73 |   |
|  19 | HUEL 13451M001   | I W |       1.99      1.83     -8.14 |   |
|  20 | IBIZ 13454S001   | I W |      -0.86      1.85      0.31 |   |
|  21 | IZAN 31309M002   | I W |      -1.84     -1.84      2.39 |   |
|  22 | LAGO 13903M001   | I W |       0.84     -0.34      3.51 |   |
|  23 | LLIV 13436M001   | I W |      -2.58      1.53      5.92 |   |
|  24 | LPAL 81701M001   | I W |       1.38      2.42      2.77 |   |
|  25 | LROC 10023M001   | I W |       0.63      0.92     -0.51 |   |
|  26 | MADR 13407S012   | I W |      -2.23     -0.40     -1.77 |   |
|  27 | MAL1 13444M002   | I W |       2.48     -1.08     -6.51 |   |
|  28 | MALA 13443M001   | I W |       1.56      0.99      7.58 |   |
|  29 | MALL 13444M001   | I W |      -1.67      1.16      1.08 |   |
|  30 | MAS1 31303M002   | I W |      -1.94     -2.62      1.62 |   |
|  31 | MELI 19379M001   | I W |      -0.54      1.06      3.88 |   |
|  32 | PDEL 31906M004   | I W |      -1.80     -1.30     -0.41 |   |
|  33 | SCOA 10088M002   | I W |       3.61      2.57    -10.68 |   |
|  34 | SFER 13402M004   | I W |      -0.40     -6.23      2.56 |   |
|  35 | SOPU 19386M001   | I W |       1.02      1.32     -3.50 |   |
|  36 | VALE 13439M001   | I W |       0.75      2.46     -6.85 |   |
|  37 | VIGO 13450M001   | I W |       1.92      2.54      2.20 |   |
|  38 | VILL 13406M001   | I W |       0.18     -0.58      4.56 |   |
|  39 | YEBE 13420M001   | I W |      -0.38      0.03      3.05 |   |
|  40 | ZARA 13462M001   | I W |       0.73      1.15     -2.39 |   |
|  41 | ZIMM 14001M004   | I W |      -2.06     -2.86      4.08 |   |
|     |                  |     |                                |   |
-------------------------------------------------------------------------
|     | RMS / COMPONENT  |     |       1.91      2.01      4.56 |   |
|     | IQR              |     |       2.43      2.62      5.84 |   |
|     | MEAN             |     |       0.11      0.04     -0.00 |   |
|     | MEDIAN           |     |       0.59      0.03      1.18 |   |
|     | MIN              |     |      -5.93     -6.23    -11.62 |   |
|     | MAX              |     |       3.61      4.61      7.58 |   |
-------------------------------------------------------------------------
       OVERALL RMS/IQR/MAX(3D)        3.08      3.45     12.15       BIAZ 10074M002      #SUM
-------------------------------------------------------------------------
| ALL | RMS / COMPONENT  |     |       1.91      2.01      4.56 |   |
| ALL | IQR              |     |       2.43      2.62      5.84 |   |
| ALL | MEAN             |     |       0.11      0.04     -0.00 |   |
| ALL | MEDIAN           |     |       0.59      0.03      1.18 |   |
| ALL | MIN              |     |      -5.93     -6.23    -11.62 |   |
| ALL | MAX              |     |       3.61      4.61      7.58 |   |
-------------------------------------------------------------------------
  ALL   OVERALL RMS/IQR/MAX(3D)        3.08      3.45     12.15       BIAZ 10074M002      #SUM_ALL


NUMBER OF PARAMETERS  :     3
NUMBER OF STATIONS    :    37
NUMBER OF COORDINATES :   111
RMS OF TRANSFORMATION :    3.08 MM


PARAMETERS:

TRANSLATION IN  X     :          -0.01     +-  0.51    MM
TRANSLATION IN  Y     :           0.00     +-  0.51    MM
TRANSLATION IN  Z     :           0.01     +-  0.51    MM


NUMBER OF ITERATIONS  :     1
```

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
*_STATISTICAL PARAMETER________ __VALUE(S)____________
 NUMBER OF OBSERVATIONS                      19929598
 NUMBER OF UNKNOWNS                            204191
 NUMBER OF DEGREES OF FREEDOM                19725407
 PHASE MEASUREMENTS SIGMA                     0.00100
 SAMPLING INTERVAL (SECONDS)                      180
 VARIANCE FACTOR                 4.618910048830061
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_________ S/N__ FIRMWARE___
 ACOR  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 ALDA  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 ALSA  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 AMUR  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 BIAZ  A    1 P 25:334:00000 25:340:86370 SPECTRA SP90M        ----- -----------
 BIDA  A    1 P 25:334:00000 25:340:86370 LEICA GR10           ----- -----------
 BRZR  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 CACE  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 CANT  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 CREU  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 EBRE  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 ELGE  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 EMAZ  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 GERN  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 HOND  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 IGEL  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 ISPS  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 KAST  A    1 P 25:335:00000 25:340:86370 LEICA GR30           ----- -----------
 LARE  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 LAZK  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 LEIT  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 ORON  A    1 P 25:335:00000 25:340:86370 LEICA GR50           ----- -----------
 PAS2  A    1 P 25:334:00000 25:340:86370 STONEX SC2200        ----- -----------
 PASA  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 RIO1  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 SALA  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 SCOA  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 SOPU  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 TERU  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 VITO  A    1 P 25:334:00000 25:340:86370 LEICA GR30           ----- -----------
 YEBE  A    1 P 25:334:00000 25:340:86370 LEICA GR50           ----- -----------
 ZARA  A    1 P 25:334:00000 25:340:86370 TRIMBLE NETR9        ----- -----------
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START__ DATA_END____ DESCRIPTION_________ S/N__ DAZI
 ACOR  A    1 P 25:334:00000 25:340:86370 LEIAT504         LEIS -----
 ALDA  A    1 P 25:334:00000 25:340:86370 LEIAS10          NONE -----
 ALSA  A    1 P 25:334:00000 25:340:86370 LEIAR10          NONE -----
 AMUR  A    1 P 25:334:00000 25:340:86370 LEIAS10          NONE -----
 BIAZ  A    1 P 25:334:00000 25:340:86370 LEIAR25          LEIT -----
 BIDA  A    1 P 25:334:00000 25:340:86370 LEIAS10          NONE -----
 BRZR  A    1 P 25:334:00000 25:340:86370 LEIAS10          NONE -----
 CACE  A    1 P 25:334:00000 25:340:86370 LEIAR20          LEIM -----
 CANT  A    1 P 25:334:00000 25:340:86370 LEIAR25.R4       LEIT -----
 CREU  A    1 P 25:334:00000 25:340:86370 LEIAR25.R4       NONE -----
 EBRE  A    1 P 25:334:00000 25:340:86370 LEIAR25.R4       NONE -----
 ELGE  A    1 P 25:334:00000 25:340:86370 LEIAR25.R4       LEIT -----
 EMAZ  A    1 P 25:334:00000 25:340:86370 LEIAS10          NONE -----
 GERN  A    1 P 25:334:00000 25:340:86370 LEIAS10          NONE -----
 HOND  A    1 P 25:334:00000 25:340:86370 LEIAR20          LEIM -----
 IGEL  A    1 P 25:334:00000 25:340:86370 LEIAR20          LEIM -----
 ISPS  A    1 P 25:334:00000 25:340:86370 LEIAR20          LEIM -----
 KAST  A    1 P 25:335:00000 25:340:86370 LEIAS10          NONE -----
 LARE  A    1 P 25:334:00000 25:340:86370 LEIAR20          LEIM -----
 LAZK  A    1 P 25:334:00000 25:340:86370 LEIAR25.R4       LEIT -----
 LEIT  A    1 P 25:334:00000 25:340:86370 LEIAR10          NONE -----
 ORON  A    1 P 25:335:00000 25:340:86370 LEIAR10          NONE -----
 PAS2  A    1 P 25:334:00000 25:340:86370 LEIAR20          LEIM -----
 PASA  A    1 P 25:334:00000 25:340:86370 LEIAR20          LEIM -----
 RIO1  A    1 P 25:334:00000 25:340:86370 LEIAR25.R4       LEIT -----
 SALA  A    1 P 25:334:00000 25:340:86370 LEIAR25          NONE -----
 SCOA  A    1 P 25:334:00000 25:340:86370 TRM55971.00      NONE -----
 SOPU  A    1 P 25:334:00000 25:340:86370 LEIAS10          NONE -----
 TERU  A    1 P 25:334:00000 25:340:86370 LEIAR20          LEIM -----
 VITO  A    1 P 25:334:00000 25:340:86370 LEIAS10          NONE -----
 YEBE  A    1 P 25:334:00000 25:340:86370 LEIAR20          LEIM -----
 ZARA  A    1 P 25:334:00000 25:340:86370 TRM29659.00      NONE -----
```

7.3 Eccentricities

```
*                                        UP______ NORTH___ EAST____
*SITE PT SOLN T DATA_START__ DATA_END____ AXE ARP->BENCHMARK(M)_________
 ACOR  A    1 P 25:334:00000 25:340:86370 UNE   3.0460   0.0000   0.0000
 ALDA  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 ALSA  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 AMUR  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 BIAZ  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 BIDA  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 BRZR  A    1 P 25:334:00000 25:340:86370 UNE   0.0771   0.0000   0.0000
 CACE  A    1 P 25:334:00000 25:340:86370 UNE   0.0600   0.0000   0.0000
 CANT  A    1 P 25:334:00000 25:340:86370 UNE   3.0490   0.0000   0.0000
 CREU  A    1 P 25:334:00000 25:340:86370 UNE   0.0770   0.0000   0.0000
 EBRE  A    1 P 25:334:00000 25:340:86370 UNE   0.0770   0.0000   0.0000
 ELGE  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 EMAZ  A    1 P 25:334:00000 25:340:86370 UNE   0.0350   0.0000   0.0000
 GERN  A    1 P 25:334:00000 25:340:86370 UNE   0.0771   0.0000   0.0000
 HOND  A    1 P 25:334:00000 25:340:86370 UNE   0.0771   0.0000   0.0000
 IGEL  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 ISPS  A    1 P 25:334:00000 25:340:86370 UNE   0.0350   0.0000   0.0000
 KAST  A    1 P 25:335:00000 25:340:86370 UNE   0.0350   0.0000   0.0000
 LARE  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 LAZK  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 LEIT  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 ORON  A    1 P 25:335:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 PAS2  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 PASA  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 RIO1  A    1 P 25:334:00000 25:340:86370 UNE   0.0606   0.0000   0.0000
 SALA  A    1 P 25:334:00000 25:340:86370 UNE   0.0600   0.0000   0.0000
 SCOA  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 SOPU  A    1 P 25:334:00000 25:340:86370 UNE   0.0771   0.0000   0.0000
 TERU  A    1 P 25:334:00000 25:340:86370 UNE   0.0600   0.0000   0.0000
 VITO  A    1 P 25:334:00000 25:340:86370 UNE   0.0000   0.0000   0.0000
 YEBE  A    1 P 25:334:00000 25:340:86370 UNE   0.0600   0.0000   0.0000
 ZARA  A    1 P 25:334:00000 25:340:86370 UNE   3.2590   0.0000   0.0000
```

8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

```
2025-12-21 03:16 UTC | ALDA3340.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-21 09:17 UTC | ALDA3350.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-21 15:22 UTC | ALDA3360.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-21 23:37 UTC | ALDA3370.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-22 08:06 UTC | ALDA3380.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-22 13:58 UTC | ALDA3390.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-22 19:54 UTC | ALDA3400.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2025-12-21 03:16 UTC | AMUR3340.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-21 09:18 UTC | AMUR3350.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-21 15:22 UTC | AMUR3360.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-21 23:37 UTC | AMUR3370.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-22 08:06 UTC | AMUR3380.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-22 13:58 UTC | AMUR3390.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-22 19:54 UTC | AMUR3400.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2025-12-21 03:16 UTC | BIDA3340.25O | RECEIVER TYPE        | LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-21 03:16 UTC | BIDA3340.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.52/6.525 (source: bida_20200626.log
2025-12-21 09:18 UTC | BIDA3350.25O | RECEIVER TYPE        | LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-21 09:18 UTC | BIDA3350.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.52/6.525 (source: bida_20200626.log
2025-12-21 15:22 UTC | BIDA3360.25O | RECEIVER TYPE        | LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-21 15:22 UTC | BIDA3360.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.52/6.525 (source: bida_20200626.log
2025-12-21 23:37 UTC | BIDA3370.25O | RECEIVER TYPE        | LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-21 23:37 UTC | BIDA3370.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.52/6.525 (source: bida_20200626.log
2025-12-22 08:07 UTC | BIDA3380.25O | RECEIVER TYPE        | LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-22 08:07 UTC | BIDA3380.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.52/6.525 (source: bida_20200626.log
2025-12-22 13:58 UTC | BIDA3390.25O | RECEIVER TYPE        | LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-22 13:58 UTC | BIDA3390.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.52/6.525 (source: bida_20200626.log
2025-12-22 19:54 UTC | BIDA3400.25O | RECEIVER TYPE        | LEICA GR30 -> LEICA GR10 (source: bida_20200626.log
2025-12-22 19:54 UTC | BIDA3400.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.52/6.525 (source: bida_20200626.log
2025-12-21 03:16 UTC | BRZR3340.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-21 09:18 UTC | BRZR3350.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-21 15:22 UTC | BRZR3360.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-21 23:37 UTC | BRZR3370.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-22 08:07 UTC | BRZR3380.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-22 13:58 UTC | BRZR3390.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-22 19:54 UTC | BRZR3400.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: brzr00esp_20240315.log
2025-12-21 03:16 UTC | CANT3340.25O | RECEIVER TYPE        | LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-21 03:16 UTC | CANT3340.25O | RECEIVER FIRM. VERS. |  4.00/6.713 -> 4.80/7.900 (source: cant00esp_20250509.log
2025-12-21 09:18 UTC | CANT3350.25O | RECEIVER TYPE        | LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-21 09:18 UTC | CANT3350.25O | RECEIVER FIRM. VERS. |  4.00/6.713 -> 4.80/7.900 (source: cant00esp_20250509.log
2025-12-21 15:22 UTC | CANT3360.25O | RECEIVER TYPE        | LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-21 15:22 UTC | CANT3360.25O | RECEIVER FIRM. VERS. |  4.00/6.713 -> 4.80/7.900 (source: cant00esp_20250509.log
2025-12-21 23:37 UTC | CANT3370.25O | RECEIVER TYPE        | LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-21 23:37 UTC | CANT3370.25O | RECEIVER FIRM. VERS. |  4.00/6.713 -> 4.80/7.900 (source: cant00esp_20250509.log
2025-12-22 08:07 UTC | CANT3380.25O | RECEIVER TYPE        | LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-22 08:07 UTC | CANT3380.25O | RECEIVER FIRM. VERS. |  4.00/6.713 -> 4.80/7.900 (source: cant00esp_20250509.log
2025-12-22 13:58 UTC | CANT3390.25O | RECEIVER TYPE        | LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-22 13:58 UTC | CANT3390.25O | RECEIVER FIRM. VERS. |  4.00/6.713 -> 4.80/7.900 (source: cant00esp_20250509.log
2025-12-22 19:54 UTC | CANT3400.25O | RECEIVER TYPE        | LEICA GR10 -> LEICA GR50 (source: cant00esp_20250509.log
2025-12-22 19:54 UTC | CANT3400.25O | RECEIVER FIRM. VERS. |  4.00/6.713 -> 4.80/7.900 (source: cant00esp_20250509.log
2025-12-21 03:16 UTC | EMAZ3340.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: emaz00esp_20241008.log
2025-12-21 09:18 UTC | EMAZ3350.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: emaz00esp_20241008.log
2025-12-21 15:22 UTC | EMAZ3360.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: emaz00esp_20241008.log
2025-12-21 23:37 UTC | EMAZ3370.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: emaz00esp_20241008.log
2025-12-22 08:07 UTC | EMAZ3380.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: emaz00esp_20241008.log
2025-12-22 13:58 UTC | EMAZ3390.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: emaz00esp_20241008.log
2025-12-22 19:54 UTC | EMAZ3400.25O | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: emaz00esp_20241008.log
2025-12-21 03:16 UTC | ISPS3340.25O | ANTENNA SER. NO.     |   -> 24238009 (source: isps00esp_20250114.log
2025-12-21 09:18 UTC | ISPS3350.25O | ANTENNA SER. NO.     |   -> 24238009 (source: isps00esp_20250114.log
2025-12-21 15:22 UTC | ISPS3360.25O | ANTENNA SER. NO.     |   -> 24238009 (source: isps00esp_20250114.log
2025-12-21 23:38 UTC | ISPS3370.25O | ANTENNA SER. NO.     |   -> 24238009 (source: isps00esp_20250114.log
2025-12-22 08:07 UTC | ISPS3380.25O | ANTENNA SER. NO.     |   -> 24238009 (source: isps00esp_20250114.log
```

```
2025-12-22 13:58 UTC | ISPS3390.250 | ANTENNA SER. NO.     |   -> 24238009 (source: isps00esp_20250114.log
2025-12-22 19:54 UTC | ISPS3400.250 | ANTENNA SER. NO.     |   -> 24238009 (source: isps00esp_20250114.log
2025-12-21 03:16 UTC | KAST3340.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-21 09:18 UTC | KAST3350.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-21 15:22 UTC | KAST3360.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-21 23:38 UTC | KAST3370.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-22 08:07 UTC | KAST3380.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-22 13:58 UTC | KAST3390.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-22 19:54 UTC | KAST3400.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2025-12-21 03:16 UTC | LEIT3340.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-21 09:18 UTC | LEIT3350.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-21 15:22 UTC | LEIT3360.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-21 23:38 UTC | LEIT3370.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-22 08:07 UTC | LEIT3380.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-22 13:58 UTC | LEIT3390.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-22 19:54 UTC | LEIT3400.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.83.342 (source: leit00esp_20250924.log
2025-12-21 03:16 UTC | PASA3340.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-21 09:18 UTC | PASA3350.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-21 15:22 UTC | PASA3360.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-21 23:38 UTC | PASA3370.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-22 08:07 UTC | PASA3380.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-22 13:58 UTC | PASA3390.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-22 19:54 UTC | PASA3400.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: pasa00esp_20240418.log
2025-12-21 03:17 UTC | VITO3340.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-21 09:18 UTC | VITO3350.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-21 15:22 UTC | VITO3360.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-21 23:38 UTC | VITO3370.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-22 08:07 UTC | VITO3380.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-22 13:59 UTC | VITO3390.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2025-12-22 19:54 UTC | VITO3400.250 | RECEIVER FIRM. VERS. |  4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
```

9 References

C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign.* etrs89.ensg.ign.fr/memo-V8.pdf

EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres.* epncb.oma.be/$_d$*ocumentation/guidelines/guidelines*$_a$*nalysis*$_c$*entres.pdf*

Johnston, G., Riddell, A., Hausler, G. (2017). The International GNSS Service. Teunissen, Peter J.G., Montenbruck, O. (Eds.), Springer Handbook of Global Navigation Satellite Systems (1st ed., pp. 967-982). Cham, Switzerland: Springer International Publishing. DOI: 10.1007/978-3-319-42928-1

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems.* etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf

10 Cumulative Time Series

Time series of stations. Latest plots at: http://geolabpasaia.org/gnss/ARA-net/TSeries/, or click on the caption of each image.



1) ACOR



2) ALDA



3) ALSA



4) AMUR



5) BIAZ



6) BIDA



7) BRZR



8) CACE



9) CANT



10) CHER



11) CREU



12) EBRE



13) ELGE



14) EMAZ



15) GERN



16) HOND



17) IGEL



18) ISPS



19) KAST



20) LARE



21) LAZK



22) LEIT



23) ORON



24) PAS2



25) PASA



26) RIO1



27) SALA



28) SCOA



29) SOPU



30) TERU



31) VITO



32) YEBE


ZARA 13462M001 (2016–08–28 –> 2025–12–06)
Key
Res. N (mm)
Res. E (mm)
Res. U (mm)
±0.1 mm (1σ)
±0.1 mm (1σ)
±0.3 mm (1σ)
2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025
Weekly solution, inlcuding RMS
Site discontinuity
Antenna Change – No EPN
Excluded period
Rec. changed/FW upgrade – No EPN
GPS Week number
Last solution Ref.: IGS20 , 2015–01–01 0:00:00
XYZ (m): 4773803.21915 -73506.07021 4215454.04634
VXYZ (m/yr): -0.01115 0.01916 0.01139
−1°30' −1°00' −0°30' 0°00'
42°30'
42°00'
41°30'
41°00'
TAFA
SANS
JACA
SABI
CARC
EJEA
OSCA
TUDE
BRJA
ZUER
SRNA
ZARA
GNTO
CATY
CRNA
MUNI
ALCA
CALA
MOLI
ALIA
2025 Dec 23 06:58:30
ARANZADI zientzia elkartea

33) ZARA