

# ARA-DAC Weekly Analysis Result: 2406 (GFA)

## Technical Report

**GPS Week: 2406 (GFA)**

<http://geolabpasaia.org/gnss/ARA-euref/>

**ARA-DAC details:**

Contact person: J. Zurutuza

Contact mail: [geodesia@aranzadi.eus](mailto:geodesia@aranzadi.eus)

Report generated on 2026/03/11 at 16:27:08



**ARANZADI** zientzia elkartea  
sociedad de ciencias . society of sciences . société de sciences

## Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>Map of Computed Sites</b>	<b>3</b>
<b>3</b>	<b>Main Computation Parameters</b>	<b>4</b>
<b>4</b>	<b>Estimated Parameters</b>	<b>4</b>
<b>5</b>	<b>Computed Coordinates</b>	<b>6</b>
5.1	IGS20 . . . . .	6
5.2	ETRF2000 (ETRS89) Coordinates . . . . .	6
5.3	ETRF2014 (ETRS89) Coordinates . . . . .	7
5.4	ETRF2020 (ETRS89) Coordinates . . . . .	7
<b>6</b>	<b>Quality Control</b>	<b>8</b>
6.1	Mean and Daily Repeatabilities . . . . .	8
6.2	Datum verification . . . . .	10
6.3	Adjustment Statistics . . . . .	11
<b>7</b>	<b>Equipment</b>	<b>11</b>
7.1	Receiver List . . . . .	11
7.2	Antennas . . . . .	11
7.3	Eccentricities . . . . .	12
<b>8</b>	<b>Inconsistencies (logsheet-RINEX metadata)</b>	<b>12</b>
<b>9</b>	<b>References</b>	<b>14</b>
<b>10</b>	<b>Cumulative Time Series</b>	<b>15</b>



### 3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase,  $L_1$  and  $L_2$ ; a priori sigma of single differences: 0.002 m.
  - sampling (for ambiguity resolution): 30 s
  - sampling (for final processing): 180 s
  - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV\_COD.I20 file and individual calibrations from EPNC\_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observation of this/these GNSS/GNSSs are excluded from the analysis of that station.
- Reference sites: the latest IGS cumulative solution is used to align our solution to the latest IGS20 release, regularly updated and available at: IGS0OPSSNX\_1994002\_00U\_00U\_CRD.SNX.gz. Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20); also applies to repro3 solutions, which are based on IGS20 standards.
- Troposphere:
  - minimum elevation is 3 deg.; elevation dependent weighting.
  - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
  - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
  - Mean pole model : IERS2010\_v1.2.0
  - Subdaily pole model: DESAI2016
  - Nutation model : IAU2000R06

### 4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria:  $3 \times \text{rms}$  of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to IGS sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.

- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
  - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
  - Phase-Based Widelane ( $L_5$ ) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
  - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
  - Direct  $L_1/L_2$  AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

## 5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W (IGS cumulative solution) are the ones used in the Minimal Constraints condition.

### 5.1 IGS20

The Reference Frame considered in this section is the IGS20 (IGS cumulative solution), mapped from 2015.0 to the observation epoch.

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS 11-MAR-26 14:58

---

LOCAL GEODETIC DATUM: IGS20 EPOCH: 2026-02-18 11:59:45

---

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.46943	-678367.23217	4357066.33231	A	G
39	ALDA 19383M001	4687280.08805	-190876.43952	4308107.04138	A	GR
50	ALSA 19419M001	4677250.76322	-176770.26654	4319079.95592	A	GRE
53	AMUR 19388M001	4661499.38231	-244591.12873	4332269.96164	A	GR
384	BLAZ 10074M002	4634455.97789	-124344.84493	4365785.53367	W	GR
101	BIDA 00000M000	4644177.74988	-145778.19316	4354832.55946	A	GR
113	BRZR 19387M001	4662220.92117	-220769.77071	4333309.51477	A	GR
573	CACE 13447M001	4899866.44434	-544566.90471	4033770.28752	W	GRE
592	CANT 13438M001	4625924.24943	-307096.10692	4365771.63739	W	GRE
908	CREU 13432M001	4715420.05869	273178.18879	4271946.92369	A	GRE
135	EBRE 13410M001	4833519.91619	41537.52049	4147461.80118	W	GRE
180	ELGE 19353S001	4657557.32673	-202241.34073	4338991.96672	A	GRE
182	EMAZ 17001M001	4645924.14086	-276949.74180	4347759.64491	A	GR
209	GERM 19389M001	4642811.25256	-217222.79691	4353278.95516	A	GR
257	HOND 15012M002	4640529.24622	-145675.85623	4358781.83419	A	GR
235	IGEL 19352S001	4645951.35278	-165574.37421	4352550.50092	A	GRE
240	ISPS 19484M001	4640596.41057	-206963.65002	4356391.99650	A	GRE
245	KAST 19499M001	4646949.00499	-240747.13846	4348015.07081	A	GR
252	LARE 19440M001	4632831.88917	-279026.01687	4360314.50622	A	GRE
256	LAZK 19354S001	4666098.26855	-178186.06301	4330463.74797	A	GRE
261	LEIT 19428M001	4663520.86708	-155858.59097	4334519.96734	A	GRE
334	ORON 19427M001	4659695.70665	-130864.60777	4338948.96379	A	GRE
345	PAS2 19351S001	4644908.99100	-156644.94099	4353623.15690	A	GRE
493	PASA 19351S001	4644908.99046	-156644.94083	4353623.15663	A	GRE
553	RI01 13448M002	4708446.75811	-199490.15320	4284089.81338	A	GRE
558	SALA 13469M001	4803054.42007	-462130.94067	4158379.15620	A	GR
526	SCDA 10088M002	4639940.43316	-136224.81444	4359552.49727	W	GRE
715	SOPU 19386M001	4643997.83865	-255913.77961	4350063.21803	W	GR
443	TERU 13487M001	4867391.24883	-95523.21667	4108341.76316	A	GR
493	VITO 19385M001	4679397.63159	-218436.37519	4314898.44751	A	GR
616	YEBE 13420M001	4848724.49964	-261631.79756	4123094.40812	W	GRE
655	ZARA 13462M001	4773803.09748	-73505.85686	4215454.17485	W	GRE

### 5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2000 11-MAR-26 14:58

---

LOCAL GEODETIC DATUM: ETRF2000 EPOCH: 2026-02-18 11:59:45

---

NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.82795	-678367.90138	4357065.83111	A	
39	ALDA 19383M001	4687280.51208	-190877.11956	4308106.53894	A	
50	ALSA 19419M001	4677251.19020	-176770.94526	4319079.45461	A	
53	AMUR 19388M001	4661499.80073	-244591.80563	4332269.46077	A	
384	BLAZ 10074M002	4634456.41631	-124345.51804	4365785.03706	W	
101	BIDA 00000M000	4644178.18432	-145778.86757	4354832.06164	A	
113	BRZR 19387M001	4662221.34308	-220770.44764	4333309.01419	A	
573	CACE 13447M001	4899866.79448	-544567.61229	4033769.76021	W	
592	CANT 13438M001	4625924.66177	-307096.77945	4365771.13887	W	
908	CREU 13432M001	4715420.54830	273177.50688	4271946.42541	A	
135	EBRE 13410M001	4833520.35970	41536.82275	4147461.28867	W	
180	ELGE 19353S001	4657557.75176	-202242.01702	4338991.46684	A	
182	EMAZ 17001M001	4645924.55599	-276950.41692	4347759.14500	A	
209	GERM 19389M001	4642811.67667	-217223.47135	4353278.45641	A	
257	HOND 15012M002	4640529.68101	-145676.53018	4358781.33671	A	
235	IGEL 19352S001	4645951.78420	-165575.04891	4352550.00265	A	
240	ISPS 19484M001	4640596.83641	-206964.32416	4356391.49811	A	
245	KAST 19499M001	4646949.42529	-240747.81350	4348014.57134	A	
252	LARE 19440M001	4632832.30505	-279026.69021	4360314.00748	A	
256	LAZK 19354S001	4666098.69629	-178186.74031	4330463.24766	A	
261	LEIT 19428M001	4663521.29835	-155859.26788	4334519.46760	A	
334	ORON 19427M001	4659696.14187	-130865.28411	4338948.46476	A	
345	PAS2 19351S001	4644909.42378	-156645.61553	4353622.65885	A	
493	PASA 19351S001	4644909.42324	-156645.61537	4353622.65858	A	
553	RI01 13448M002	4708447.17887	-199490.83593	4284089.30886	A	
558	SALA 13469M001	4803054.79262	-462131.63597	4158378.63907	A	
526	SCDA 10088M002	4639940.86936	-136225.48829	4359551.99998	W	
715	SOPU 19386M001	4643998.25696	-255914.45431	4350062.71860	W	
443	TERU 13487M001	4867391.66946	-95523.31914	4108341.24553	A	
493	VITO 19385M001	4679398.05227	-218437.05430	4314897.94538	A	
616	YEBE 13420M001	4848724.89782	-261632.49816	4123093.88976	W	
655	ZARA 13462M001	4773803.53038	-73506.54747	4215453.66616	W	

### 5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2014                                     11-MAR-26 14:58
-----
LOCAL GEODETIC DATUM: ETRF2014           EPOCH: 2026-02-18 11:59:45

NUM STATION NAME          X (M)          Y (M)          Z (M)    FLAG  SYSTEM
111 ACRD 13434M001      4594489.78859   -678367.93749  4357065.88450  A
39 ALDA 19383M001      4687280.47007   -190877.15716  4308106.59218  A
50 ALSA 19419M001      4677251.14825   -176770.98297  4319079.50789  A
53 AMUR 19388M001      4661499.75920   -244591.84315  4332269.51407  A
384 BIAZ 10074M002      4634456.37467   -124345.55616  4365785.09051  W
101 BIDA 00000M000      4644178.14264   -145778.90556  4354832.11505  A
113 BRZR 19387M001      4662221.30147   -220770.48525  4333309.06750  A
573 CACE 13447M001      4899866.75101   -544567.64748  4033769.81270  W
592 CANT 13438M001      4625924.62088   -307096.81689  4365771.19225  W
908 CREU 13432M001      4715420.50157   273177.46760  4271946.47892  A
135 EBRE 13410M001      4833520.31501   41536.78494  4147461.34162  W
180 ELGE 19353S001      4657557.71014   -202242.05472  4338991.52017  A
182 EMAZ 17001M001      4645924.51476   -276950.45428  4347759.19833  A
209 GERN 19389M001      4642811.63526   -217223.50907  4353278.50979  A
257 HOND 15012M002      4640529.63937   -145676.56819  4358781.39013  A
235 IGEL 19352S001      4645951.74257   -165575.08681  4352550.05604  A
240 ISPS 19484M001      4640596.79499   -206964.36192  4356391.55150  A
245 KAST 19499M001      4646949.38393   -240747.85110  4348014.62469  A
252 LARE 19440M001      4632832.26398   -279026.72773  4360314.06085  A
256 LAZK 19354S001      4666098.65447   -178186.77806  4330463.30098  A
261 LEIT 19428M001      4663521.25649   -155859.30574  4334519.52094  A
334 ORDN 19427M001      4659696.09955   -130865.32209  4338948.51813  A
345 PAS2 19351S001      4644909.38213   -156645.65347  4353622.71226  A
493 PASA 19351S001      4644909.38159   -156645.65331  4353622.71199  A
553 RI01 13448M002      4708447.13663   -199490.87341  4284089.36203  A
558 SALA 13469M001      4803054.75012   -462131.67196  4158378.69184  A
526 SCDA 10088M002      4639940.82769   -136225.52633  4359552.05341  W
715 SOPU 19386M001      4643998.21568   -255914.49187  4350062.77195  W
443 TERU 13487M001      4867391.62489   -95523.95626  4108341.29828  A
493 VITO 19385M001      4679398.01044   -218437.09183  4314897.99864  A
616 YEBE 13420M001      4848724.85410   -261632.53472  4123093.94248  W
655 ZARA 13462M001      4773803.48688   -73506.58513  4215453.71921  W

```

### 5.4 ETRF2020 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2020 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

```

CONVERT TO ETRF2020                                     11-MAR-26 14:58
-----
LOCAL GEODETIC DATUM: ETRF2020           EPOCH: 2026-02-18 11:59:45

NUM STATION NAME          X (M)          Y (M)          Z (M)    FLAG  SYSTEM
111 ACRD 13434M001      4594489.78458   -678367.92249  4357065.89251  A
39 ALDA 19383M001      4687280.46471   -190877.14166  4308106.60045  A
50 ALSA 19419M001      4677251.14282   -176770.96749  4319079.51615  A
53 AMUR 19388M001      4661499.75395   -244591.82775  4332269.52229  A
384 BIAZ 10074M002      4634456.36896   -124345.54080  4365785.09871  W
101 BIDA 00000M000      4644178.13702   -145778.89018  4354832.12326  A
113 BRZR 19387M001      4662221.29614   -220770.46984  4333309.07572  A
573 CACE 13447M001      4899866.74742   -544567.63142  4033769.82125  W
592 CANT 13438M001      4625924.61573   -307096.80163  4365771.20040  W
908 CREU 13432M001      4715420.49489   273177.48340  4271946.48732  A
135 EBRE 13410M001      4833520.30935   41536.80101  4147461.35019  W
180 ELGE 19353S001      4657557.70474   -202242.03932  4338991.52840  A
182 EMAZ 17001M001      4645924.50956   -276950.43895  4347759.20652  A
209 GERN 19389M001      4642811.62987   -217223.49372  4353278.51798  A
257 HOND 15012M002      4640529.63375   -145676.55282  4358781.39833  A
235 IGEL 19352S001      4645951.73703   -165575.07143  4352550.06425  A
240 ISPS 19484M001      4640596.78957   -206964.34658  4356391.55969  A
245 KAST 19499M001      4646949.37862   -240747.83575  4348014.63288  A
252 LARE 19440M001      4632832.25876   -279026.71244  4360314.06902  A
256 LAZK 19354S001      4666098.64902   -178186.76262  4330463.30922  A
261 LEIT 19428M001      4663521.25096   -155859.29030  4334519.52918  A
334 ORDN 19427M001      4659696.09433   -130865.30665  4338948.52637  A
345 PAS2 19351S001      4644909.37656   -156645.63809  4353622.72046  A
493 PASA 19351S001      4644909.37602   -156645.63793  4353622.72019  A
553 RI01 13448M002      4708447.13136   -199490.85784  4284089.37034  A
558 SALA 13469M001      4803054.74597   -462131.65619  4158378.70026  A
526 SCDA 10088M002      4639940.82204   -136225.51096  4359552.06161  W
715 SOPU 19386M001      4643998.21042   -255914.47653  4350062.78014  W
443 TERU 13487M001      4867391.61976   -95523.94013  4108341.30688  A
493 VITO 19385M001      4679398.00515   -218437.07637  4314898.00689  A
616 YEBE 13420M001      4848724.84943   -261632.51872  4123093.95101  W
655 ZARA 13462M001      4773803.48140   -73506.56929  4215453.72766  W

```

## 6 Quality Control

### 6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS20 solution and are given with respect to the Local frame (North-East-Up).

GFA FINAL WEEKLY COMBINATION: FINAL ORBITS 11-MAR-26 14:58

---

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	7	XXXXXX	1.01	1.26	5.52
ALDA 19383M001	7	XXXXXX	1.52	1.17	4.48
ALSA 19419M001	7	XXXXXX	1.05	1.28	7.16
AMUR 19388M001	7	XXXXXX	2.20	0.58	6.36
BLAZ 10074M002	6	X XXXX	0.87	1.87	5.97
BIDA 00000M000	6	X XXXX	1.51	1.00	4.12
BRZR 19387M001	6	X XXXX	1.94	1.18	4.78
CACE 13447M001	7	XXXXXX	0.99	0.94	2.55
CANT 13438M001	7	XXXXXX	1.15	0.90	5.41
CREU 13432M001	7	XXXXXX	1.77	1.28	8.02
EBRE 13410M001	6	X XXXX	3.17	5.13	9.12
ELGE 19353S001	7	XXXXXX	0.82	1.31	6.86
EMAZ 17001M001	7	XXXXXX	1.58	1.23	6.24
GERN 19389M001	7	XXXXXX	1.84	1.72	7.21
HOND 15012M002	5	X XIX X	0.72	0.91	3.26
IGEL 19352S001	7	XXXXXX	1.60	0.88	6.18
ISPS 19484M001	7	XXXXXX	1.01	1.37	5.63
KAST 19499M001	6	X XXXX	1.31	0.42	6.52
LARE 19440M001	7	XXXXXX	1.95	1.25	5.03
LAZK 19354S001	7	XXXXXX	1.01	0.94	4.90
LEIT 19428M001	7	XXXXXX	0.82	0.83	6.20
ORON 19427M001	7	XXXXXX	1.40	1.24	4.34
PAS2 19351S001	5	X XXXX	0.52	0.55	7.73
PASA 19351S001	7	XXXXXX	0.77	0.64	6.65
RI01 13448M002	6	X XXXX	0.99	1.04	4.29
SALA 13469M001	7	XXXXXX	0.68	0.89	2.55
SCOA 10088M002	7	XXXXXX	1.05	1.21	4.53
SOPU 19386M001	6	X XXXX	0.89	0.39	5.25
TERU 13487M001	7	XXXXXX	1.90	2.21	5.33
VITD 19385M001	7	XXXXXX	1.05	2.15	6.60
YEBE 13420M001	7	XXXXXX	0.75	0.90	3.27
ZARA 13462M001	7	XXXXXX	1.37	0.97	7.21

Comparison of individual solutions:

Station	Day	Weekday	N	E	U	N	E	U		
ACOR 13434M001	N	1.01	0.42	-1.62	0.39	1.66	0.05	0.67	0.01	
ACOR 13434M001	E	1.26	-0.80	2.03	-0.09	0.36	2.02	-0.75	0.08	
ACOR 13434M001	U	5.52	2.02	-3.62	-3.03	-3.00	5.69	-2.87	10.34	
ALDA 19383M001	N	1.52	0.41	-2.61	-0.86	0.66	1.20	2.09	-0.07	
ALDA 19383M001	E	1.17	1.06	1.59	1.32	-0.48	1.34	-0.78	-0.42	
ALDA 19383M001	U	4.48	-5.07	7.44	3.65	-3.99	0.67	2.74	-1.54	
ALSA 19419M001	N	1.05	0.27	-0.22	-1.55	1.80	0.60	0.73	0.19	
ALSA 19419M001	E	1.28	0.74	-2.69	0.72	1.04	-0.06	0.62	0.29	
ALSA 19419M001	U	7.16	-1.70	11.61	4.38	-6.89	9.12	-2.31	-3.85	
AMUR 19388M001	N	2.20	2.29	1.90	-0.65	-4.26	-0.21	1.15	-0.55	
AMUR 19388M001	E	0.58	-0.76	-0.20	0.22	1.02	-0.05	0.58	-0.02	
AMUR 19388M001	U	6.36	-0.41	14.83	1.09	1.81	0.93	-1.33	-3.94	
BLAZ 10074M002	N	0.87	0.98			-0.94	0.18	-0.16	1.05	0.87
BLAZ 10074M002	E	1.87	2.21			0.22	-1.94	2.22	0.18	-1.98
BLAZ 10074M002	U	5.97	4.14			3.27	-3.53	5.57	2.05	-10.14
BIDA 00000M000	N	1.51	1.66			-0.01	1.24	-2.49	0.85	0.35
BIDA 00000M000	E	1.00	-0.60			-0.60	0.66	1.87	0.33	-0.41
BIDA 00000M000	U	4.12	1.03			-0.18	-2.70	7.83	-0.91	-3.78
BRZR 19387M001	N	1.94	1.78			-0.28	-2.14	-1.84	1.70	2.19
BRZR 19387M001	E	1.18	-0.10			1.20	-1.75	-0.20	1.42	0.60
BRZR 19387M001	U	4.78	-1.96			7.99	-5.71	2.92	-0.91	-2.18
CACE 13447M001	N	0.99	0.78	-1.32	-1.17	-0.13	-0.64	0.32	1.26	
CACE 13447M001	E	0.94	-0.77	-0.82	1.07	-1.47	0.63	-0.58	-0.25	
CACE 13447M001	U	2.55	-2.69	-1.65	-1.21	-0.96	0.35	-0.77	5.10	
CANT 13438M001	N	1.15	0.84	-1.57	-0.76	1.63	-0.54	0.13	1.11	
CANT 13438M001	E	0.90	-0.10	-0.89	0.54	-0.44	1.80	0.28	-0.53	
CANT 13438M001	U	5.41	0.43	10.94	1.40	-6.25	3.71	0.06	-0.83	
CREU 13432M001	N	1.77	1.25	-1.41	-2.13	2.00	0.97	2.07	1.19	
CREU 13432M001	E	1.28	0.35	-0.60	0.57	-2.10	0.91	1.67	-0.96	
CREU 13432M001	U	8.02	-1.62	14.76	5.93	-9.92	1.85	5.09	-1.45	
EBRE 13410M001	N	3.17	-2.96			3.97	0.21	4.95	-0.18	-1.09
EBRE 13410M001	E	5.13	5.19			-3.02	3.95	-8.69	1.61	1.44
EBRE 13410M001	U	9.12	8.78			-1.30	1.79	-14.52	10.96	-1.67
ELGE 19353S001	N	0.82	1.49	-0.55	0.01	-0.77	-0.60	0.61	0.48	
ELGE 19353S001	E	1.31	-1.36	-0.04	0.41	0.97	2.13	-0.11	-1.66	
ELGE 19353S001	U	6.86	0.73	14.80	2.88	-5.19	3.13	0.83	-4.13	
EMAZ 17001M001	N	1.58	1.49	-0.46	0.28	2.81	-1.85	-0.01	1.04	
EMAZ 17001M001	E	1.23	-0.08	-2.13	1.37	-0.01	-0.12	1.08	1.17	
EMAZ 17001M001	U	6.24	-3.09	12.76	6.77	-3.05	0.39	-2.39	0.63	
GERN 19389M001	N	1.84	1.82	-2.36	-1.65	2.07	-1.12	0.08	1.81	
GERN 19389M001	E	1.72	-0.46	-3.52	0.19	1.54	0.33	1.14	1.14	
GERN 19389M001	U	7.21	-3.79	13.80	3.94	0.36	5.91	1.13	-7.43	
HOND 15012M002	N	0.72	0.87			0.16	0.22	-0.93	0.64	
HOND 15012M002	E	0.91	-0.76			0.55	0.29	1.40	-0.64	
HOND 15012M002	U	3.26	-2.49			2.76	-3.57	3.69	1.53	
IGEL 19352S001	N	1.60	0.49	-0.93	-0.82	3.21	-1.74	0.28	0.36	
IGEL 19352S001	E	0.88	-0.50	-1.06	0.47	-0.38	1.68	0.18	-0.12	
IGEL 19352S001	U	6.18	-1.10	14.07	2.71	-0.55	2.96	-3.19	-1.79	
ISPS 19484M001	N	1.01	1.34	-0.98	0.04	0.65	-1.47	0.76	0.43	
ISPS 19484M001	E	1.37	-1.62	-0.24	0.95	-1.64	2.18	0.42	0.26	
ISPS 19484M001	U	5.63	-0.90	12.86	1.86	-4.14	0.92	1.58	0.64	
KAST 19499M001	N	1.31	1.02			1.87	-0.74	-1.49	-0.38	1.08
KAST 19499M001	E	0.42	0.05			0.27	0.09	-0.31	0.46	0.70
KAST 19499M001	U	6.52	-1.17			12.67	-6.68	-1.82	-1.24	-1.13
LARE 19440M001	N	1.95	0.62	-1.99	-2.05	1.25	-0.45	1.66	3.11	
LARE 19440M001	E	1.25	-0.19	-0.60	1.24	-1.86	-0.01	1.98	0.07	
LARE 19440M001	U	5.03	-1.50	10.82	3.35	-1.96	2.08	-3.49	0.94	
LAZK 19354S001	N	1.01	1.06	0.36	-1.36	1.52	0.72	-0.38	-0.28	
LAZK 19354S001	E	0.94	-0.67	-1.33	0.41	0.74	1.44	0.51	-0.29	

LAZK	19354S001	U	4.90	1.35	10.74	2.10	2.78	-2.07	-1.15	-3.03
LEIT	19428M001	N	0.82	0.96	-0.54	-0.69	0.60	-1.08	0.89	0.23
LEIT	19428M001	E	0.83	-0.99	0.04	0.95	-0.76	1.21	-0.43	0.02
LEIT	19428M001	U	6.20	-1.10	11.72	2.92	2.58	5.48	-2.09	-6.49
ORDN	19427M001	N	1.40	0.53	-1.52	-1.91	1.51	1.24	-0.40	-1.22
ORDN	19427M001	E	1.24	1.04	-1.86	0.30	-1.28	1.54	0.39	-0.62
ORDN	19427M001	U	4.34	2.05	6.55	7.32	-1.94	2.79	0.14	-0.90
PAS2	19351S001	N	0.52		-0.56		0.47	-0.51	0.48	0.19
PAS2	19351S001	E	0.55		-0.64		0.04	0.88	-0.12	-0.03
PAS2	19351S001	U	7.73		14.21		0.16	3.29	-3.49	-3.74
PASA	19351S001	N	0.77	1.10	-0.34	-0.23	0.88	-1.15	0.26	0.25
PASA	19351S001	E	0.64	-0.27	-0.73	1.11	-0.35	0.65	-0.28	0.14
PASA	19351S001	U	6.65	-0.91	14.97	1.61	0.35	3.81	-2.58	-4.03
RID1	13448M002	N	0.99	0.89		-1.07	1.36	0.51	0.55	-0.75
RID1	13448M002	E	1.04	-0.83		1.00	-0.27	1.75	0.56	-0.56
RID1	13448M002	U	4.29	-0.44		3.59	-6.40	4.14	1.89	-4.18
SALA	13469M001	N	0.68	0.13	-1.06	-0.59	0.60	-0.52	0.34	0.72
SALA	13469M001	E	0.89	-0.41	-0.64	1.57	-1.17	0.42	-0.39	0.18
SALA	13469M001	U	2.55	0.46	4.06	1.00	-2.49	0.62	-1.66	3.44
SCDA	10088M002	N	1.05	0.71	-1.47	-0.93	1.00	0.05	1.35	-0.49
SCDA	10088M002	E	1.21	-0.64	-0.48	-0.46	-1.30	2.15	1.25	-0.13
SCDA	10088M002	U	4.53	0.37	10.15	2.50	-1.07	2.43	1.93	-1.66
SOPU	19386M001	N	0.89	0.37		-0.43	1.05	-1.09	0.67	0.94
SOPU	19386M001	E	0.39	-0.15		0.20	0.29	-0.11	0.39	0.68
SOPU	19386M001	U	5.25	-4.24		8.17	1.63	3.62	-3.26	-5.19
TERU	13487M001	N	1.90	-1.50	3.59	-0.03	-0.40	-2.01	-1.46	-0.37
TERU	13487M001	E	2.21	1.11	-2.90	0.54	2.08	2.43	2.61	1.54
TERU	13487M001	U	5.33	4.41	-8.57	-7.53	3.06	-1.60	-1.84	-2.44
VITO	19385M001	N	1.05	1.15	0.49	0.98	-0.47	-1.53	0.79	0.92
VITO	19385M001	E	2.15	0.20	-0.32	3.86	-2.25	2.50	1.22	-0.02
VITO	19385M001	U	6.60	-3.80	12.92	4.28	-6.61	3.32	0.82	-2.55
YEBE	13420M001	N	0.75	0.46	-0.95	-0.08	0.77	-1.00	0.22	0.78
YEBE	13420M001	E	0.90	-1.34	0.00	0.64	-0.88	1.00	-0.53	-0.76
YEBE	13420M001	U	3.27	0.19	-2.91	1.70	-1.39	4.48	-3.45	4.33
ZARA	13462M001	N	1.37	1.88	0.22	-1.74	1.21	-1.42	0.80	0.77
ZARA	13462M001	E	0.97	0.51	-1.81	-0.09	0.46	1.06	-0.86	0.13
ZARA	13462M001	U	7.21	-0.73	14.65	7.92	-2.31	2.04	-3.62	-3.34

### 6.2 Datum verification

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

TRANSFORMATION IN EQUATORIAL SYSTEM (X, Y, Z):  
RESIDUALS IN LOCAL SYSTEM (NORTH, EAST, UP)

LIST OF REMOVED STATIONS:

OUTLIER CRITERIA: 15.00 15.00 20.00

NUM	NAME	FLG	RESIDUALS IN MILLIMETERS		
2	ALAC 13433M001	I W	0.95	-2.20	-0.55
3	ALME 13437M001	I W	-0.18	-0.11	0.97
4	BCL1 19482M001	I W	-0.33	0.49	1.37
5	BELL 13431M001	I W	0.40	0.06	-0.66
6	BIAZ 10074M002	I W	3.87	-0.87	-7.57
7	BORR 13480M001	I W	-6.29	0.68	-0.92
8	BRST 10004M004	I W	2.62	-2.27	4.68
9	CACE 13447M001	I W	1.96	-0.33	3.31
10	CANT 13438M001	I W	3.53	-0.42	-3.03
11	CASC 13909S001	I W	1.32	-2.66	3.46
12	CEU1 13449M002	I W	1.32	-0.23	-0.29
14	EBRE 13410M001	I W	-4.17	3.95	-1.91
16	FLRS 31907M001	I W	-2.76	-1.36	-1.81
17	FUER 31330M001	I W	-1.84	-1.86	1.44
19	HUEL 13451M001	I W	0.68	0.22	-1.82
20	IBIZ 13454S001	I W	-1.89	2.95	2.96
21	IZAN 31309M002	I W	-3.72	-3.46	-6.50
22	LAGO 13903M001	I W	0.60	-1.12	3.31
23	LLIV 13436M001	I W	-5.24	5.72	9.90
24	LPAL 81701M001	I W	-0.56	-0.51	-5.78
25	LROC 10023M001	I W	2.50	1.46	-0.60
26	MADR 13407S012	I W	-0.53	-0.37	1.14
27	MAL1 13444M002	I W	1.04	1.50	-7.32
28	MALA 13443M001	I W	2.10	0.70	10.10
29	MALL 13444M001	I W	-2.31	3.54	1.58
30	MAS1 31303M002	I W	-4.04	-3.96	-1.47
31	MELI 19379M001	I W	-0.32	0.35	7.41
32	PDEL 31906M004	I W	-2.79	-4.20	-5.33
33	SCOA 10088M002	I W	2.06	-0.57	-10.53
34	SFER 13402M004	I W	-2.04	-5.24	10.28
35	SOPU 19386M001	I W	1.81	1.59	-0.73
36	VALE 13439M001	I W	1.27	3.03	-6.50
37	VIGO 13450M001	I W	3.30	1.05	1.58
38	VILL 13406M001	I W	0.78	-1.03	2.37
39	YEBE 13420M001	I W	0.18	-0.28	6.60
40	ZARA 13462M001	I W	0.26	1.51	-2.25
41	ZIMM 14001M004	I W	1.26	1.83	1.52
RMS / COMPONENT			2.50	2.32	4.96
IQR			3.21	2.58	4.88
MEAN			-0.14	-0.07	0.23
MEDIAN			0.40	-0.23	-0.29
MIN			-6.29	-5.24	-10.53
MAX			3.87	5.72	10.28
OVERALL RMS/IQR/MAX(3D)			3.47	3.45	12.58
					LLIV 13436M001 #SUM
ALL RMS / COMPONENT			2.50	2.32	4.96
ALL IQR			3.21	2.58	4.88
ALL MEAN			-0.14	-0.07	0.23
ALL MEDIAN			0.40	-0.23	-0.29
ALL MIN			-6.29	-5.24	-10.53
ALL MAX			3.87	5.72	10.28
ALL OVERALL RMS/IQR/MAX(3D)			3.47	3.45	12.58
					LLIV 13436M001 #SUM_ALL

NUMBER OF PARAMETERS : 3  
NUMBER OF STATIONS : 37  
NUMBER OF COORDINATES : 111  
RMS OF TRANSFORMATION : 3.47 MM

PARAMETERS:

TRANSLATION IN X : 0.00 +- 0.57 MM  
TRANSLATION IN Y : -0.00 +- 0.57 MM  
TRANSLATION IN Z : -0.00 +- 0.57 MM

NUMBER OF ITERATIONS : 1

### 6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
* STATISTICAL PARAMETER-----VALUE(S)-----
NUMBER OF OBSERVATIONS          17669372
NUMBER OF UNKNOWN               184239
NUMBER OF DEGREES OF FREEDOM    17485133
PHASE MEASUREMENTS SIGMA        0.00100
SAMPLING INTERVAL (SECONDS)     180
VARIANCE FACTOR                  1.916117643873331
```

## 7 Equipment

### 7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION----- S/N_ FIRMWARE____
ACOR A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
ALDA A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
ALSA A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
AMUR A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
BIAZ A 1 P 26:046:00000 26:052:86370 SPECTRA SP90M -----
BIDA A 1 P 26:046:00000 26:052:86370 LEICA GR10 -----
BRZR A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
CACE A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
CANT A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
CREU A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
EBRE A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
ELGE A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
EMAZ A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
GERN A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
HOND A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
IGEL A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
ISPS A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
KAST A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
LARE A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
LAZK A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
LEIT A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
ORON A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
PAS2 A 1 P 26:047:00000 26:052:86370 STONEX SC2200 -----
PASA A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
RIO1 A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
SALA A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
SCDA A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
SOPU A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
TERU A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
VITO A 1 P 26:046:00000 26:052:86370 LEICA GR30 -----
YEBE A 1 P 26:046:00000 26:052:86370 LEICA GR50 -----
ZARA A 1 P 26:046:00000 26:052:86370 TRIMBLE NETR9 -----
```

### 7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION----- S/N_ DAZI
ACOR A 1 P 26:046:00000 26:052:86370 LEIAT504 LEIS -----
ALDA A 1 P 26:046:00000 26:052:86370 LEIAS10 NONE -----
ALSA A 1 P 26:046:00000 26:052:86370 LEIAR10 NONE -----
AMUR A 1 P 26:046:00000 26:052:86370 LEIAS10 NONE -----
BIAZ A 1 P 26:046:00000 26:052:86370 LEIAR25 LEIT -----
BIDA A 1 P 26:046:00000 26:052:86370 LEIAS10 NONE -----
BRZR A 1 P 26:046:00000 26:052:86370 LEIAS10 NONE -----
CACE A 1 P 26:046:00000 26:052:86370 LEIAR20 LEIM -----
CANT A 1 P 26:046:00000 26:052:86370 LEIAR25_R4 LEIT -----
CREU A 1 P 26:046:00000 26:052:86370 LEIAR25_R4 NONE -----
EBRE A 1 P 26:046:00000 26:052:86370 LEIAR25_R4 NONE -----
ELGE A 1 P 26:046:00000 26:052:86370 LEIAR25_R4 LEIT -----
EMAZ A 1 P 26:046:00000 26:052:86370 LEIAS10 NONE -----
GERN A 1 P 26:046:00000 26:052:86370 LEIAS10 NONE -----
HOND A 1 P 26:046:00000 26:052:86370 LEIAR20 LEIM -----
IGEL A 1 P 26:046:00000 26:052:86370 LEIAR20 LEIM -----
ISPS A 1 P 26:046:00000 26:052:86370 LEIAR20 LEIM -----
KAST A 1 P 26:046:00000 26:052:86370 LEIAS10 NONE -----
LARE A 1 P 26:046:00000 26:052:86370 LEIAR20 LEIM -----
LAZK A 1 P 26:046:00000 26:052:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 26:046:00000 26:052:86370 LEIAR10 NONE -----
ORON A 1 P 26:046:00000 26:052:86370 LEIAR10 NONE -----
PAS2 A 1 P 26:047:00000 26:052:86370 LEIAR20 LEIM -----
PASA A 1 P 26:046:00000 26:052:86370 LEIAR20 LEIM -----
RIO1 A 1 P 26:046:00000 26:052:86370 LEIAR25_R4 LEIT -----
SALA A 1 P 26:046:00000 26:052:86370 LEIAR25 NONE -----
SCDA A 1 P 26:046:00000 26:052:86370 TRM55971.00 NONE -----
SOPU A 1 P 26:046:00000 26:052:86370 LEIAS10 NONE -----
TERU A 1 P 26:046:00000 26:052:86370 LEIAR20 LEIM -----
VITO A 1 P 26:046:00000 26:052:86370 LEIAS10 NONE -----
YEBE A 1 P 26:046:00000 26:052:86370 LEIAR20 LEIM -----
ZARA A 1 P 26:046:00000 26:052:86370 TRM29659.00 NONE -----
```

### 7.3 Eccentricities

* SITE	PT	SOLN	T	DATA_START	DATA_END	AXE	UP	NORTH	EAST
							ARP	BENCHMARK (M)	
ACDR	A	1	P	26:046:00000	26:052:86370	UNE	3.0460	0.0000	0.0000
ALDA	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
ALSA	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
AMUR	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
BLAZ	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
BIDA	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
BRZR	A	1	P	26:046:00000	26:052:86370	UNE	0.0771	0.0000	0.0000
CACE	A	1	P	26:046:00000	26:052:86370	UNE	0.0600	0.0000	0.0000
CANT	A	1	P	26:046:00000	26:052:86370	UNE	3.0490	0.0000	0.0000
CREU	A	1	P	26:046:00000	26:052:86370	UNE	0.0770	0.0000	0.0000
EBRE	A	1	P	26:046:00000	26:052:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
EMAZ	A	1	P	26:046:00000	26:052:86370	UNE	0.0350	0.0000	0.0000
GERN	A	1	P	26:046:00000	26:052:86370	UNE	0.0771	0.0000	0.0000
HOND	A	1	P	26:046:00000	26:052:86370	UNE	0.0771	0.0000	0.0000
IGEL	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	26:046:00000	26:052:86370	UNE	0.0350	0.0000	0.0000
KAST	A	1	P	26:046:00000	26:052:86370	UNE	0.0350	0.0000	0.0000
LARE	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
LAZK	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
ORDN	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
PAS2	A	1	P	26:047:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
RID1	A	1	P	26:046:00000	26:052:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	26:046:00000	26:052:86370	UNE	0.0600	0.0000	0.0000
SCDA	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
SOPU	A	1	P	26:046:00000	26:052:86370	UNE	0.0771	0.0000	0.0000
TERU	A	1	P	26:046:00000	26:052:86370	UNE	0.0600	0.0000	0.0000
VITO	A	1	P	26:046:00000	26:052:86370	UNE	0.0000	0.0000	0.0000
YEBE	A	1	P	26:046:00000	26:052:86370	UNE	0.0600	0.0000	0.0000
ZARA	A	1	P	26:046:00000	26:052:86370	UNE	3.2590	0.0000	0.0000

## 8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

2026-03-09 19:12 UTC	ALDA0460.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2026-03-10 04:50 UTC	ALDA0470.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2026-03-10 09:49 UTC	ALDA0480.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2026-03-10 14:42 UTC	ALDA0490.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2026-03-10 19:31 UTC	ALDA0500.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2026-03-11 05:08 UTC	ALDA0510.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2026-03-11 09:58 UTC	ALDA0520.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: alda00esp_20241008.log
2026-03-09 19:12 UTC	AMUR0470.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2026-03-10 04:50 UTC	AMUR0480.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2026-03-10 09:49 UTC	AMUR0490.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2026-03-10 14:42 UTC	AMUR0500.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2026-03-10 19:31 UTC	AMUR0510.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2026-03-11 05:08 UTC	AMUR0520.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2026-03-11 09:58 UTC	AMUR0530.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amur00esp_20241008.log
2026-03-09 19:12 UTC	BIDA0460.260	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2026-03-09 19:12 UTC	BIDA0470.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2026-03-10 04:50 UTC	BIDA0480.260	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2026-03-10 04:50 UTC	BIDA0490.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2026-03-10 09:49 UTC	BIDA0480.260	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2026-03-10 09:49 UTC	BIDA0490.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2026-03-10 14:42 UTC	BIDA0480.260	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2026-03-10 14:42 UTC	BIDA0490.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2026-03-10 19:31 UTC	BIDA0500.260	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2026-03-10 19:31 UTC	BIDA0510.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2026-03-11 05:08 UTC	BIDA0520.260	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2026-03-11 05:08 UTC	BIDA0530.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2026-03-11 09:58 UTC	BIDA0540.260	RECEIVER TYPE	LEICA GR30	->	LEICA GR10	(source: bida_20200626.log
2026-03-11 09:58 UTC	BIDA0550.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.52/6.525	(source: bida_20200626.log
2026-03-09 19:12 UTC	BRZR0460.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2026-03-10 04:50 UTC	BRZR0470.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2026-03-10 09:49 UTC	BRZR0480.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2026-03-10 14:42 UTC	BRZR0490.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2026-03-10 19:31 UTC	BRZR0500.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2026-03-11 05:08 UTC	BRZR0510.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2026-03-11 09:58 UTC	BRZR0520.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: brzr00esp_20240315.log
2026-03-09 19:12 UTC	CANT0460.260	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250624.log
2026-03-09 19:12 UTC	CANT0470.260	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250624.log
2026-03-10 04:50 UTC	CANT0480.260	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250624.log
2026-03-10 04:50 UTC	CANT0490.260	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250624.log
2026-03-10 09:49 UTC	CANT0480.260	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250624.log
2026-03-10 09:49 UTC	CANT0490.260	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250624.log
2026-03-10 14:42 UTC	CANT0480.260	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250624.log
2026-03-10 14:42 UTC	CANT0490.260	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250624.log
2026-03-10 19:31 UTC	CANT0500.260	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250624.log
2026-03-10 19:31 UTC	CANT0510.260	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250624.log
2026-03-11 05:08 UTC	CANT0520.260	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250624.log
2026-03-11 05:08 UTC	CANT0530.260	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250624.log
2026-03-11 09:58 UTC	CANT0540.260	RECEIVER TYPE	LEICA GR10	->	LEICA GR50	(source: cant00esp_20250624.log
2026-03-11 09:58 UTC	CANT0550.260	RECEIVER FIRM. VERS.	4.00/6.713	->	4.80/7.900	(source: cant00esp_20250624.log
2026-03-09 19:12 UTC	EMAZ0460.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2026-03-10 04:50 UTC	EMAZ0470.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2026-03-10 09:49 UTC	EMAZ0480.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2026-03-10 14:42 UTC	EMAZ0490.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2026-03-10 19:31 UTC	EMAZ0500.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2026-03-11 05:08 UTC	EMAZ0510.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2026-03-11 09:58 UTC	EMAZ0520.260	RECEIVER FIRM. VERS.	4.83/7.900	->	4.80/7.900	(source: amaz00esp_20241008.log
2026-03-09 19:12 UTC	ISPS0460.260	ANTENNA SER. NO.	->	24238009	(source: isps00esp_20250114.log	
2026-03-10 04:50 UTC	ISPS0470.260	ANTENNA SER. NO.	->	24238009	(source: isps00esp_20250114.log	
2026-03-10 09:49 UTC	ISPS0480.260	ANTENNA SER. NO.	->	24238009	(source: isps00esp_20250114.log	
2026-03-10 14:42 UTC	ISPS0490.260	ANTENNA SER. NO.	->	24238009	(source: isps00esp_20250114.log	
2026-03-10 19:31 UTC	ISPS0500.260	ANTENNA SER. NO.	->	24238009	(source: isps00esp_20250114.log	

```

2026-03-11 05:08 UTC | ISPS0510.260 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2026-03-11 09:58 UTC | ISPS0520.260 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2026-03-09 19:12 UTC | KAST0460.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-03-10 04:50 UTC | KAST0470.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-03-10 09:49 UTC | KAST0480.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-03-10 14:42 UTC | KAST0490.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-03-10 19:31 UTC | KAST0500.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-03-11 05:08 UTC | KAST0510.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-03-11 09:58 UTC | KAST0520.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-03-09 19:12 UTC | VIT00460.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-03-10 04:50 UTC | VIT00470.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-03-10 09:49 UTC | VIT00480.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-03-10 14:42 UTC | VIT00490.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-03-10 19:31 UTC | VIT00500.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-03-11 05:08 UTC | VIT00510.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-03-11 09:58 UTC | VIT00520.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log

```

## 9 References

C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. [etrs89.ensg.ign.fr/memo-V8.pdf](https://etrs89.ensg.ign.fr/memo-V8.pdf)



EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. [epncb.oma.be/documentation/guidelines/guidelines\\_analysis\\_centres.pdf](https://epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf)


Johnston, G., Riddell, A., Hausler, G. (2017). The International GNSS Service. Teunissen, Peter J.G., Montenbruck, O. (Eds.), Springer Handbook of Global Navigation Satellite Systems (1st ed., pp. 967-982). Cham, Switzerland: Springer International Publishing. DOI: 10.1007/978-3-319-42928-1

Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. [etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf](https://etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf)


## 10 Cumulative Time Series

Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.







3 ) ALSA




4 ) AMUR




5 ) BIAZ




6 ) BIDA




7 ) BRZR




8 ) CACE






9 ) CANT




10 ) CHER




11 ) CREU







15 ) GERN




16 ) HOND




17 ) IGEL




18 ) ISPS




19 ) KAST




20 ) LARE



21 ) LAZK



22 ) LEIT



23 ) ORON

