

ARA-DAC Weekly Analysis Result: 2420 (GFA)

Technical Report

GPS Week: 2420 (GFA)

<http://geolabpasaia.org/gnss/ARA-euref/>

ARA-DAC details:

Contact person: J. Zurutuza

Contact mail: geodesia@aranzadi.eus

Report generated on 2026/06/15 at 02:16:22



ARANZADI zientzia elkartea
sociedad de ciencias . society of sciences . société de sciences


Contents

1	Introduction	3
2	Map of Computed Sites	3
3	Main Computation Parameters	4
4	Estimated Parameters	4
5	Computed Coordinates	6
5.1	IGS20	6
5.2	ETRF2000 (ETRS89) Coordinates	6
5.3	ETRF2014 (ETRS89) Coordinates	7
5.4	ETRF2020 (ETRS89) Coordinates	7
6	Quality Control	8
6.1	Mean and Daily Repeatabilities	8
6.2	Datum verification	10
6.3	Adjustment Statistics	11
7	Equipment	11
7.1	Receiver List	11
7.2	Antennas	11
7.3	Eccentricities	12
8	Inconsistencies (logsheet-RINEX metadata)	12
9	References	13
10	Cumulative Time Series	14

1 Introduction

In may 2015 ARA (EUREF's acronym of the ARANZADI's Department of Applied Geodesy), kicks off as a EUREF's Operational Center. In July 2015, the Densification solutions ARA computes routinely in a weekly basis start being submitted to the EUREF's EPN Densification Project.

2 Map of Computed Sites



2026 Jun 15 02:16:17

Fig.1: Computed Sites for GPS Week2420 (GFA)

3 Main Computation Parameters

The main parameters considered in the ARA analysis follow strictly the EPN recommendations.

- Preprocessing: Independent baselines are defined by the criterion of maximum common observations. Cycle slips are fixed with the MAUPRP program, analysing triple phase differences for each independent baseline. If MAUPRP does not fix all slips for one station, that station is edited out.
- Basic Observable : Carrier phase, L_1 and L_2 ; a priori sigma of single differences: 0.002 m.
 - sampling (for ambiguity resolution): 30 s
 - sampling (for final processing): 180 s
 - Systems: GPS+GLONASS observations are used (Galileo is used if available starting GPS week 1986)
- Modelled observable: Double differences of carrier phase using different combinations based on the distance.
- Ground antenna phase center calibrations: Group APCV used from the PCV_COD.I20 file and individual calibrations from EPNC_20.ATX. In case no calibration values of an antenna/radome pairs are not available for a certain GNSS system at some station, the observation of this/these GNSS/GNSSs are excluded from the analysis of that station.
- Reference sites: the latest IGS cumulative solution is used to align our solution to the latest IGS20 release, regularly updated and available at: IGS0OPSSNX_1994002_00U_00U_CRD.SNX.gz. Following the EUREF guidelines, no other individual calibrations are included in the analysis starting GPSW 2238 (IGS20); also applies to repro3 solutions, which are based on IGS20 standards.
- Troposphere:
 - minimum elevation is 3 deg.; elevation dependent weighting.
 - VMF3 mapping function. ZPD parameters are estimated using the VMF3 mapping function.
 - CHENHER gradient estimation model.
- Ionosphere: no a priori model, ionospheric effect almost removed by iono free combination.
- Ocean Loading: FES2014b (Scherneck).
- Atmospheric loading: not corrected, following the latest recommendations for IGS20 products.
- Tidal displacements:
 - Mean pole model : IERS2010_v1.2.0
 - Subdaily pole model: DESAI2016
 - Nutation model : IAU2000R06

4 Estimated Parameters

- Adjustment: Least Squares
- Rejection Criteria: 3σ of single differences, in the weekly combination of daily normal equations (ADDNEQ)
- Station coordinates: minimum constraints (MC) to IGS sites (only translations).
- Troposphere: 3 deg. After having obtained coordinates valid for the entire week, tropospheric zenith delay is solved at each site at intervals of 1 hour throughout the week, holding the coordinates constrained at the weekly values.

- Ionospheric: second and third "High Order Ionosphere (HOI)" corrections used, using CODE files, to improve Ambiguity Resolution.
- Satellite clock bias: not estimated because are eliminated by double differencing the phase data.
- Receiver clock bias: not estimated because are eliminated by double differencing the phase data.
- Orbits and ERPs: CODE's orbits and ERP for both rapid and final solutions. DE421 planetary ephemeris and JGM3 Earth geopotential model is used.
- Ambiguity: an advanced ambiguity resolution (AR) scheme is included:
 - Code-Based Widelane (WL) and Narrow Line (NR) AR for baselines shorter than 6000km, a Melbourne-Wuebbena wide-lane and narrow-lane AR is computed.
 - Phase-Based Widelane (L_5) AR for baselines shorter than 200km, the code-based wide-lane AR is replaced by a phase-only wide-lane with a subsequent narrow-lane AR.
 - Quasi-Ionosphere-Free (QIF) AR for the remaining real-valued ambiguities for baselines shorter than 2000km.
 - Direct L_1/L_2 AR for baselines shorter than 20km
- AR Verification: Each baseline is processed by introducing the resolved integer ambiguities and checking the residuals. If there is any problem, the ambiguities are re-initialized.

5 Computed Coordinates

In this section the adjusted coordinates are summarized. Note that the sites with an A flag are the computed ones, whereas sites flagged as W (IGS cumulative solution) are the ones used in the Minimal Constraints condition.

5.1 IGS20

The Reference Frame considered in this section is the IGS20 (IGS cumulative solution), mapped from 2015.0 to the observation epoch.

ARA FINAL WEEKLY COMBINATION: FINAL ORBITS						15-JUN-26 00:48
LOCAL GEODETIC DATUM: IGS20						EPOCH: 2026-05-27 11:59:45
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.46623	-678367.22721	4357066.33781	A	G
39	ALDA 19383M001	4687280.08442	-190876.43046	4308107.03818	A	GR
50	ALSA 19419M001	4677250.76088	-176770.26046	4319079.96014	A	GRE
53	AMUR 19388M001	4661499.37588	-244591.12207	4332269.96449	A	GR
384	BIAZ 10074M002	4634455.97138	-124344.84148	4365785.53638	W	GR
101	BIDA 15018M001	4644177.74432	-145778.18568	4354832.56040	A	GR
113	BRZR 19387M001	4662220.91687	-220769.76539	4333309.51937	A	GR
573	CACE 13447M001	4899866.44602	-544566.90176	4033770.29459	W	GRE
592	CANT 13438M001	4625924.24409	-307096.10327	4365771.64209	W	GRE
908	CREU 13432M001	4715420.05143	273178.19427	4271946.92348	A	GRE
135	EBRE 13410M001	4833519.91312	41537.52881	4147461.80325	W	GRE
180	ELGE 19353S001	4657557.32168	-202241.33709	4338991.97058	A	GRE
182	ENAZ 17001M001	4645924.13798	-276949.73651	4347759.65105	A	GR
209	GERN 19389M001	4642811.24535	-217222.79335	4353278.96078	A	GR
257	HOND 15012M002	4640529.24189	-145675.85145	4358781.83844	A	GRE
235	IGEL 19352S001	4645951.34902	-165574.37022	4352550.50642	A	GRE
240	ISPS 19484M001	4640596.40798	-206963.64579	4356392.00221	A	GRE
245	KAST 19499M001	4646949.00140	-240747.13208	4348015.07280	A	GR
252	LARE 19440M001	4632831.88689	-279026.01380	4360314.50941	A	GRE
256	LAZK 19354S001	4666098.26976	-178186.05836	4330463.75291	A	GRE
261	LEIT 19428M001	4663520.86168	-158588.58656	4334519.96768	A	GRE
334	ORON 19427M001	4659695.70385	-130864.60142	4338948.96735	A	GRE
345	PAS2 19351S001	4644908.98529	-156644.93666	4353623.15850	A	GRE
493	PASA 19351S001	4644908.98582	-156644.93668	4353623.15831	A	GRE
553	RIO1 13448M002	4708446.75386	-199490.14913	4284089.81646	A	GRE
558	SALA 13469M001	4803054.42030	-462130.93534	4158379.16266	A	GR
526	SCDA 10088M002	4639940.43043	-136224.80764	4359552.50801	W	GRE
715	SOPU 19386M001	4643997.83313	-255913.77378	4350063.22079	W	GR
443	TERU 13487M001	4867391.24492	-95523.20951	4108341.76438	A	GR
493	VITO 19385M001	4679397.62539	-218436.37163	4314898.45108	A	GR
616	YEBE 13420M001	4848724.49984	-261631.79260	4123094.41382	W	GRE
655	ZARA 13462M001	4773803.09174	-73505.84957	4215454.17718	W	GRE

5.2 ETRF2000 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2000 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2000						15-JUN-26 00:48
LOCAL GEODETIC DATUM: ETRF2000						EPOCH: 2026-05-27 11:59:45
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.82699	-678367.90164	4357065.83329	A	
39	ALDA 19383M001	4687280.51117	-190877.11578	4308106.53240	A	
50	ALSA 19419M001	4677251.19059	-176770.94446	4319079.45550	A	
53	AMUR 19388M001	4661499.79697	-244591.80423	4332269.46030	A	
384	BIAZ 10074M002	4634456.41262	-124345.51983	4365785.03647	W	
101	BIDA 15018M001	4644178.18155	-145778.86534	4354832.05928	A	
113	BRZR 19387M001	4662221.34148	-220770.44759	4333309.01547	A	
573	CACE 13447M001	4899866.79834	-544567.61483	4033769.76377	W	
592	CANT 13438M001	4625924.65906	-307096.78104	4365771.14026	W	
908	CREU 13432M001	4715420.54171	273177.50706	4271946.42189	A	
135	EBRE 13410M001	4833520.35949	41536.82566	4147461.28733	W	
180	ELGE 19353S001	4657557.74944	-202242.01864	4338991.46738	A	
182	ENAZ 17001M001	4645924.55574	-276950.41678	4347759.14782	A	
209	GERN 19389M001	4642811.67217	-217223.47304	4353278.45872	A	
257	HOND 15012M002	4640529.67947	-145676.53065	4358781.33766	A	
235	IGEL 19352S001	4645951.78321	-165575.05017	4352550.00484	A	
240	ISPS 19484M001	4640596.83654	-206964.32517	4356391.50051	A	
245	KAST 19499M001	4646949.42439	-240747.81237	4348014.57001	A	
252	LARE 19440M001	4632832.30543	-279026.69238	4360314.00736	A	
256	LAZK 19354S001	4666098.70024	-178186.74093	4330463.24928	A	
261	LEIT 19428M001	4663521.29572	-158589.26874	4334519.46462	A	
334	ORON 19427M001	4659696.14186	-130865.28303	4338948.46501	A	
345	PAS2 19351S001	4644909.42085	-156645.61645	4353622.65715	A	
493	PASA 19351S001	4644909.42138	-156645.61647	4353622.65696	A	
553	RIO1 13448M002	4708447.17731	-199490.83717	4284089.80859	A	
558	SALA 13469M001	4803054.79519	-462131.63604	4158378.64208	A	
526	SCDA 10088M002	4639940.86943	-136225.48673	4359552.00742	W	
715	SOPU 19386M001	4643998.25411	-255914.45373	4350062.71805	W	
443	TERU 13487M001	4867391.66924	-95523.91743	4108341.24330	A	
493	VITO 19385M001	4679398.04876	-218437.05602	4314897.94562	A	
616	YEBE 13420M001	4848724.90055	-261632.49864	4123093.89201	W	
655	ZARA 13462M001	4773803.52742	-73506.54555	4215453.66511	W	

5.3 ETRF2014 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2014 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2014						15-JUN-26 00:48
LOCAL GEODETIC DATUM: ETRF2014						EPOCH: 2026-05-27 11:59:45
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.78772	-678367.93764	4357065.88681	A	
39	ALDA 19383M001	4687280.46922	-190877.15330	4308106.58578	A	
50	ALSA 19419M001	4677251.14871	-176770.98208	4319079.50891	A	
53	AMUR 19388M001	4661499.75552	-244591.84166	4332269.51373	A	
384	BIAZ 10074M002	4634456.37105	-124345.55786	4365785.09006	W	
101	BIDA 15018M001	4644178.13994	-145778.90324	4354832.11282	A	
113	BRZR 19387M001	4662221.29994	-220770.48511	4333309.06891	A	
573	CACE 13447M001	4899866.75493	-544567.64991	4033769.81638	W	
592	CANT 13438M001	4625924.61824	-307096.81838	4365771.19378	W	
908	CREU 13432M001	4715420.49754	273177.46786	4271946.47553	A	
135	EBRE 13410M001	4833520.31485	41536.78793	4147461.34041	W	
180	ELGE 19353S001	4657557.70788	-202242.05625	4338991.52085	A	
182	EMAZ 17001M001	4645924.51460	-276950.45415	4347759.20128	A	
209	GERN 19389M001	4642811.63084	-217223.51067	4353278.51223	A	
257	HOND 15012M002	4640529.63790	-145676.56856	4358781.39121	A	
235	IGEL 19352S001	4645951.74165	-165575.08799	4352550.05837	A	
240	ISPS 19484M001	4640596.79521	-206964.36285	4356391.55403	A	
245	KAST 19499M001	4646949.38310	-240747.84988	4348014.62349	A	
252	LARE 19440M001	4632832.26444	-279026.72981	4360314.06087	A	
256	LAZK 19354S001	4666098.65850	-178186.77859	4330463.30273	A	
261	LEIT 19428M001	4663521.25393	-155859.30651	4334519.51809	A	
334	ORON 19427M001	4659696.10001	-130865.32091	4338948.51851	A	
345	PAS2 19351S001	4644909.37927	-156645.65430	4353622.71068	A	
493	PASA 19351S001	4644909.37980	-156645.65432	4353622.71049	A	
553	RI01 13448M002	4708447.13514	-199490.87455	4284089.36189	A	
558	SALA 13469M001	4803054.75276	-462131.67192	4158378.69499	A	
526	SC0A 10088M002	4639940.82784	-136225.52469	4359552.06098	W	
715	SOPU 19386M001	4643998.21291	-255914.49120	4350062.77153	W	
443	TERU 13487M001	4867391.62373	-95523.95446	4108341.29619	A	
493	VITO 19385M001	4679398.00700	-218437.09346	4314897.99901	A	
616	YEBE 13420M001	4848724.85688	-261632.53510	4123093.94486	W	
655	ZARA 13462M001	4773803.48397	-73506.58311	4215453.71829	W	

5.4 ETRF2020 (ETRS89) Coordinates

European Terrestrial Reference System, 1989 (ETRS89) is realized by ETRF2020 (Boucher and Altamimi, 2011) and (Altamimi, 2017).

CONVERT TO ETRF2020						15-JUN-26 00:48
LOCAL GEODETIC DATUM: ETRF2020						EPOCH: 2026-05-27 11:59:45
NUM	STATION NAME	X (M)	Y (M)	Z (M)	FLAG	SYSTEM
111	ACOR 13434M001	4594489.78366	-678367.92252	4357065.89483	A	
39	ALDA 19383M001	4687280.46381	-190877.13767	4308106.59407	A	
50	ALSA 19419M001	4677251.14323	-176770.96647	4319079.51719	A	
53	AMUR 19388M001	4661499.75021	-244591.82614	4332269.52197	A	
384	BIAZ 10074M002	4634456.36528	-124345.54238	4365785.09828	W	
101	BIDA 15018M001	4644178.13426	-145778.88774	4354832.12105	A	
113	BRZR 19387M001	4662221.29455	-220770.46957	4333309.07715	A	
573	CACE 13447M001	4899866.75129	-544567.63372	4033769.82496	W	
592	CANT 13438M001	4625924.61303	-307096.80300	4365771.20194	W	
908	CREU 13432M001	4715420.49078	273177.48378	4271946.48396	A	
135	EBRE 13410M001	4833520.30912	41536.80413	4147461.34900	W	
180	ELGE 19353S001	4657557.70242	-202242.04073	4338991.52909	A	
182	EMAZ 17001M001	4645924.50935	-276950.43869	4347759.20949	A	
209	GERN 19389M001	4642811.62539	-217223.49519	4353278.52044	A	
257	HOND 15012M002	4640529.63222	-145676.55307	4358781.39943	A	
235	IGEL 19352S001	4645951.73604	-165575.07248	4352550.06659	A	
240	ISPS 19484M001	4640596.78971	-206964.34738	4356391.56224	A	
245	KAST 19499M001	4646949.37773	-240747.83441	4348014.63171	A	
252	LARE 19440M001	4632832.25915	-279026.71439	4360314.06905	A	
256	LAZK 19354S001	4666098.65298	-178186.76303	4330463.31099	A	
261	LEIT 19428M001	4663521.24833	-155859.29094	4334519.52635	A	
334	ORON 19427M001	4659696.09433	-130865.30535	4338948.52677	A	
345	PAS2 19351S001	4644909.37363	-156645.63880	4353622.71891	A	
493	PASA 19351S001	4644909.37416	-156645.63882	4353622.71872	A	
553	RI01 13448M002	4708447.12981	-199490.85886	4284089.37022	A	
558	SALA 13469M001	4803054.74856	-462131.65603	4158378.70342	A	
526	SC0A 10088M002	4639940.82212	-136225.50919	4359552.06921	W	
715	SOPU 19386M001	4643998.20758	-255914.47574	4350062.77974	W	
443	TERU 13487M001	4867391.61853	-95523.93820	4108341.30480	A	
493	VITO 19385M001	4679398.00165	-218437.07787	4314898.00728	A	
616	YEBE 13420M001	4848724.85215	-261632.51897	4123093.95341	W	
655	ZARA 13462M001	4773803.47843	-73506.56715	4215453.72676	W	

6 Quality Control

6.1 Mean and Daily Repeatabilities

In this section, the mean and daily repeatabilities of the sites are shown. Repeatabilities refer to the IGS20 solution and are given with respect to the Local frame (North-East-Up).

GFA FINAL WEEKLY COMBINATION: FINAL ORBITS 15-JUN-26 00:48

Station	#Days	Weekday 0123456	Repeatability (mm)		
			N	E	U
ACOR 13434M001	6	XXX XXX	1.55	2.47	5.08
ALDA 19383M001	7	XXXXXX	2.12	0.90	5.97
ALSA 19419M001	7	XXXXXX	2.58	0.90	6.18
AMUR 19388M001	7	XXXXXX	0.93	0.71	3.86
BIAZ 10074M002	7	XXXXXX	0.53	0.82	5.79
BIDA 15018M001	7	XXXXXX	2.76	2.10	6.98
BRZR 19387M001	7	XXXXXX	1.31	1.58	6.79
CACE 13447M001	7	XXXXXX	0.65	1.10	4.79
CANT 13438M001	7	XXXXXX	0.88	0.53	4.44
CREU 13432M001	7	XXXXXX	0.53	1.00	5.90
EBRE 13410M001	7	XXXXXX	0.68	0.80	5.62
ELGE 19353S001	7	XXXXXX	0.95	1.14	4.86
EMAZ 17001M001	5	XXXXX	1.63	1.34	5.67
GERN 19389M001	7	XXXXXX	1.27	0.67	2.97
HOND 15012M002	7	XXXXXX	0.84	0.82	4.80
IGEL 19352S001	7	XXXXXX	1.07	1.43	4.93
ISPS 19484M001	7	XXXXXX	1.13	1.16	3.47
KAST 19499M001	7	XXXXXX	1.79	0.77	4.92
LARE 19440M001	7	XXXXXX	1.01	1.44	4.57
LAZK 19354S001	7	XXXXXX	3.22	0.83	8.51
LEIT 19428M001	7	XXXXXX	1.53	1.17	5.47
ORON 19427M001	7	XXXXXX	1.45	2.42	6.32
PAS2 19351S001	3	X XX	0.58	0.54	4.72
PASA 19351S001	7	XXXXXX	1.90	0.98	4.33
RI01 13448M002	7	XXXXXX	1.24	0.75	7.04
SALA 13469M001	7	XXXXXX	1.20	0.74	2.73
SCOA 10088M002	6	XXXXX	2.26	3.41	4.26
SOPU 19386M001	7	XXXXXX	0.91	0.93	3.97
TERU 13487M001	7	XXXXXX	0.78	0.93	4.88
VITO 19385M001	7	XXXXXX	1.69	1.13	5.30
YEBE 13420M001	7	XXXXXX	1.12	0.76	2.31
ZARA 13462M001	6	XXXXX	0.86	1.51	5.82

Comparison of individual solutions:

ACOR 13434M001	N	1.55	1.61	-0.98	1.74		2.32	0.19	0.27
ACOR 13434M001	E	2.47	1.51	2.75	0.13		-0.90	-2.12	3.91
ACOR 13434M001	U	5.08	-2.12	-2.08	6.45		2.43	-7.87	3.27
ALDA 19383M001	N	2.12	-1.71	1.22	-1.65	0.34	3.44	2.05	1.90
ALDA 19383M001	E	0.90	1.41	1.51	-0.72	0.02	-0.13	-0.27	-0.02
ALDA 19383M001	U	5.97	-1.13	2.61	-0.12	13.48	1.04	0.59	4.78
ALSA 19419M001	N	2.58	-2.91	3.44	-3.69	1.24	1.62	0.95	0.91
ALSA 19419M001	E	0.90	-0.85	-0.16	-0.16	0.01	1.57	1.23	-0.24
ALSA 19419M001	U	6.18	-2.62	-7.22	10.20	3.94	-2.73	3.61	5.49
AMUR 19388M001	N	0.93	-1.95	0.16	0.77	0.54	0.58	0.27	-0.26
AMUR 19388M001	E	0.71	0.77	0.54	-0.14	0.17	0.16	0.83	-1.18
AMUR 19388M001	U	3.86	-0.56	-4.89	4.54	1.98	1.99	0.36	6.06
BIAZ 10074M002	N	0.53	0.41	-0.35	-0.91	-0.19	-0.11	-0.22	-0.67
BIAZ 10074M002	E	0.82	0.76	0.89	-1.16	-0.15	0.09	0.94	0.59
BIAZ 10074M002	U	5.79	-5.96	8.28	0.43	5.58	-6.84	4.35	-0.17
BIDA 15018M001	N	2.76	0.10	-4.76	-3.35	1.61	1.08	0.35	2.83
BIDA 15018M001	E	2.10	2.56	3.94	0.12	-0.51	-0.46	-1.46	-1.36
BIDA 15018M001	U	6.98	6.48	-14.44	3.17	2.89	-0.88	4.13	2.33
BRZR 19387M001	N	1.31	-1.19	0.63	-2.47	-0.57	1.09	0.93	-0.26
BRZR 19387M001	E	1.58	0.29	-1.86	-1.97	0.78	1.50	1.09	1.89
BRZR 19387M001	U	6.79	0.64	-7.36	-8.74	7.25	-0.09	4.07	8.76
CACE 13447M001	N	0.65	-0.50	-0.37	-0.00	0.29	-0.54	1.33	-0.05
CACE 13447M001	E	1.10	2.40	-0.49	0.42	-0.08	-0.71	-0.41	0.67
CACE 13447M001	U	2.79	-3.43	2.59	1.82	3.60	-0.78	-1.06	-3.22
CANT 13438M001	N	0.88	-1.45	-0.31	-0.68	-0.31	0.68	0.89	-0.81
CANT 13438M001	E	0.53	-0.04	-0.33	-0.73	0.18	0.28	0.98	-0.02
CANT 13438M001	U	4.44	4.98	-1.93	-3.03	8.66	1.74	1.57	0.42
CREU 13432M001	N	0.53	0.03	0.35	0.08	0.27	0.29	-0.64	0.98
CREU 13432M001	E	1.00	-0.18	-1.10	-1.10	-0.19	0.57	1.20	-1.34
CREU 13432M001	U	5.90	-1.59	-2.38	0.38	11.11	3.21	8.03	-1.44
EBRE 13410M001	N	0.68	-0.72	0.04	-0.35	0.85	0.34	0.55	0.99
EBRE 13410M001	E	0.80	-0.30	-1.76	-0.35	0.58	-0.03	0.40	0.08
EBRE 13410M001	U	5.62	0.91	-0.80	-4.78	8.45	5.23	8.16	0.19
ELGE 19353S001	N	0.95	0.44	-1.31	-1.22	-0.35	1.23	0.17	-0.57
ELGE 19353S001	E	1.14	1.15	-1.14	-1.39	1.21	0.74	1.09	0.23
ELGE 19353S001	U	4.86	3.15	-2.23	1.59	6.12	-6.64	-3.15	5.73
EMAZ 17001M001	N	1.63			-0.81	1.91	1.49	1.14	-1.69
EMAZ 17001M001	E	1.34			-1.58	0.48	-1.76	0.57	-1.05
EMAZ 17001M001	U	5.67			1.87	2.79	-3.62	-1.25	10.14
GERN 19389M001	N	1.27	-1.91	-0.47	-1.66	0.88	0.85	1.03	-0.76
GERN 19389M001	E	0.67	0.37	-0.49	-0.17	-0.10	1.29	0.10	0.80
GERN 19389M001	U	2.97	1.78	-2.00	-1.90	4.85	-1.62	-0.17	3.98
HOND 15012M002	N	0.84	-0.85	0.56	-1.52	-0.39	-0.40	0.19	0.71
HOND 15012M002	E	0.82	0.62	1.10	-1.21	0.34	0.84	0.34	-0.05
HOND 15012M002	U	4.80	7.60	-4.28	2.84	5.37	-3.20	1.94	-3.36
IGEL 19352S001	N	1.07	-1.65	0.44	1.48	-0.14	0.41	-0.73	-1.05
IGEL 19352S001	E	1.43	1.45	-2.55	-0.52	0.60	0.76	1.54	-0.15
IGEL 19352S001	U	4.93	3.43	-8.84	3.21	4.08	-1.60	2.18	4.66
ISPS 19484M001	N	1.13	-0.68	1.25	-2.00	0.40	0.52	-0.28	-1.08
ISPS 19484M001	E	1.16	1.08	-1.39	-0.97	1.83	0.72	0.28	0.26
ISPS 19484M001	U	3.47	-0.35	-5.71	2.86	5.20	1.49	-0.10	1.39
KAST 19499M001	N	1.79	-2.36	-2.21	-1.59	0.78	1.50	1.00	1.52
KAST 19499M001	E	0.77	0.83	-0.23	0.77	-0.44	-1.30	0.39	0.42
KAST 19499M001	U	4.92	3.92	-9.15	-0.40	4.45	-0.80	2.52	4.39
LARE 19440M001	N	1.01	-0.40	0.32	-2.04	1.19	0.36	0.23	0.36
LARE 19440M001	E	1.44	1.66	1.84	-2.08	-1.14	-0.10	-0.71	0.32
LARE 19440M001	U	4.57	3.06	-2.30	6.84	6.57	-4.13	0.94	1.70
LAZK 19354S001	N	3.22	0.37	-5.36	-2.19	1.44	3.59	2.02	3.10
LAZK 19354S001	E	0.83	0.40	-0.77	-0.10	-0.34	0.94	1.54	-0.02

LAZK 19354S001	U	8.51	-5.88	8.01	9.95	3.38	-14.53	3.49	1.54
LEIT 19428M001	N	1.53	-2.22	-1.64	0.65	1.86	1.30	-0.71	-0.63
LEIT 19428M001	E	1.17	2.26	-0.13	0.59	1.01	0.17	0.23	-1.31
LEIT 19428M001	U	5.47	-4.61	-2.67	-1.35	1.32	0.44	4.54	11.27
ORON 19427M001	N	1.45	1.14	0.29	-2.48	-1.19	0.33	1.75	0.66
ORON 19427M001	E	2.42	1.58	0.22	-4.60	2.05	2.33	1.27	-0.48
ORON 19427M001	U	6.32	8.53	3.72	6.10	0.58	-10.12	3.57	0.01
PAS2 19351S001	N	0.58				-0.19		0.28	0.75
PAS2 19351S001	E	0.54				0.16		0.74	-0.11
PAS2 19351S001	U	4.72				4.62		0.29	4.81
PASA 19351S001	N	1.90	-0.01	-3.69	-2.11	0.58	1.16	0.53	1.26
PASA 19351S001	E	0.98	1.78	-1.07	0.65	0.43	-0.66	0.61	0.27
PASA 19351S001	U	4.33	4.10	-2.75	4.62	5.39	-5.66	0.53	2.33
RI01 13448M002	N	1.24	0.47	-1.26	-1.50	1.43	0.07	0.90	1.53
RI01 13448M002	E	0.75	1.08	0.26	-0.77	-0.51	1.12	0.16	-0.07
RI01 13448M002	U	7.04	2.80	-9.43	5.71	10.92	0.45	-4.57	5.23
SALA 13469M001	N	1.20	-0.53	-1.27	-0.10	2.21	0.19	0.50	1.26
SALA 13469M001	E	0.74	0.37	-0.01	-0.34	-0.24	-0.43	1.63	0.41
SALA 13469M001	U	2.73	0.66	2.95	-0.34	4.22	-3.21	2.58	-0.77
SCDA 10088M002	N	2.26		-3.58	-1.85	1.56	0.14	2.63	-0.06
SCDA 10088M002	E	3.41		4.90	2.61	0.75	1.66	-1.42	-4.68
SCDA 10088M002	U	4.26		3.28	0.84	1.87	-8.38	2.35	-0.21
SOPU 19386M001	N	0.91	-1.11	-0.82	-1.03	0.48	1.15	-0.48	0.46
SOPU 19386M001	E	0.93	1.66	0.08	-1.42	0.58	-0.23	0.07	-0.24
SOPU 19386M001	U	3.97	1.91	-3.27	0.69	3.06	-4.77	0.12	6.92
TERU 13487M001	N	0.78	-0.23	0.24	-0.21	0.03	0.98	-1.02	1.22
TERU 13487M001	E	0.93	0.53	-1.57	-0.13	-1.15	0.54	0.91	-0.00
TERU 13487M001	U	4.88	0.26	0.48	-4.01	-2.92	5.29	-7.22	-6.16
VITO 19385M001	N	1.69	0.84	-3.15	-0.54	0.81	1.75	0.28	1.57
VITO 19385M001	E	1.13	0.85	-0.54	-1.24	2.01	0.04	0.98	-0.36
VITO 19385M001	U	5.30	-0.13	-5.75	-0.12	6.61	-1.80	8.37	4.32
YEBE 13420M001	N	1.12	0.29	0.09	-0.69	2.58	0.07	0.48	0.17
YEBE 13420M001	E	0.76	1.42	0.19	-0.71	0.19	-0.71	0.57	0.17
YEBE 13420M001	U	2.31	2.49	0.37	1.26	3.93	1.42	-2.05	-1.59
ZARA 13462M001	N	0.86	-0.63	1.24	-0.97	-0.31	0.84	-0.19	
ZARA 13462M001	E	1.51	-0.87	-1.29	-1.23	0.14	2.34	1.40	
ZARA 13462M001	U	5.82	-2.14	-3.01	-3.06	5.89	1.11	10.51	

In this section, the datum verification is shown. A 3 parameter Helmert 3D (3 translations) is computed to the minimally constrained sites.

OUTLIER CRITERIA:	15.00	15.00	20.00
-------------------	-------	-------	-------

NUMBER OF ITERATIONS : 1

6.3 Adjustment Statistics

In this section, the summary of the global adjustment and not subnetworks are shown. Also, the Helmert parameters of the combined solution with respect to the daily solutions are shown.

```
*. STATISTICAL PARAMETER_____ VALUE(S)_____
NUMBER OF OBSERVATIONS                17513369
NUMBER OF UNKNOWN                     176740
NUMBER OF DEGREES OF FREEDOM          17336629
PHASE MEASUREMENTS SIGMA              0.00100
SAMPLING INTERVAL (SECONDS)           180
VARIANCE FACTOR                       2.429195674195527
```

7 Equipment

7.1 Receiver List

Serial numbers not shown.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION_____ S/N_ FIRMWARE____
ACOR A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
ALDA A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
ALSA A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
AMUR A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
BIAZ A 1 P 26:144:00000 26:150:86370 SPECTRA SP90M -----
BIDA A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
BRZR A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
CACE A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
CANT A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
CREU A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
EBRE A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
ELGE A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
EMAZ A 1 P 26:146:00000 26:150:86370 LEICA GR30 -----
GERN A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
HOND A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
IGEL A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
ISPS A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
KAST A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
LARE A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
LAZK A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
LEIT A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
ORON A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
PAS2 A 1 P 26:147:00000 26:150:86370 STUNEX SC2200 -----
PASA A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
RIO1 A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
SALA A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
SCOA A 1 P 26:145:00000 26:150:86370 LEICA GR50 -----
SOPU A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
TERU A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
VITO A 1 P 26:144:00000 26:150:86370 LEICA GR30 -----
YEBE A 1 P 26:144:00000 26:150:86370 LEICA GR50 -----
ZARA A 1 P 26:144:00000 26:149:86370 TRIMBLE NETR9 -----
```

7.2 Antennas

Serial number ONLY provided in case individual calibrations are used.

```
*SITE PT SOLN T DATA_START_ DATA_END_ DESCRIPTION_____ S/N_ DAZI
ACOR A 1 P 26:144:00000 26:150:86370 LEIAT504 LEIS -----
ALDA A 1 P 26:144:00000 26:150:86370 LEIAS10 NONE -----
ALSA A 1 P 26:144:00000 26:150:86370 LEIAR10 NONE -----
AMUR A 1 P 26:144:00000 26:150:86370 LEIAS10 NONE -----
BIAZ A 1 P 26:144:00000 26:150:86370 LEIAR25 LEIT -----
BIDA A 1 P 26:144:00000 26:150:86370 LEIAS10 NONE -----
BRZR A 1 P 26:144:00000 26:150:86370 LEIAS10 NONE -----
CACE A 1 P 26:144:00000 26:150:86370 LEIAR20 LEIM -----
CANT A 1 P 26:144:00000 26:150:86370 LEIAR25_R4 LEIT -----
CREU A 1 P 26:144:00000 26:150:86370 LEIAR25_R4 NONE -----
EBRE A 1 P 26:144:00000 26:150:86370 LEIAR25_R4 NONE -----
ELGE A 1 P 26:144:00000 26:150:86370 LEIAR25_R4 LEIT -----
EMAZ A 1 P 26:146:00000 26:150:86370 LEIAS10 NONE -----
GERN A 1 P 26:144:00000 26:150:86370 LEIAS10 NONE -----
HOND A 1 P 26:144:00000 26:150:86370 LEIAR20 LEIM -----
IGEL A 1 P 26:144:00000 26:150:86370 LEIAR20 LEIM -----
ISPS A 1 P 26:144:00000 26:150:86370 LEIAR20 LEIM -----
KAST A 1 P 26:144:00000 26:150:86370 LEIAS10 NONE -----
LARE A 1 P 26:144:00000 26:150:86370 LEIAR20 LEIM -----
LAZK A 1 P 26:144:00000 26:150:86370 LEIAR25_R4 LEIT -----
LEIT A 1 P 26:144:00000 26:150:86370 LEIAR10 NONE -----
ORON A 1 P 26:144:00000 26:150:86370 LEIAR10 NONE -----
PAS2 A 1 P 26:147:00000 26:150:86370 LEIAR20 LEIM -----
PASA A 1 P 26:144:00000 26:150:86370 LEIAR20 LEIM -----
RIO1 A 1 P 26:144:00000 26:150:86370 LEIAR25_R4 LEIT -----
SALA A 1 P 26:144:00000 26:150:86370 LEIAR25 NONE -----
SCOA A 1 P 26:145:00000 26:150:86370 TRM55971.00 NONE -----
SOPU A 1 P 26:144:00000 26:150:86370 LEIAS10 NONE -----
TERU A 1 P 26:144:00000 26:150:86370 LEIAR20 LEIM -----
VITO A 1 P 26:144:00000 26:150:86370 LEIAS10 NONE -----
YEBE A 1 P 26:144:00000 26:150:86370 LEIAR20 LEIM -----
ZARA A 1 P 26:144:00000 26:149:86370 TRM29659.00 NONE -----
```

7.3 Eccentricities

* SITE	PT	SOLN	T	DATA_START__	DATA_END_____	AXE	UP_____	NORTH____	EAST_____
* SITE	PT	SOLN	T	DATA_START__	DATA_END_____	AXE	ARP->BENCHMARK(M)		
ACOR	A	1	P	26:144:00000	26:150:86370	UNE	3.0460	0.0000	0.0000
ALDA	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
ALSA	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
AMUR	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
BLAZ	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
BIDA	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
BRZR	A	1	P	26:144:00000	26:150:86370	UNE	0.0771	0.0000	0.0000
CACE	A	1	P	26:144:00000	26:150:86370	UNE	0.0600	0.0000	0.0000
CANT	A	1	P	26:144:00000	26:150:86370	UNE	3.0490	0.0000	0.0000
CREU	A	1	P	26:144:00000	26:150:86370	UNE	0.0770	0.0000	0.0000
EBRE	A	1	P	26:144:00000	26:150:86370	UNE	0.0770	0.0000	0.0000
ELGE	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
EMAZ	A	1	P	26:146:00000	26:150:86370	UNE	0.0350	0.0000	0.0000
GERN	A	1	P	26:144:00000	26:150:86370	UNE	0.0771	0.0000	0.0000
HOND	A	1	P	26:144:00000	26:150:86370	UNE	0.0771	0.0000	0.0000
IGEL	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
ISPS	A	1	P	26:144:00000	26:150:86370	UNE	0.0350	0.0000	0.0000
KAST	A	1	P	26:144:00000	26:150:86370	UNE	0.0350	0.0000	0.0000
LARE	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
LAZK	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
LEIT	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
ORDN	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
PAS2	A	1	P	26:147:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
PASA	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
RI01	A	1	P	26:144:00000	26:150:86370	UNE	0.0606	0.0000	0.0000
SALA	A	1	P	26:144:00000	26:150:86370	UNE	0.0600	0.0000	0.0000
SCOA	A	1	P	26:145:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
SOPU	A	1	P	26:144:00000	26:150:86370	UNE	0.0771	0.0000	0.0000
TERU	A	1	P	26:144:00000	26:150:86370	UNE	0.0600	0.0000	0.0000
VITO	A	1	P	26:144:00000	26:150:86370	UNE	0.0000	0.0000	0.0000
YEBE	A	1	P	26:144:00000	26:150:86370	UNE	0.0600	0.0000	0.0000
ZARA	A	1	P	26:144:00000	26:149:86370	UNE	3.2590	0.0000	0.0000

8 Inconsistencies (logsheet-RINEX metadata)

The following inconsistencies were found comparing the data available in the logsheets and the RINEX headers:

```

2026-06-14 05:53 UTC | ALDA1440.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2026-06-14 08:40 UTC | ALDA1450.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2026-06-14 11:24 UTC | ALDA1460.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2026-06-14 14:17 UTC | ALDA1470.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2026-06-14 17:04 UTC | ALDA1480.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2026-06-14 19:54 UTC | ALDA1490.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2026-06-15 00:21 UTC | ALDA1500.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: alda00esp_20241008.log
2026-06-14 05:53 UTC | AMUR1440.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2026-06-14 08:40 UTC | AMUR1450.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2026-06-14 11:24 UTC | AMUR1460.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2026-06-14 14:17 UTC | AMUR1470.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2026-06-14 17:04 UTC | AMUR1480.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2026-06-14 19:54 UTC | AMUR1490.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2026-06-15 00:21 UTC | AMUR1500.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amur00esp_20241008.log
2026-06-14 05:53 UTC | BRZR1440.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: brzzr00esp_20240315.log
2026-06-14 08:40 UTC | BRZR1450.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: brzzr00esp_20240315.log
2026-06-14 11:24 UTC | BRZR1460.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: brzzr00esp_20240315.log
2026-06-14 14:17 UTC | BRZR1470.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: brzzr00esp_20240315.log
2026-06-14 17:04 UTC | BRZR1480.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: brzzr00esp_20240315.log
2026-06-14 19:54 UTC | BRZR1490.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: brzzr00esp_20240315.log
2026-06-15 00:21 UTC | BRZR1500.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: brzzr00esp_20240315.log
2026-06-14 11:24 UTC | EMAZ1460.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2026-06-14 14:18 UTC | EMAZ1470.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2026-06-14 17:04 UTC | EMAZ1480.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2026-06-14 19:54 UTC | EMAZ1490.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2026-06-15 00:21 UTC | EMAZ1500.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: amaz00esp_20241008.log
2026-06-14 05:53 UTC | ISPS1440.260 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2026-06-14 08:40 UTC | ISPS1450.260 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2026-06-14 11:24 UTC | ISPS1460.260 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2026-06-14 14:18 UTC | ISPS1470.260 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2026-06-14 17:04 UTC | ISPS1480.260 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2026-06-14 19:54 UTC | ISPS1490.260 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2026-06-15 00:21 UTC | ISPS1500.260 | ANTENNA SER. NO. | -> 24238009 (source: isps00esp_20250114.log
2026-06-14 05:53 UTC | KAST1440.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-06-14 08:40 UTC | KAST1450.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-06-14 11:24 UTC | KAST1460.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-06-14 14:18 UTC | KAST1470.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-06-14 17:04 UTC | KAST1480.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-06-14 19:54 UTC | KAST1490.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-06-15 00:21 UTC | KAST1500.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: kast00esp_20241008.log
2026-06-14 05:53 UTC | VITO1440.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-06-14 08:40 UTC | VITO1450.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-06-14 11:24 UTC | VITO1460.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-06-14 14:18 UTC | VITO1470.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-06-14 17:04 UTC | VITO1480.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-06-14 19:54 UTC | VITO1490.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log
2026-06-15 00:21 UTC | VITO1500.260 | RECEIVER FIRM. VERS. | 4.83/7.900 -> 4.80/7.900 (source: vito00esp_20241008.log


```


9 References


- C. Boucher and Z. Altamimi (2011): *Specifications for reference frame fixing in the analysis of a EUREF GPS campaign*. etrs89.ensg.ign.fr/memo-V8.pdf
- EPN Coordination Group and the EPN Central Bureau (2018): *Guidelines for the EPN Analysis Centres*. epncb.oma.be/documentation/guidelines/guidelines_analysis_centres.pdf
- Johnston, G., Riddell, A., Hausler, G. (2017). The International GNSS Service. Teunissen, Peter J.G., Montenbruck, O. (Eds.), Springer Handbook of Global Navigation Satellite Systems (1st ed., pp. 967-982). Cham, Switzerland: Springer International Publishing. DOI: 10.1007/978-3-319-42928-1
- Z. Altamimi (2018): *EUREF Technical Note 1: Relationship and Transformation between the International and the European Terrestrial Reference Systems*. etrs89.ensg.ign.fr/pub/EUREF-TN-1.pdf

10 Cumulative Time Series


Time series of stations. Latest plots at: <http://geolabpasaia.org/gnss/ARA-net/TSeries/>, or click on the caption of each image.




1) ACOR




2) ALDA



3) ALSA




4) AMUR




5) BIAZ







9) CANT




10) CHER




11) CREU




12) EBRE




13) ELGE




14) EMAZ




15) GERN




16) HOND




17) IGEL




18) ISPS




19) KAST




20) LARE






21) LAZK




22) LEIT




23) ORON







27) SALA




28) SCOA




29) SOPU



30) TERU



31) VITO



32) YEBE

